SERVICE BULLETIN

WINGS - REPLACEMENT OF CENTER WING, LYNDEN AIR CARGO

1. **PLANNING INFORMATION**

A. EFFECTIVITY

382-57-90, FAA Certificated Aircraft: This Service Bulletin is applicable to the following FAA Certificated Hercules aircraft:

MODEL	LOCKHEED MARTIN SERIAL NUMBER	KIT
382G-31C	4590 & 4606	A, E, I, & J
382G-35C	4676 & 4698	B, F, I, & J
382G-38C	4763	C, G, I, & J
382G-69C	5025	D, H, I, & J

B. REASON

(1) This is a record purpose Service Bulletin and is not complete within itself. The purpose of this Service Bulletin is to identify the retrofit change, tabulate all affected systems or equipment, index all necessary drawings and instructions, and list all parts necessary for accomplishment of the modification.

(2) The purpose of this action is to replace the center wing box currently installed on the affected aircraft with a wing box of new manufacture.

(3) This action may be done at customer convenience at the next appropriate maintenance period.

C. DESCRIPTION

This Service Bulletin provides instructions for replacing the center wing structure on affected aircraft.

D. APPROVAL

(1) The aircraft owner/operator will make an appropriate entry in the aircraft log records upon compliance with this Service Bulletin.

(2) After the work has been completed on each affected aircraft, please complete and mail or fax (770-494-5682) a Notice of Service Bulletin Compliance; or notify Lockheed Martin Aeronautics Company of compliance with this Service Bulletin at website address: http://www.lockheedmartin.com/ams and log into Data Library.

(3) **382-57-90, FAA Certificated Aircraft:** This Service Bulletin has been approved by the FAA as complying with applicable Federal Aviation Regulations.

EXPORT CONTROLLED INFORMATION

WARNING - This document contains data whose export is restricted by the Arms Export Control Act (Title 22, U.S.C., Sec 2751, et seq.) as amended, or the Export Administration Act (Title 50, U.S.C., App 2401 et seq.) as amended. Violations of these export laws are subject to severe criminal and civil penalties.

© 2010 LOCKHEED MARTIN CORPORATION. LOCKHEED MARTIN PROPRIETARY INFORMATION.

E. MANPOWER

The work prescribed in this Service Bulletin has not been performed at the Lockheed Martin facility. Therefore, the manpower estimates provided have not been validated, and should not be construed as being acceptable for use in making fixed price quotes for accomplishment of the work. These estimates are provided only as a convenience for customer planning purposes. It is estimated that approximately 4,800 manhours (a crew of 11 men) will be required to accomplish the work described herein on each affected aircraft. This will take approximately two months elapsed time while the aircraft is out of service.

NOTE: This Service Bulletin is based upon the configuration of the aircraft as it was delivered from Lockheed Martin Aeronautics Company. Previous service bulletins issued by Lockheed Martin Aeronautics Company have been considered in the preparation of this Service Bulletin, but no consideration has been given to peculiar changes made to the aircraft by the owner/operator or the US Government since its delivery.

F. MATERIAL - COST AND AVAILABILITY

(1) Kit parts listed in Paragraph 3, required for each affected aircraft, are available from Lockheed Martin Aeronautics Company as Kits A, B, C, D, E, F, G, H, I, and J (Part No. 3362900-1/-3/-5/-7/-9/-11/-13/-15/-17/-19) for Hercules Service Bulletin No. 382-57-90 in accordance with CECP-07-00082. Parts bearing Lockheed Martin Aeronautics Company part numbers are considered proprietary and shall be purchased from Lockheed Martin Aeronautics Company unless methods of fabrication are shown in this publication. Inquiries concerning current prices, applicability, and availability of kits may be directed to the following:

MAIL: Lockheed Martin Aeronautics Company
Customer Supply Business Management Department
Department 65-11
Zone 0577
86 South Cobb Drive
Marietta, GA 30063-0577, USA

TELEPHONE: (770) 494-4214

FAX: (770) 494-7657

(2) Additional bulk materials, listed but not included in the kit, will be supplied by the aircraft owner/operator.

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

G. TOOLING - PRICE AND AVAILABILITY

The following tooling is required and will be obtained through the applicable supply source:

Quantity	Part Number	Nomenclature
1	C26942100	Work Stands, Interior
1	C26942100-101	Floor Mounted Wing Dock
1	C26942101	Work Stands, Exterior
1	C26942101-101	Scaffold
1	C26942102	Work Stands, Interior
1	C26942103	Cradle, Center Wing
1	C26942104	Sling
5	C26942106-101	Cradle, Fuselage Support

H. WEIGHT AND BALANCE

Due to the nature of the center wing replacement, the actual weight and balance changes, resulting from the instructions herein, cannot be accurately determined. Therefore, the aircraft must be weighed in accordance with the applicable aircraft Weight & Balance Manual.

I. REFERENCES

Hercules Maintenance Manual, SMP581
Lockheed Martin Aeronautics Company Drawings 398298, 3361020, 3362685, 3362900, 3362901, 3362904

J. OTHER PUBLICATIONS AFFECTED

Hercules Corrosion Prevention and Control Manual
Hercules Illustrated Parts Catalog
Hercules Structural Repair Manual
Hercules Wiring Diagram Manual

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

THIS PAGE INTENTIONALLY LEFT BLANK.

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

2. **ACCOMPLISHMENT INSTRUCTIONS**

This is a record type service bulletin and, therefore, does not contain detailed instructions for making the replacement. This Bulletin identifies the action, designates the aircraft affected, provides applicable planning information, and identifies the parts, materials, and drawings required for installation. This modification will be accomplished in accordance with Lockheed Martin Aeronautics Company Top Kit Drawing 3362900 and Installation Procedures Drawing 3362685.

WARNING: OBSERVE ALL APPLICABLE SAFETY PRECAUTIONS WHILE ACCOMPLISHING THIS MODIFICATION. ENSURE THAT ALL ELECTRICAL AND HYDRAULIC POWER SOURCES ARE OFF, THE BATTERY AND EXTERNAL ELECTRICAL POWER DISCONNECTED, AND HYDRAULIC SYSTEMS DEPRESSURIZED BEFORE STARTING THE WORK. FAILURE TO COMPLY MAY RESULT IN SERIOUS INJURY OR DEATH.

NOTE: The instructions here are for reference only and in case of any discrepancy between these instructions and Installation Procedures drawings, the actual drawings shall take precedence.

A. Prepare aircraft for modification by removing outer wings, main landing gear outer doors, No. 2 and No. 3 nacelle clamshell doors, and power plant assemblies in accordance with Drawing 3362685.

B. Align and level aircraft with center wing tooling in accordance with Drawing 398298 and 3362685.

C. Salvage flap drive components, nacelle components, leading edges, controls mounted to front beam, fillet fairings, bleed air ducting, and plumbing lines in accordance with kit drawings.

D. Remove center wing section in accordance with Drawing 3362685.

E. Perform non-destructive inspection in accordance with Drawing 3362685.

F. Install components removed from center wing assembly for shipping using Drawings 3361020, 3362901 and 3362904 for 3361022-1 Center Wing Assembly.

G. Install new center wing in accordance with Drawing 3362685. Optical alignment is required. Main landing gear main frame interface with the center wing will have an In-Process Inspection (IPI) during tooling setup and final installation. Fuselage attach angle interface with the center wing and sidewall will have a final installation inspection.

H. Reinstall salvage components in accordance with kit drawings.

I. Perform operational checks (if specified equipment is installed) in accordance with applicable Hercules Maintenance Manual (or equivalent approved operator procedures) and the following table:

Required Procedure	SMP 581 Chapter/ Section
Operational Checkout of Cabin Pressurization Control System	21A-30
Operational Checkout of Air Conditioning System (Airplanes Prior to 4653)	21-50
Operational Checkout of Air Conditioning System (Airplanes 4653 and Up)	21A-50
Operational Checkout Temperature Control Box	21-50
Operational Checkout of AP-105V Autopilot (Airplanes 4653 thru 4739)	22-11

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

Required Procedure	SMP 581 Chapter/ Section
Operational Checkout of FCS-105 Flight Control System (Airplanes 4740 thru 4874)	22-12
Operational Checkout of AC Generation System	24-20
Operational Checkout of Wing Liferaft Release System	25-61
Operational Checkout of Fire Detection System	26-10
Operational Checkout of Nacelle Overheat Warning System	26-10
Operational Checkout of Turbine Overheat Warning System	26-10
Operational Checkout of Fire Extinguishing System	26-20
Operational Checkout of Engine/APU/GTC Fire Extinguishing System Leakage Test	26-20
Operational Checkout of Aileron Control System	27-10
Complete Rig of Aileron Control System	27-10
Operational Checkout of Aileron Trim System	27-11
Operational Checkout of Aileron Trim Indicator	27-11
Rigging Aileron Trim System	27-11
Operational Checkout of Rudder Control System	27-20
Complete Rig of Rudder Control System	27-20
Operational Checkout of Rudder Trim System	27-21
Operational Checkout of Rudder Trim Indicator	27-21
Rigging Rudder Trim System	27-21
Operational Checkout of Elevator Control System	27-30
Complete Rig of Elevator Control System	27-30
Operational Checkout of Elevator Trim Indicator	27-31
Rigging Elevator Trim System	27-31
Operational Checkout of Flap Control System Normal Operation	27-50
Operational Checkout of Flap Control System Manual Operation	27-50
Complete Rig of Flap Control System	27-50
Operational Checkout of Flap Asymmetry System	27-50
Operational Checkout of Fuel Vent System	28-14
Operational Checkout of Refueling/Defueling System	28-21
Operational Checkout of Off Load Valve	28-21
Operational Checkout of Tank To Tank Transfer	28-21
Operational Checkout of Auxiliary, External, and Main Tank Fuel Level Control Valves	28-21
Operational Checkout of Fuel Feed System	28-22
Operational Checkout of Crossfeed Manifold Priming System	28-22
Operational Checkout of GFI	28-22
Operational Checkout of Pressure Relief Valve	28-30
Operational Checkout of Fuel Dump System	28-30
Operational Checkout of Fuel Quantity Indicating System	28-41
Operational Checkout of Fuel Pressure Indicating and Warning System	28-42
Operational Checkout of Utility Hydraulic System	29-11
Operational Checkout of Booster Hydraulic System	29-12
Operational Checkout of Auxiliary Hydraulic System	29-20

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

Required Procedure	SMP 581 Chapter/ Section
Operational Checkout of Airfoil Leading Edge Anti-Icing System	30-10
Operational Checkout of Air Intake Anti-Icing System	30-20
Operational Checkout of Propeller Anti-Icing System	30-60
Operational Checkout of Solid-State Ice Detection System	30-80
Operational Checkout of Mechanical Ice Detection System	30-80
Operational Checkout of Landing Gear System	32-00
Operational Checkout of MLG Emergency Extension and Retraction System	32-32
Operational Checkout of Landing Gear Control Circuit	32-33
Operational Checkout of Nose Landing Gear	32-20
Operational Checkout MLG Brake System	32-41
Operational Checkout of MLG Parking Brake	32-41
Anti-Skid System Operational Checkout Without Hytrol Field Tester	32-42
Anti-Skid System Operational Checkout Using Hytrol Field Tester	32-42
Cargo Area Dome Lights Operational Checkout	33-30
Ramp Lights Operational Checkout	33-30
Operational Checkout of Navigation Lights	33-40
Landing Lights Operational Checkout	33-40
Leading Edge Lights Operational Checkout	33-40
Taxi Lights Operational Checkout	33-40
Anti-Collision Lights Operational Checkout	33-40
Pitot Static System Operational Check	34-13
Operational Checkout of Gaseous Oxygen System	35-10
Operational Checkout of Pneumatic System (Airplanes prior to 4653)	36-10
Operational Checkout of Pneumatic System (Airplanes 4653 and up)	36A-10
Operational Checkout of GTC	49-10
Operational Checkout of ATM	49A-10
Operational Checkout of APU	49B-10
Operational Checkout of Cargo Ramp and Aft Cargo Door	52-30
Rigging of Wing Liferaft Release System	52-41
Operational Checkout of Door Warning System	52-70
Engine and Propeller Runup Checklist	71-00
Operational Checkout of Powerplant	71-00
Operational Checkout of Temperature Datum Control System for 501-D22A Engines	71-00
Operational Checkout of Throttle Control System	76-10
Operational Checkout of Engine Condition Control System	76-10
Operational Checkout of Turbine Inlet Temperature Indicator Using 6798233 or 6799215 Test Set	77-20
Operational Checkout of Oil Cooler Flap	79-20

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

Required Procedure	SMP 581 Chapter/ Section
Operational Checkout of Oil Quantity Indicating System	79-30
Operational Checkout of Starter Control Valve	80-10

J. Perform functional check flight of modified aircraft.

K. Restore aircraft to service.

NOTE: If assistance is needed, contact your local Lockheed Martin Aeronautics Company Representative, or the Technical Support Center in Marietta, Georgia, USA, as follows:

TELEPHONE: (770) 494-9131

FAX: (770) 494-9122

E-MAIL: hercules.support@lmco.com

MAIL: Lockheed Martin Aeronautics Company
86 South Cobb Drive
Dept. 3E1M, Zone 0591
Marietta, GA 30063, USA.

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

3. **MATERIAL INFORMATION**

A. The following parts are provided as Kits A, B, C, and D under ECP 07-00082. Refer to Paragraph 1.A for specific aircraft effectivity:

NOTE: A number in parenthesis following a part number in the parts list is either a superseded part number, or a specification number.

NOTE: Drawings and diagrams have been listed with the most recent revision. However, superseding revisions may be packed in the Kit.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3362900-1	Ref	-	-	-	Top Kit - Center Wing Replacement, Lynden Air Cargo (382G-31C)		Note 1
3362900-3	-	Ref	-	-	Top Kit - Center Wing Replacement, Lynden Air Cargo (382G-35C)		Note 1
3362900-5	-	-	Ref	-	Top Kit - Center Wing Replacement, Lynden Air Cargo (382G-38C)		Note 1
3362900-7	-	-	-	Ref	Top Kit - Center Wing Replacement, Lynden Air Cargo (382G-69C)		Note 1
3362900 Rev. B, PS B1	1	1	1	1	Top Kit - Center Wing Replacement, Lynden Air Cargo Drawing		Note 1
DS2264 Rev. J	1	1	1	1	Design Standard - Installation, Panel Fastener, Quarter Turn, No. 7 Size		Note 1
DS2269 Rev. N	1	1	1	1	Design Standard - Installation, Coupling, Flexible, Beaded Type		Note 1
DS30011 Rev. N	1	1	1	1	Design Standard - Safety Practices		Note 1
DS5028 Rev. C	1	1	1	1	Design Standard - Installation - Coupling Half, Flexible		Note 1
STP52-723 Rev. F (DS5075 Rev. P)	1	1	1	1	Design Standard - Blind Rivet, Self Plugging and Lock Stem		Note 1
DS5250 Rev. A	1	1	1	1	Design Standard - Coupling, V-Band (LJ-11) Installation of		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
G112M Rev. G12	1	1	1	1	Process Bulletin - Electrical Bonding		Note 1
G14 Rev. G30	1	1	1	1	Process Bulletin - Aircraft Finishes, Coding Scheme		Note 1
G190 Rev. G11	1	1	1	1	Process Bulletin - Procedures for Application of Plastic Films		Note 1
G230 Rev. G40	1	1	1	1	Process Bulletin - Acid Sealing and Environmental Sealing		Note 1
G231 Rev. G24	1	1	1	1	Process Bulletin - Sealing of Pressurized Cabins for C-130 Series Airplanes		Note 1
G507 Rev. NC & Amendment 3	1	1	1	1	Process Bulletin - Installation of Kidde Heat and Fire Detector System		Note 1
G552 Rev. G17	1	1	1	1	Process Bulletin - Aerodynamic Smoothing and Fairing of Aircraft		Note 1
G556 Rev. G14	1	1	1	1	Process Bulletin - Sealing of Center Wing and Fuel Cell Cavities of C-130/382 Series Aircraft		Note 1
G599 Rev. G3	1	1	1	1	Process Bulletin - Installation of Thermal Insulating Tape		Note 1
G684 Rev. G11	1	1	1	1	Process Bulletin - Wet Installation of Fasteners		Note 1
STP51-302 Rev. AB	1	1	1	1	Process Specification - Forming Fabricate Practices for Sheet Metal, Extrusions, Forgings and Billet		Note 1
STP51-400 Rev E	1	1	1	1	Process Specification - Standard Machining Practices, Tolerances and Allowances		Note 1
STP52-704 Rev. D	1	1	1	1	Process Specification - Sleeves, Straight Shank Fastener, Installation of		Note 1
STP52-706 Rev AB	1	1	1	1	Process Specification - Straight Shank Interference Fit Fasteners, Installation of		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
STP52-723 Rev. F	1	1	1	1	Process Specification - Blind Rivet, Self-Plugging and Lock System		Note 1
STP52-724 Rev. F	1	1	1	1	Process Specification - Installation of Lockbolts		Note 1
STP52-726 Rev. H	1	1	1	1	Process Specification - Installation of Straight Shank (Hi-Lok) Fastener System		Note 1
STP53-900 Rev. D	1	1	1	1	Process Specification - Eddy Current Inspection, Requirements For		Note 1
STP56-105 Rev. P	1	1	1	1	Process Specification - Wet Installation of Fasteners		Note 1
STP59-516 Rev. B	1	1	1	1	Process Specification - Application and Removal of Temporary Protective Coatings		Note 1
STP60-505 Rev. T	1	1	1	1	Standard Process Specification - Nonstructural Adhesive - Application of		Note 1
STP63-001 Rev. T	1	1	1	1	Process Specification - Marking Parts & Assemblies for Identification & Inspection		Note 1
0471 Rev. G39	1	1	1	1	Process Specification - Finish Specification for C-130 Series Airplanes		Note 1
0581 Rev. G28	1	1	1	1	Process Specification - Fasteners, Mechanical, Preparation for and Installation of		Note 1
0583 Rev. G6	1	1	1	1	Process Specification - Safetying Practices (Superseded by DS30011)		Note 1
0941 Rev. G23	1	1	1	1	Process Specification - Fabrication and Installation of Plumbing Lines, Connectors, and Fittings		Note 1
1461 Rev. G20	1	1	1	1	Process Specification - Electric and Electronic Wiring for Model C-130 Aircraft		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3305107 Rev. G	1	1	1	1	Fitting Installation - Center Fuselage Aft, BL 61.625 Fus Sta 617.0 Drawing		Note 1
3305110 Rev. A	1	1	1	1	Fitting Installation - Ctr Fus Fwd, BL61.625, Fus Sta 477.00 Drawing		Note 1
3308316 Rev. AA	1	1	1	1	Plumbing Installation - Inboard Wing Tank Drawing		Note 1
3309069 Rev. A	1	1	1	1	Plumbing Installation - Bleed Air Pressure Regulation Drawing		Note 1
3311007 Rev. P	1	1	1	1	Plumbing Installation - Fuselage Complete, 382C (Baseline) Drawing		Note 1
3311014 Rev. V	1	1	1	1	Panel Installation - Wheel Well, MLG Drawing		Note 1
3311015 Rev. AD	1	1	1	1	Panel - Wheel Well, MLG, Assy of (Regulated) Drawing		Note 1
3311029 Rev. Y	1	1	1	1	Hydraulic Installation - Main Wheel Well, LH Side Drawing		Note 1
3311030 Rev. T, PS T1	1	1	1	1	Hydraulic Installation - Main Wheel Well, RH Side Drawing		Note 1
3311038 Rev. J	1	1	1	1	Mudguard Installation - Fwd, RH MLG Wheel Well Drawing		Note 1
3311058 Rev. AH, PS 136 & 137	1	1	1	1	Air Conditioning Equipment Installation - Cargo Compartment Drawing		Note 1
3311059 Rev. D	1	1	1	1	Duct Installation - Air Distribution System, Cargo Compartment Drawing		Note 1
3311060 Rev. D	1	1	1	1	Fan Installation - Recirculation Cargo Compartment Drawing		Note 1
3311069 Rev. K	1	1	1	1	Duct Installation - Upper Cargo Compartment Air Cond & Floor Heat, Bleed Air Drawing		Note 1
3313305 Rev. A	1	1	1	1	Cover Plate Installation - Wing Isolation Control Mechanism Location Drawing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3313329 Rev. V, PS 111	1	1	1	1	Duct Installation - Inner Wing Bleed Air Drawing		Note 1
3313341 Rev. L	1	1	1	1	Booster Mechanism Installation - Aileron Control Drawing		Note 1
3313797 Rev. H	1	1	1	1	Bracket Installation - Manual Flap Drive Control Cable Drawing		Note 1
3313813 Rev. P	1	1	1	1	Duct Installation-Air Conditioning Interconnect Drawing		Note 1
3313862 Rev. D	1	1	1	1	Support Installation - Air Conditioning Bleed Air Duct, Cargo Compt Drawing		Note 1
3313885 Rev. B	1	1	1	1	Brace Installation - Main Frame, Fus. Sta. 497-517, WL 175 Drawing		Note 1
3313886 Rev. C	1	1	1	1	Brace Installation - MLG Wheel Well Panel, Fus. Sta. 497.00 to 516.93, WL 215 Drawing		Note 1
3313888 Rev. C	1	1	1	1	Brace Installation - MLG Wheel Well Panel, Fus. Sta. 497.00 to 516.93, WL 190 Drawing		Note 1
3313895 Rev. D	1	1	1	1	Frame Installation - MLG Wheel Well Panel, Fus. Sta. 516.93 Drawing		Note 1
3313896 Rev. D	1	1	1	1	Frame - MLG Wheel Well Panel, Fus. Sta. 516.93, Assembly Drawing		Note 1
3313898 Rev. D	1	1	1	1	Brace Installation - MLG Wheel Well Panel, Fus Sta 49700 to 51693, WL230 Drawing		Note 1
3314702 Rev. G	1	1	1	1	Beam Installation - Fus Sta 477-517, WL 200 Drawing		Note 1
3314704 Rev. B	1	1	1	1	Brace Installation - MLG Wheel Well Panel, Fus. Sta. 497.0 to 515.93, WL 160 Drawing		Note 1
3314803 Rev. A	1	1	1	1	Brace Installation - MLG Wheel Well Panel, Fus. Sta. 516.93 to 528.00, WL 251.52 Drawing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3314811 Rev. NC	1	1	1	1	Plumbing Installation-Bleed Air Pressure Regulation, No. 2 Nacelle Drawing		Note 1
3314812 Rev. NC	1	1	1	1	Plumbing Installation-Bleed Air Pressure Regulation, No. 3 Nacelle Drawing		Note 1
3315208 Rev. C	1	1	1	1	Plumbing Installation - Flight Recorder, Mod Drawing		Note 1
3316440 Rev. B	1	1	1	1	Rib Installation - Center Wing Sta 213.218 Drawing		Note 1
3319635 Rev. C	1	1	1	1	Splice Angle Installation - Longeron, BL 20.0, Fus. Sta. 597.0 to 617.0 Drawing		Note 1
3319640 Rev. J, PS104, 105, & J1	1	1	1	1	Bonding Requirements Electrical - Explosive Areas Drawing		Note 1
3319719 Rev. D	1	1	1	1	Fitting Installation - BL 61.625 Upper Longeron, Fus. Sta. 617.00 Drawing		Note 1
3319722 Rev. C	1	1	1	1	Fitting Installation - BL 61.625 Upper Longeron, Fus. Sta. 477.00 Drawing		Note 1
3326575 Rev. A	1	1	1	1	Bulkhead Installation - Ctr Fus, Top, FS 477.00 Drawing		Note 1
3326576 Rev. E, PS 104	1	1	1	1	Bulkhead Installation - Center Fuselage, Top, FS 617.00 Drawing		Note 1
3337171 Rev. AE	1	1	1	1	Beam-Front, Center Wing, Assy of Drawing		Note 1
3337172 Rev. W, PS W1 & W2	1	1	1	1	Beam - Rear, Center Wing, Assy of Drawing		Note 1
3337180 Rev. E, PS E1	1	1	1	1	Bulkhead Installation - Wing Sta 178.782 Drawing		Note 1
3337677 Rev. C	1	1	1	1	Wiring Support Installation - LH Leading Edge Drawing		Note 1
3337678 Rev. C	1	1	1	1	Wiring Support Installation - RH Leading Edge Drawing		Note 1
3337679 Rev. C	1	1	1	1	Wiring Support Installation - LH Trailing Edge Drawing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3337680 Rev. C	1	1	1	1	Wiring Support Installation - RH Trailing Edge Drawing		Note 1
3338324 Rev. F	1	1	1	1	Support Installation-Plumbing, Nac No. 3 Dry Bay Drawing		Note 1
3343212 Rev. C	1	1	1	1	Retainer Installation - CO2 Bottle Life Raft Compartment Liner Drawing		Note 1
3361023 Rev. B	1	1	1	1	Fairing Installation - Inbd Nac & Wing Drawing		Note 1
3361024 Rev. NC	1	1	1	1	Rib Installation-WS174.30 & 84.30, Wing Leading Edge Drawing		Note 1
3361025 Rev. C	1	1	1	1	Attach Angle Installation - Detachable, Wing to Fuselage, Wing Sta 61.625 Drawing		Note 1
3361026 Rev. D	1	1	1	1	Attach Angle Installation - Wing to Fuselage, Wing Sta 61.625, Kit		Note 1
3361032 Rev. B	1	1	1	1	Trailing Edge - Removal Instructions Drawing		Note 1
3361769 Rev. NC	1	1	1	1	Retaining Installation - Life Raft, Center Wing Trailing Edge, Mod Drawing		Note 1
3361882 Rev. NC	1	1	1	1	Liner Installation-Fiberglass, Life Raft Compartment Drawing		Note 1
3362100 Rev. A	1	1	1	1	Center Wing Assembly-Conversion, MEP 19Z Drawing		Note 1
3362449 Rev. NC	1	1	1	1	Fireseal Installation - Elec Wiring, LE Wing Sta 174.30 Drawing		Note 1
3362685 Rev. A	1	1	1	1	Installation Procedures - Lynden Air Cargo Center Wing Replacement		Note 1
3363689 Rev. NC	1	1	1	1	Nacelle Installation - Detachable Drawing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
340043 Rev. AK	1	1	1	1	Bulkhead Installation - Center Fuselage Top FS 477.0 Drawing		Note 1
340827 Rev. N, PS 101	1	1	1	1	Fillet Installation FS 490-517 Outbroad Drawing		Note 1
340828 Rev. N	1	1	1	1	Door Installation - FS 597.00 to 617.00 Lower Fillet Drawing		Note 1
340928 Rev. U	1	1	1	1	Door Installation - FS 477 to 513.47 Lower Fillet Drawing		Note 1
340930 Rev. U	1	1	1	1	Former Installation - FS 477.0 & 490.0, WL 265 Drawing		Note 1
341010 Rev. BD	1	1	1	1	Duct Installation - Cabin Distribution Air Drawing		Note 1
341412 Rev. AC	1	1	1	1	Surface Installation - Center Section - Trailing Edge - Upper Drawing		Note 1
342098 Rev. H	1	1	1	1	Brace Installation - Main Frame, Fus Sta 497-517, W.L. 175 Drawing		Note 1
342802 Rev. R	1	1	1	1	Control Installation - Center Section Aileron Drawing		Note 1
343067 Rev. AD	1	1	1	1	Bulkhead Installation - Center Fuselage Top FS 617.0 Drawing		Note 1
344351 Rev. T	1	1	1	1	Control Installation - Life Raft Release, Mid Section Drawing		Note 1
344421 Rev. N	1	1	1	1	Bracket Assembly & Installation - FS 517 LH Control Pulley Drawing		Note 1
344533 Rev. V, PS 112	1	1	1	1	Former Installation - Under Wing Fillet - Fus. Sta. 517 Drawing		Note 1
344555 Rev. P	1	1	1	1	Beam Installation - Fus. Sta. 477 to 617 Fillet Support WL 237 Drawing		Note 1
344586 Rev. D, PS 105	1	1	1	1	Former Installation - Fillet Support Fus. Sta. 597 Drawing		Note 1
346901 Rev. AJ	1	1	1	1	Mud Guard Installation - Fus. Sta. 491 Drawing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
351079 Rev. AB	1	1	1	1	Fillet Installation - Underwing Center Drawing		Note 1
351080 Rev. R	1	1	1	1	Fillet Installation - FS 617-667 Lower Aft Drawing		Note 1
351081 Rev. N	1	1	1	1	Fillet Installation Leading Edge Drawing		Note 1
351439 Rev. G	1	1	1	1	Insulation - Typical Details Drawing		Note 1
351486 Rev. W	1	1	1	1	Dual Aileron Booster Installation Drawing		Note 1
351557 Rev. E	1	1	1	1	Support Bracket Assembly & Installation - Wiring Center Wing Drawing		Note 1
352102 Rev. E	1	1	1	1	Support Installation - Outboard FS 596.00 to 617.00 LH & RH Drawing		Note 1
352630 Rev. K	1	1	1	1	Fillet Assembly & Installation - FS 597-617, Upper Outboard Drawing		Note 1
352672 Rev. W	1	1	1	1	Fillet Installation - Wing Fuselage Drawing		Note 1
352979 Rev. M	1	1	1	1	Bracket Assembly & Installation - FS 517 RH Control Pulley Drawing		Note 1
353480 Rev. AC	1	1	1	1	Duct Installation - Center Fuselage, Tail, Anti-Icing Drawing		Note 1
353540 Rev. R	1	1	1	1	Duct Installation - Flight Deck Bleed Air Drawing		Note 1
362019 Rev. P, PS P1 & P2	1	1	1	1	Fairing Installation - Center Fuselage Top, FS 477.0-517.0 Drawing		Note 1
362020 Rev. T	1	1	1	1	Fairing Installation - Center Fuselage, Top, FS 597-617 Drawing		Note 1
363739 Rev. H	1	1	1	1	Former Installation - Wing Fillet, Fus. Sta. 617.00 Drawing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
364058 Rev. V	1	1	1	1	Fire Detector Installation Power Plant Drawing		Note 1
364534 Rev. W	1	1	1	1	Mud Guard Installation - Fus. Sta. 596.78 to 617.0, WL 200.0 Drawing		Note 1
366893 Rev. H	1	1	1	1	Beam - Fus Sta 477.0 to 517.0, WL200.0, Assy of Drawing		Note 1
368057 Rev. H	1	1	1	1	Hydraulic Installation - Main Wheel Well LH Side Drawing		Note 1
370023 Rev. AB	1	1	1	1	Power Plant Installation Drawing		Note 1
370042 Rev. P	1	1	1	1	Bracket & Support Installation - Controls, Mid Fuselage Drawing		Note 1
370078 Rev. J	1	1	1	1	Drain Installation - Upper Nacelle & Wing Dry Bays Drawing		Note 1
370080 Rev. R	1	1	1	1	Plumbing Installation - No. 2 Nacelle, Forward Front Beam Drawing		Note 1
370081 Rev. R	1	1	1	1	Plumbing Installation - No. 3 Nacelle, Forward Front Beam Drawing		Note 1
370123 Rev. AW, PS AW1 & AW2	1	1	1	1	Nacelle Installation - Upper Drawing		Note 1
370126 Rev. U	1	1	1	1	Fairing Installation - Inbd Nac & Wing Drawing		Note 1
370128 Rev. K	1	1	1	1	Panel Installation - Upper Access, Inboard Nacelle Drawing		Note 1
370402 Rev. AF	1	1	1	1	Nacelle Installation - Power Plant Drawing		Note 1
370411 Rev. C	1	1	1	1	Overheat Detector Installation - Aft Nacelle Drawing		Note 1
370434 Rev. T	1	1	1	1	Controls Installation - Center Wing Drawing		Note 1
370459 Rev. J	1	1	1	1	Mechanism Installation - Emer Manual Extension, MLG Drawing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
370515 Rev. AC	1	1	1	1	Leading Edge Installation - Wing Complete Drawing		Note 1
370639 Rev. AW	1	1	1	1	Flap Drive Installation Drawing		Note 1
370738 Rev. NC	1	1	1	1	Bleed Procedure - Hydraulic System Drawing		Note 1
370900 Rev. P	1	1	1	1	Duct Installation - Inner Wing Bleed Air Drawing		Note 1
370903 Rev. C	1	1	1	1	Control Mechanism Installation - Wing Isolation Valve Bleed Air Drawing		Note 1
371000 Rev. U	1	1	1	1	Equipment Installation - Cargo Compartment Air Conditioning, RH Wheel Well Drawing		Note 1
371150 Rev. L	1	1	1	1	Seal Application - Center Wing Drawing		Note 1
371238 Rev. N	1	1	1	1	Board Installation - Fuel Cell Backing, Center Wing Front Beam Drawing		Note 1
371303 Rev. AH	1	1	1	1	Plumbing Installation - Fuel, Wheel Well, RH Drawing		Note 1
371308 Rev. Y	1	1	1	1	Fuel Cell Installation Drawing		Note 1
371309 Rev. AV	1	1	1	1	Plumbing Installation - Bladder Cell Drawing		Note 1
371311 Rev. AF	1	1	1	1	Plumbing Installation - Outer Wing Trailing Edge Drawing		Note 1
371345 Rev. C	1	1	1	1	Surface Smoothness - Nacelle Drawing		Note 1
371538 Rev. P	1	1	1	1	Panel - Center Fuselage BL 61.625 Fus. Sta. 477 to 517 Upper - Assembly of Drawing		Note 1
371539 Rev. J	1	1	1	1	Panel Installation - Upper, BL61.625, Fus Sta 477 to 517 Center Fuselage Drawing		Note 1
371550 Rev. F	1	1	1	1	Wing Surface Smoothness Requirements Drawing		Note 1
371556 Rev. L	1	1	1	1	Actuator Installation - Wing Flap Drawing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
371609 Rev. V, PS 113 & 114	1	1	1	1	Beam Installation - MLG, Wheel Well, WL 200.00 Drawing		Note 1
372037 Rev. R	1	1	1	1	Bracket Installation - Flap Control Pulley, Wing Rear Beam Drawing		Note 1
372084 Rev. A	1	1	1	1	Bracket Installation - Power Plant Control FS 517.0 Drawing		Note 1
372122 Rev. B	1	1	1	1	Inert Element Installation - Nacelle No. 2 & 3 Fire Detection, Dry Bay Drawing		Note 1
372126 Rev. D	1	1	1	1	Control Installation - Fire Detector Unit, Nacelle No. 2 & 3 Drawing		Note 1
372131 Rev. L	1	1	1	1	Fire Detector Installation - Zone III, Nacelles Drawing		Note 1
372330 Rev. Y	1	1	1	1	Beam Installation - Bow, Fus. Sta. 497, 537, & 557 Drawing		Note 1
372331 Rev. P	1	1	1	1	Beam-Bow, Fus Sta497,537,557, Lower, Assy of Drawing		Note 1
372332 Rev. M, PS 105	1	1	1	1	Beam-Bow, Fus Sta 497, 537, 557, Upper, Assy of Drawing		Note 1
372696 Rev. F	1	1	1	1	Bracket - Gear Box, MLG Emergency Extension, Assy of Drawing		Note 1
373007 Rev. E	1	1	1	1	Brace Installation - MLG Wheel Well Panel, Fus Sta 497 to 517, WL230 Drawing		Note 1
373061 Rev. E	1	1	1	1	Splice Angle Installation - Longeron, BL 20.0, FS 597.0 to 617.0 Drawing		Note 1
373161 Rev. AH, PS 122	1	1	1	1	Panel Installation - Center Fuselage Aft, Side Drawing		Note 1
374339 Rev. C	1	1	1	1	Support Installation - Elec Harness, Fus Sta 596.0, BL 40.0R Drawing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
374458 Rev. F	1	1	1	1	Bracket Assembly - Aileron Booster, Drip Pan Drawing		Note 1
375208 Rev. G	1	1	1	1	Splice Installation - Longeron to Wing, BL 20.0 Drawing		Note 1
375458 Rev. R	1	1	1	1	Flap Installation - Center Wing Drawing		Note 1
375565 Rev. N	1	1	1	1	Fuel Probe Installation - Bladder Cells Drawing		Note 1
377269 Rev. E	1	1	1	1	Door Assembly - Wing Lower Fillet, FS 477.0 to 513.4 Drawing		Note 1
380074 Rev. AB	1	1	1	1	Panel - Wheel Well, MLG, Assy of Drawing		Note 1
383693 Rev. A	1	1	1	1	Support Installation - Pulley Bracket, Power Plant Control, Wing Station 127 Drawing		Note 1
388007 Rev. L	1	1	1	1	Plumbing Installation - Fuselage Complete, Model C-130E Drawing		Note 1
388029 Rev. AF	1	1	1	1	Mechanism Installation - Extension & Retraction, MLG Drawing		Note 1
388062 Rev. L	1	1	1	1	Extension Mechanism Installation - Emer Manual, MLG Drawing		Note 1
388238 Rev. E	1	1	1	1	Brace Installation - MLG Wheel Well Panel, Fus Sta 497.00 to 516.93, WL 160 Drawing		Note 1
388259 Rev. E	1	1	1	1	Brace Installation - MLG Wheel Well Panel, Fus Sta 497.0 to 516.93, WL190 Drawing		Note 1
388260 Rev. B	1	1	1	1	Brace - MLG Wheel Well Panel, Fus Sta 497.0 to 516.93, WL190, Assy of Drawing		Note 1
388322 Rev. L	1	1	1	1	Hydraulic Installation - Main Wheel Well, RH Drawing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
388325 Rev. D	1	1	1	1	Brace Installation - MLG Wheel Well Panel, Fus Sta 497.0 to 516.93, WL215 Drawing		Note 1
388328 Rev. NC	1	1	1	1	Brace Installation - MLG Wheel Well Panel, Fus Sta 516.93 to 528.00, WL 251.52 Drawing		Note 1
388391 Rev. L	1	1	1	1	Frame Installation - MLG Wheel Well Panel, Fus Sta 516.93 Drawing		Note 1
388392 Rev. G	1	1	1	1	Frame - MLG Wheel Well Panel, Fus Sta 516.93, Assy of Drawing		Note 1
388493 Rev. E	1	1	1	1	Frame - MLG Wheel Well Panel, Fus. Sta. 596.78, Assembly Drawing		Note 1
388537 Rev. F	1	1	1	1	Cable Installation - Control, Mid Fuselage Drawing		Note 1
389018 Rev. K	1	1	1	1	Drain Installation - Center Wing, Dry Bay, Wing Station 56.37 Drawing		Note 1
389113 Rev. U	1	1	1	1	Plumbing Installation - Center Cargo Area, FS 477 to 617 Drawing		Note 1
390603 Rev. J	1	1	1	1	Fairing Installation - Inboard Nacelle - Aft Drawing		Note 1
392084 Rev. M	1	1	1	1	Duct Installation - Trans Fuselage Bleed Air Drawing		Note 1
393253 Rev. D	1	1	1	1	Remote Accelerometer Installation - Flight Recorder, Front Wing Beam, Mod Drawing		Note 1
393268 Rev. L	1	1	1	1	Fuel System & Power Plant Installation - Mod Drawing		Note 1
393362 Rev. D	1	1	1	1	Plumbing Installation - Flight Recorder Mod Drawing		Note 1
393408 Rev. B	1	1	1	1	Anti-Icing Installation - Center Wing Leading Edge, Mod Drawing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
394621 Rev. L	1	1	1	1	Hardboard Trim Installation Cargo Compartment Drawing		Note 1
398916 Rev. C	1	1	1	1	Board Installation - Fuel Cell Backing, Lower Surface, Center Wing Drawing		Note 1
STK9000-143	2	2	2	2	Nylon Cord (1 Roll - 15 feet per item)		Note 1
40000677 (STK9000-210)	1	1	1	1	Velcro Pile Tape (1-inch x 100 inches per item)		Note 1
40000673 (STK9000-353)	9	9	9	9	Velcro Pile Tape (3/4-inch x 100 inches per item)		Note 1
MS20995C41 (STK9000-358)	1	1	1	1	Wire, Safety Steel (0.041-inch x 1lb. spool, 1 spool per item)		Note 1
LS32017-1 (STK9000-381)	3	3	3	3	Tape, Insulating (1-inch x 10 feet per item)		Note 1
MS20995CY20 (STK9000-421)	1	1	1	1	Wire Safety, Copper (0.020-inch x 1 lb. spool, 1 spool per item)		Note 1
MS20995C32 (STK9000-451)	1	1	1	1	Wire, Safety Steel (0.032-inch x 1 lb. spool, 1 spool per item)		Note 1
MS20995N (STK9000-545)	1	1	1	1	Lock Wire, Inconel (0.032-inch x 6 feet per item)		Note 1
MS20995C32 (STK9000-883)	1	1	1	1	Wire, Safety Steel (0.032-inch x 6 feet per item)		Note 1
3337664-1	Ref	Ref	Ref	Ref	Light Installation - Overhead, Fus Sta 517.00 And 596.68, Kit, consisting of:		Note 1
3337664 Rev. NC	1	1	1	1	Light Installation - Overhead, Fus Sta 517.00 And 596.68, Kit Drawing		Note 1
MS21083N06 (MS21083NO6)	16	16	16	16	Nut		Note 1
MS35649-262	16	16	16	16	Nut		Note 1
NAS43DD1-34N (NAS43DD1-34)	16	16	16	16	Spacer		Note 1
NAS601-18P	16	16	16	16	Screw		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3361019-1	Ref	Ref	Ref	Ref	Wing Installation Kit, consisting of:		Note 1
3361019 Rev. A	1	1	1	1	Wing Installation - Outer Wing to Center Wing, Kit Drawing		Note 1
F2552-144	14	14	14	14	Barrel Nut		Note 1
F2752-126	13	13	13	13	Barrel Nut		Note 1
F2752-144	1	1	1	1	Barrel Nut		Note 1
KFN542-4	38	38	38	38	Nut		Note 1
KFN542-5	34	34	34	34	Nut		Note 1
MS20002-12	26	26	26	26	Washer		Note 1
MS20002-14	15	15	15	15	Washer		Note 1
MS21250-12030	2	2	2	2	Bolt		Note 1
MS21250-12032	11	11	11	11	Bolt		Note 1
MS21250-14034	2	2	2	2	Bolt		Note 1
MS21250-14038	13	13	13	13	Bolt		Note 1
NAS1149D0463H	38	38	38	38	Washer		Note 1
NAS1149D0563H	34	34	34	34	Washer		Note 1
NAS6204-3D	38	38	38	38	Bolt		Note 1
NAS6205-5D	17	17	17	17	Bolt		Note 1
NAS6205-6D	11	11	11	11	Bolt		Note 1
NAS6205-7D	6	6	6	6	Bolt		Note 1
371120-1	15	15	15	15	Washer		Note 1
377018-1	13	13	13	13	Washer		Note 1
370639-9	1	1	1	1	Wing Joint Installation, consisting of:		Note 1
370639 Rev. AW	(1)	(1)	(1)	(1)	Flap Drive Installation Drawing		Note 1
NAS1149F0463P (AN960-416)	(9)	(9)	(9)	(9)	Washer		Note 1
NAS1149G0432P (AN960-416L)	(17)	(17)	(17)	(17)	Washer		Note 1
MS17825-4	(3)	(3)	(3)	(3)	Nut		Note 1
MS21042-4	(28)	(28)	(28)	(28)	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS24665-134	(3)	(3)	(3)	(3)	Pin		Note 1
NAS6604D7	(3)	(3)	(3)	(3)	Bolt		Note 1
351618	(3)	(3)	(3)	(3)	Spacer		Note 1
371516-3	(1)	(1)	(1)	(1)	Shaft Assembly		Note 1
3361019-2	Ref	Ref	Ref	Ref	Wing Installation Kit, consisting of:		Note 1
3361019 Rev. A	1	1	1	1	Wing Installation - Outer Wing to Center Wing, Kit Drawing		Note 1
F2552-144	14	14	14	14	Barrel Nut		Note 1
F2752-126	13	13	13	13	Barrel Nut		Note 1
F2752-144	1	1	1	1	Barrel Nut		Note 1
KFN542-4	38	38	38	38	Nut		Note 1
KFN542-5	34	34	34	34	Nut		Note 1
MS20002-12	26	26	26	26	Washer		Note 1
MS20002-14	15	15	15	15	Washer		Note 1
MS21250-12030	2	2	2	2	Bolt		Note 1
MS21250-12032	11	11	11	11	Bolt		Note 1
MS21250-14034	2	2	2	2	Bolt		Note 1
MS21250-14038	13	13	13	13	Bolt		Note 1
NAS1149D0463H	38	38	38	38	Washer		Note 1
NAS1149D0563H	34	34	34	34	Washer		Note 1
NAS6204-3D	38	38	38	38	Bolt		Note 1
NAS6205-5D	17	17	17	17	Bolt		Note 1
NAS6205-6D	11	11	11	11	Bolt		Note 1
NAS6205-7D	6	6	6	6	Bolt		Note 1
371120-1	15	15	15	15	Washer		Note 1
377018-1	13	13	13	13	Washer		Note 1
370639-9	1	1	1	1	Wing Joint Installation, consisting of:		Note 1
370639 Rev. AW	(1)	(1)	(1)	(1)	Flap Drive Installation Drawing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS1149F0463P (AN960-416)	(9)	(9)	(9)	(9)	Washer		Note 1
NAS1149G0432P (AN960-416L)	(17)	(17)	(17)	(17)	Washer		Note 1
MS17825-4	(3)	(3)	(3)	(3)	Nut		Note 1
MS21042-4	(28)	(28)	(28)	(28)	Nut		Note 1
MS24665-134	(3)	(3)	(3)	(3)	Pin		Note 1
NAS6604D7	(3)	(3)	(3)	(3)	Bolt		Note 1
351618	(3)	(3)	(3)	(3)	Spacer		Note 1
371516-3	(1)	(1)	(1)	(1)	Shaft Assembly		Note 1
3362535-1	Ref	-	-	-	Bracket Installation Kit, consisting of:		Note 1
3362535 Rev. NC	1	-	-	-	Bracket Installation - MLG Wheel Well Panel, Kit Drawing		Note 1
HLT114-5-2	3	-	-	-	Pin		Note 1
LS881-20	1	-	-	-	Washer		Note 1
LS881-7	1	-	-	-	Washer		Note 1
KFN542-08	3	-	-	-	Nut		Note 1
MS20426AD5-7	1	-	-	-	Rivet		Note 1
MS20470AD5-6	13	-	-	-	Rivet		Note 1
MS20470AD5-8	1	-	-	-	Rivet		Note 1
MS21043-3	1	-	-	-	Nut		Note 1
NAS1149F0363P	1	-	-	-	Washer		Note 1
NAS43HT3-30	1	-	-	-	Spacer		Note 1
NAS623-3-9	1	-	-	-	Screw		Note 1
350601	1	-	-	-	Gasket		Note 1
354416-1	1	-	-	-	Support Bracket		Note 1
3362590-1	Ref	Ref	Ref	Ref	Diagonal BHD Installation, Kit, consisting of:		Note 1
3362590 Rev. A	1	1	1	1	Diagonal BHD Installation - CW, WS 61.625 to 91.625, Kit Drawing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS20470AD5-6	27	27	27	27	Rivet		Note 1
MS21042-3	143	143	143	143	Nut		Note 1
NAS1149D0363H	3	3	3	3	Washer		Note 1
NAS623-3-3	111	111	111	111	Screw		Note 1
NAS623-3-4	2	2	2	2	Screw		Note 1
NAS623-3-5	14	14	14	14	Screw		Note 1
NAS623-3-6	16	16	16	16	Screw		Note 1
371374-1	6	6	6	6	Anchor		Note 1
3362590-3	Ref	Ref	Ref	Ref	Diagonal BHD Installation, Kit, consisting of:		Note 1
3362590 Rev. A	1	1	1	1	Diagonal BHD Installation - CW, WS 61.625 to 91.625, Kit Drawing		Note 1
MS20470AD5-6	27	27	27	27	Rivet		Note 1
MS21042-3	141	141	141	141	Nut		Note 1
NAS1149D0363H	3	3	3	3	Washer		Note 1
NAS623-3-3	109	109	109	109	Screw		Note 1
NAS623-3-4	2	2	2	2	Screw		Note 1
NAS623-3-5	14	14	14	14	Screw		Note 1
NAS623-3-6	16	16	16	16	Screw		Note 1
371374-1	6	6	6	6	Anchor		Note 1
3362901-1	Ref	-	-	-	Center Wing Replacement, Kit, consisting of:		Note 1
3362901-3	-	Ref	-	-	Center Wing Replacement, Kit, consisting of:		Note 1
3362901-5	-	-	Ref	-	Center Wing Replacement, Kit, consisting of:		Note 1
3362901-7	-	-	-	Ref	Center Wing Replacement, Kit, consisting of:		Note 1
3362901 Rev. B	1	1	1	1	Center Wing Replacement, Kit Drawing		Note 1
3362100-1	1	1	1	1	Center Wing Assembly - Conversion, consisting of:		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3362100 Rev. A	(1)	(1)	(1)	(1)	Center Wing Assembly, Conversion, MEP 19Z, Drawing		Note 1
NOTE:	Some components were removed from 3362100-1 Center Wing Assembly - Conversion, to facilitate shipping container. Parts shall be reinstalled in accordance with noted drawings. See Paragraph 3.C.						
3337685-3	(1)	(1)	(1)	(1)	Finishes Installation, Exterior, consisting of:		Note 1
3337685 Rev. D	[1]	[1]	[1]	[1]	Finishes Installation, Exterior, C-130 SOF Aircraft Drawing		Note 1
3361032-1	(1)	(1)	(1)	(1)	Trailing Edge - Removal Instructions, consisting of:		Note 1
3361032 Rev. B	[1]	[1]	[1]	[1]	Trailing Edge - Removal Instructions Drawing		Note 1
3314880-1	1	1	1	1	Support Set		Note 1
3361020-1	1	1	1	1	Trailing Edge - Reinstallation, Kit, consisting of:		Note 1
3361020 Rev. C	(1)	(1)	(1)	(1)	Trailing Edge, Center Wing - Reinstallation, Kit Drawing		Note 1
HLT114-6-3	(16)	(16)	(16)	(16)	Pin		Note 1
HLT114-6-6	(10)	(10)	(10)	(10)	Pin		Note 1
HLT115-6-4	(12)	(12)	(12)	(12)	Pin		Note 1
HLT115-6-6	(8)	(8)	(8)	(8)	Pin		Note 1
HLT115-6-7	(4)	(4)	(4)	(4)	Pin		Note 1
HLT115-8-5	(4)	(4)	(4)	(4)	Pin		Note 1
HLT115-8-6	(34)	(34)	(34)	(34)	Pin		Note 1
HLT115-8-7	(4)	(4)	(4)	(4)	Pin		Note 1
HLT115-8-8	(12)	(12)	(12)	(12)	Pin		Note 1
HL18PB5-2	(14)	(14)	(14)	(14)	Pin		Note 1
HL18PB5-3	(117)	(117)	(117)	(117)	Pin		Note 1
HL18PB5-4	(4)	(4)	(4)	(4)	Pin		Note 1
HL18PB5-5	(2)	(2)	(2)	(2)	Pin		Note 1
HL18PB6-3	(80)	(80)	(80)	(80)	Pin		Note 1
HL18PB6-4	(17)	(17)	(17)	(17)	Pin		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
HL18PB6-5	(13)	(13)	(13)	(13)	Pin		Note 1
HL18PB6-6	(6)	(6)	(6)	(6)	Pin		Note 1
HL18PB8-4	(16)	(16)	(16)	(16)	Pin		Note 1
HL18PB8-6	(28)	(28)	(28)	(28)	Pin		Note 1
HL18PB8-7	(24)	(24)	(24)	(24)	Pin		Note 1
HL19PB6-4	(6)	(6)	(6)	(6)	Pin		Note 1
HSTB135-8-5	(4)	(4)	(4)	(4)	Pin		Note 1
HSTB135-8-6	(4)	(4)	(4)	(4)	Pin		Note 1
HSTB135-8-7	(4)	(4)	(4)	(4)	Pin		Note 1
KFN542-08	(137)	(137)	(137)	(137)	Nut		Note 1
KFN542-3	(174)	(174)	(174)	(174)	Nut		Note 1
KFN542-4	(122)	(122)	(122)	(122)	Nut		Note 1
LS15906E6F6	(3)	(3)	(3)	(3)	Rivet		Note 1
LS15906E6F7	(69)	(69)	(69)	(69)	Rivet		Note 1
LS15906E6F8	(13)	(13)	(13)	(13)	Rivet		Note 1
LS15906E6F9	(13)	(13)	(13)	(13)	Rivet		Note 1
LS15906E6F10	(8)	(8)	(8)	(8)	Rivet		Note 1
LS15907E6F8	(8)	(8)	(8)	(8)	Rivet		Note 1
LS15907E6F9	(2)	(2)	(2)	(2)	Rivet		Note 1
NAS1149G0332P (LS35307-3M)	(20)	(20)	(20)	(20)	Washer		Note 1
NAS1149G0432P (LS35307-4M)	(18)	(18)	(18)	(18)	Washer		Note 1
MS21042-3	(22)	(22)	(22)	(22)	Nut		Note 1
MS21042-4	(18)	(18)	(18)	(18)	Nut		Note 1
MS21299-3	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1399C4A6	(56)	(56)	(56)	(56)	Rivet		Note 1
NAS517-3-12	(4)	(4)	(4)	(4)	Screw		Note 1
NAS517-3-6	(4)	(4)	(4)	(4)	Screw		Note 1
NAS517-3-9	(12)	(12)	(12)	(12)	Screw		Note 1
NAS517-4-12	(4)	(4)	(4)	(4)	Screw		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS517-4-7	(14)	(14)	(14)	(14)	Screw		Note 1
NAS623-3-5	(2)	(2)	(2)	(2)	Screw		Note 1
3362652-1	1	1	1	1	Leading Edge Installation - Components, Kit, consisting of:		Note 1
3362652 Rev. NC	(1)	(1)	(1)	(1)	Component Packaging - Center Wing Replacement, Kit Drawing		Note 1
NAS517-3-3	(94)	(94)	(94)	(94)	Screw		Note 1
NAS517-3-5	(2)	(2)	(2)	(2)	Screw		Note 1
342129-6	(2)	(2)	(2)	(2)	Pin		Note 1
342129-7	(2)	(2)	(2)	(2)	Pin		Note 1
3362652-3	1	1	1	1	Flap Installation - Components, Kit, consisting of:		Note 1
3362652 Rev. NC	(1)	(1)	(1)	(1)	Component Packaging - Center Wing Replacement, Kit Drawing		Note 1
AN316-16R	(4)	(4)	(4)	(4)	Nut		Note 1
AN320-7	(4)	(4)	(4)	(4)	Nut		Note 1
F52NKTE054	(16)	(16)	(16)	(16)	Nut		Note 1
MS20002-7	(12)	(12)	(12)	(12)	Washer		Note 1
MS24665-285	(4)	(4)	(4)	(4)	Pin		Note 1
MS35206-245	(8)	(8)	(8)	(8)	Screw		Note 1
NAS1149F0563P	(16)	(16)	(16)	(16)	Washer		Note 1
NAS6205-9D	(16)	(16)	(16)	(16)	Bolt		Note 1
NAS6207-13D	(4)	(4)	(4)	(4)	Bolt		Note 1
3362652-5	1	1	1	1	Flap Drive Installation - Components, Kit, consisting of:		Note 1
3362652 Rev. NC	(1)	(1)	(1)	(1)	Component Packaging - Center Wing Replacement, Kit Drawing		Note 1
MS17825-4	(84)	(84)	(84)	(84)	Nut		Note 1
MS17826-4	(2)	(2)	(2)	(2)	Nut		Note 1
MS20392-2C11	(1)	(1)	(1)	(1)	Pin		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS21025-16	(5)	(5)	(5)	(5)	Nut		Note 1
MS21042-3	(18)	(18)	(18)	(18)	Nut		Note 1
MS21042-4	(91)	(91)	(91)	(91)	Nut		Note 1
MS24665-132	(1)	(1)	(1)	(1)	Pin		Note 1
MS24665-134	(84)	(84)	(84)	(84)	Pin		Note 1
MS24665-153	(2)	(2)	(2)	(2)	Pin		Note 1
MS24665-360	(5)	(5)	(5)	(5)	Pin		Note 1
MS35489-36	(1)	(1)	(1)	(1)	Grommet		Note 1
MS35489-39	(1)	(1)	(1)	(1)	Grommet		Note 1
NAS1149D0363H	(54)	(54)	(54)	(54)	Washer		Note 1
NAS1149D0463H	(8)	(8)	(8)	(8)	Washer		Note 1
NAS1149F0463P	(90)	(90)	(90)	(90)	Washer		Note 1
NAS1149G0332P	(9)	(9)	(9)	(9)	Washer		Note 1
NAS1149G0432P	(98)	(98)	(98)	(98)	Washer		Note 1
NAS6204-10	(1)	(1)	(1)	(1)	Bolt		Note 1
NAS6204-10D	(2)	(2)	(2)	(2)	Bolt		Note 1
NAS6204-12	(3)	(3)	(3)	(3)	Bolt		Note 1
NAS6204-14	(24)	(24)	(24)	(24)	Bolt		Note 1
NAS6204-3	(5)	(5)	(5)	(5)	Bolt		Note 1
NAS6204-6	(8)	(8)	(8)	(8)	Bolt		Note 1
NAS623-3-16	(1)	(1)	(1)	(1)	Screw		Note 1
NAS623-3-4	(10)	(10)	(10)	(10)	Screw		Note 1
NAS623-3-48	(3)	(3)	(3)	(3)	Screw		Note 1
NAS623-3-5	(4)	(4)	(4)	(4)	Screw		Note 1
NAS623-3-6	(17)	(17)	(17)	(17)	Screw		Note 1
NAS623-3-7	(4)	(4)	(4)	(4)	Screw		Note 1
NAS623-3-8	(8)	(8)	(8)	(8)	Screw		Note 1
NAS623-3-9	(2)	(2)	(2)	(2)	Screw		Note 1
NAS6604D7	(84)	(84)	(84)	(84)	Bolt		Note 1
RA4400-3-C	(11)	(11)	(11)	(11)	Clamp		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
339582	(4)	(4)	(4)	(4)	Washer		Note 1
351618	(84)	(84)	(84)	(84)	Spacer		Note 1
351619	(70)	(70)	(70)	(70)	Plate		Note 1
354432-3	(5)	(5)	(5)	(5)	Washer		Note 1
371537-1	(1)	(1)	(1)	(1)	Seal		Note 1
371537-3	(1)	(1)	(1)	(1)	Seal		Note 1
371549-1	(1)	(1)	(1)	(1)	Seal		Note 1
371549-3	(1)	(1)	(1)	(1)	Seal		Note 1
371553-1	(1)	(1)	(1)	(1)	Seal		Note 1
3362652-7	1	1	1	1	Flap Wing Joint Installation - Components, Kit, consisting of:		Note 1
3362652 Rev. NC	(1)	(1)	(1)	(1)	Component Packaging - Center Wing Replacement, Kit Drawing		Note 1
MS17825-4	(6)	(6)	(6)	(6)	Nut		Note 1
MS21025-16	(2)	(2)	(2)	(2)	Nut		Note 1
MS21042-3	(8)	(8)	(8)	(8)	Nut		Note 1
MS21042-4	(16)	(16)	(16)	(16)	Nut		Note 1
MS24665-134	(6)	(6)	(6)	(6)	Pin		Note 1
MS24665-360	(2)	(2)	(2)	(2)	Pin		Note 1
NAS1149D0363H	(8)	(8)	(8)	(8)	Washer		Note 1
NAS1149F0463P	(6)	(6)	(6)	(6)	Washer		Note 1
NAS1149G0432P	(6)	(6)	(6)	(6)	Washer		Note 1
NAS6204-14	(4)	(4)	(4)	(4)	Bolt		Note 1
NAS623-3-4	(8)	(8)	(8)	(8)	Screw		Note 1
NAS6604D9	(6)	(6)	(6)	(6)	Bolt		Note 1
351618	(6)	(6)	(6)	(6)	Spacer		Note 1
351619	(10)	(10)	(10)	(10)	Plate		Note 1
354432-3	(2)	(2)	(2)	(2)	Washer		Note 1
3362652-9	1	1	1	1	Trailing Edge Access Doors Installation - Components, Kit, consisting of:		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3362652 Rev. NC	(1)	(1)	(1)	(1)	Component Packaging - Center Wing Replacement, Kit Drawing		Note 1
NAS517-3-0	(6)	(6)	(6)	(6)	Screw		Note 1
NAS517-3-3	(203)	(203)	(203)	(203)	Screw		Note 1
NAS517-3-4	(30)	(30)	(30)	(30)	Screw		Note 1
NAS517-3-5	(9)	(9)	(9)	(9)	Screw		Note 1
NAS517-3-6	(11)	(11)	(11)	(11)	Screw		Note 1
NAS517-4-6	(9)	(9)	(9)	(9)	Screw		Note 1
3362903-1	1	-	-	-	Fuselage Installation - Center Wing Replacement, Kit, consisting of:		Note 1
3362903-3	-	1	-	-	Fuselage Installation - Center Wing Replacement, Kit, consisting of:		Note 1
3362903-5	-	-	1	-	Fuselage Installation - Center Wing Replacement, Kit, consisting of:		Note 1
3362903-7	-	-	-	1	Fuselage Installation - Center Wing Replacement, Kit, consisting of:		Note 1
3362903 Rev. A	(1)	(1)	(1)	(1)	Fuselage Installation - Center Wing Replacement, Kit Drawing		Note 1
3362677-1	(1)	(1)	-	-	Fairing Installation - Center Wing to Fuselage, Fwd, Kit, consisting of:		Note 1
3362677 Rev. NC	[1]	[1]	-	-	Fairing Installation - Center Wing to Fuselage, Kit Drawing		Note 1
HLT114-6-8	[4]	[4]	-	-	Pin		Note 1
HLT123-6-10	[8]	[8]	-	-	Pin		Note 1
HLT123-6-11	[14]	[14]	-	-	Pin		Note 1
HLT123-6-12	[2]	[2]	-	-	Pin		Note 1
HLT123-6-4	[34]	[34]	-	-	Pin		Note 1
HLT123-6-5	[110]	[110]	-	-	Pin		Note 1
HLT123-6-6	[60]	[60]	-	-	Pin		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
HLT123-6-7	[28]	[28]	-	-	Pin		Note 1
HLT123-6-8	[8]	[8]	-	-	Pin		Note 1
HLT123-6-9	[10]	[10]	-	-	Pin		Note 1
KFN542-3	[278]	[278]	-	-	Nut		Note 1
LS12379B019E006	[2]	[2]	-	-	Shim		Note 1
LS15906E6F12	[2]	[2]	-	-	Rivet		Note 1
LS15907E5F8	[2]	[2]	-	-	Rivet		Note 1
LS15907E6F10	[2]	[2]	-	-	Rivet		Note 1
LS15907E6F7	[117]	[117]	-	-	Rivet		Note 1
LS15907E6F8	[65]	[65]	-	-	Rivet		Note 1
LS15907E6F9	[6]	[6]	-	-	Rivet		Note 1
LS35176CC06H	[273]	[273]	-	-	Washer		Note 1
MS20426AD4-6	[308]	[308]	-	-	Rivet		Note 1
MS20426AD4-7	[52]	[52]	-	-	Rivet		Note 1
MS20426AD4-9	[12]	[12]	-	-	Rivet		Note 1
MS20426AD5-6	[34]	[34]	-	-	Rivet		Note 1
MS20426AD5-7	[4]	[4]	-	-	Rivet		Note 1
MS20470AD5-11	[6]	[6]	-	-	Rivet		Note 1
MS20470AD5-6	[12]	[12]	-	-	Rivet		Note 1
MS20470AD5-9	[2]	[2]	-	-	Rivet		Note 1
3332968-1	[1]	[1]	-	-	Fitting		Note 1
3332968-2	[1]	[1]	-	-	Fitting		Note 1
1-340042-29L (340042-29L)	[1]	[1]	-	-	Clip		Note 1
1-340042-29R (340042-29R)	[1]	[1]	-	-	Clip		Note 1
3362677-3	(1)	(1)	(1)	-	Fairing Installation - Center Wing to Fuselage, Aft, Kit, consisting of:		Note 1
3362677 Rev. NC	[1]	[1]	[1]	-	Fairing Installation - Center Wing to Fuselage, Kit Drawing		Note 1
HK52207P3	[39]	[39]	[39]	-	Nut/Base Assembly		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
HLT114-6-10	[12]	[12]	[12]	-	Pin		Note 1
HLT114-6-11	[4]	[4]	[4]	-	Pin		Note 1
HLT123-6-3	[36]	[36]	[36]	-	Pin		Note 1
KFN542-3	[52]	[52]	[52]	-	Nut		Note 1
LS15907E6F6	[30]	[30]	[30]	-	Rivet		Note 1
LS15907E6F7	[78]	[78]	[78]	-	Rivet		Note 1
LS35176CC06H	[36]	[36]	[36]	-	Washer		Note 1
MS20426AD4-5	[160]	[160]	[160]	-	Rivet		Note 1
MS20426AD4-6	[32]	[32]	[32]	-	Rivet		Note 1
MS20426AD4-7	[2]	[2]	[2]	-	Rivet		Note 1
MS20470AD5-6	[30]	[30]	[30]	-	Rivet		Note 1
MS21042-06	[4]	[4]	[4]	-	Nut		Note 1
MS21042-3	[81]	[81]	[81]	-	Nut		Note 1
MS24693S24 (MS24693-S24)	[4]	[4]	[4]	-	Screw		Note 1
MS27039-1-11	[2]	[2]	[2]	-	Screw		Note 1
NAS1149DN616H	[4]	[4]	[4]	-	Washer		Note 1
NAS1149D0363H	[78]	[78]	[78]	-	Washer		Note 1
NAS1197-10	[5]	[5]	[5]	-	Washer		Note 1
NAS517-3-10	[2]	[2]	[2]	-	Screw		Note 1
NAS517-3-11	[4]	[4]	[4]	-	Screw		Note 1
NAS517-3-12	[2]	[2]	[2]	-	Screw		Note 1
NAS517-3-13	[2]	[2]	[2]	-	Screw		Note 1
NAS517-3-14	[4]	[4]	[4]	-	Screw		Note 1
NAS517-3-15	[2]	[2]	[2]	-	Screw		Note 1
NAS517-3-16	[2]	[2]	[2]	-	Screw		Note 1
NAS517-3-18	[3]	[3]	[3]	-	Screw		Note 1
NAS517-3-4	[74]	[74]	[74]	-	Screw		Note 1
NAS517-3-5	[4]	[4]	[4]	-	Screw		Note 1
NAS517-3-6	[2]	[2]	[2]	-	Screw		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS517-3-7	[6]	[6]	[6]	-	Screw		Note 1
NAS517-3-8	[4]	[4]	[4]	-	Screw		Note 1
NAS517-3-9	[4]	[4]	[4]	-	Screw		Note 1
NAS623-3-5	[3]	[3]	[3]	-	Screw		Note 1
3317777-1	[1]	[1]	[1]	-	Filler		Note 1
3317777-5	[2]	[2]	[2]	-	Filler		Note 1
3317777-7	[1]	[1]	[1]	-	Filler		Note 1
390606-23	[4]	[4]	[4]	-	Tee		Note 1
3362677-5	-	-	(1)	(1)	Fairing Installation - Center Wing to Fuselage, Fwd, Kit, consisting of:		Note 1
3362677 Rev. NC	-	-	[1]	[1]	Fairing Installation - Center Wing to Fuselage, Kit Drawing		Note 1
HLT114-6-8	-	-	[8]	[8]	Pin		Note 1
HLT123-6-10	-	-	[8]	[8]	Pin		Note 1
HLT123-6-11	-	-	[14]	[14]	Pin		Note 1
HLT123-6-12	-	-	[2]	[2]	Pin		Note 1
HLT123-6-4	-	-	[34]	[34]	Pin		Note 1
HLT123-6-5	-	-	[110]	[110]	Pin		Note 1
HLT123-6-6	-	-	[60]	[60]	Pin		Note 1
HLT123-6-7	-	-	[28]	[28]	Pin		Note 1
HLT123-6-8	-	-	[8]	[8]	Pin		Note 1
HLT123-6-9	-	-	[10]	[10]	Pin		Note 1
KFN542-3	-	-	[282]	[282]	Nut		Note 1
LS12379B019E006	-	-	[2]	[2]	Shim		Note 1
LS15906E6F12	-	-	[2]	[2]	Rivet		Note 1
LS15907E5F8	-	-	[2]	[2]	Rivet		Note 1
LS15907E6F10	-	-	[2]	[2]	Rivet		Note 1
LS15907E6F7	-	-	[117]	[117]	Rivet		Note 1
LS15907E6F8	-	-	[65]	[65]	Rivet		Note 1
LS15907E6F9	-	-	[6]	[6]	Rivet		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
LS35176CC06H	-	-	[273]	[273]	Washer		Note 1
MS20426AD4-6	-	-	[308]	[308]	Rivet		Note 1
MS20426AD4-7	-	-	[52]	[52]	Rivet		Note 1
MS20426AD4-9	-	-	[12]	[12]	Rivet		Note 1
MS20426AD5-6	-	-	[34]	[34]	Rivet		Note 1
MS20426AD5-7	-	-	[4]	[4]	Rivet		Note 1
MS20470AD5-11	-	-	[6]	[6]	Rivet		Note 1
MS20470AD5-6	-	-	[12]	[12]	Rivet		Note 1
MS20470AD5-9	-	-	[2]	[2]	Rivet		Note 1
3332968-1	-	-	[1]	[1]	Fitting		Note 1
3332968-2	-	-	[1]	[1]	Fitting		Note 1
362019-13	-	-	[2]	[2]	Tee		Note 1
3362677-7	-	-	-	(1)	Fairing Installation - Center Wing to Fuselage, Aft, Kit, consisting of:		Note 1
3362677 Rev. NC	-	-	-	[1]	Fairing Installation - Center Wing to Fuselage, Kit Drawing		Note 1
HK52207P3	-	-	-	[43]	Nut/Base Assembly		Note 1
HLT114-6-10	-	-	-	[12]	Pin		Note 1
HLT114-6-11	-	-	-	[4]	Pin		Note 1
HLT123-6-3	-	-	-	[36]	Pin		Note 1
KFN542-3	-	-	-	[52]	Nut		Note 1
LS15907E6F6	-	-	-	[30]	Rivet		Note 1
LS15907E6F7	-	-	-	[78]	Rivet		Note 1
LS35176CC06H	-	-	-	[36]	Washer		Note 1
MS20426AD4-5	-	-	-	[160]	Rivet		Note 1
MS20426AD4-6	-	-	-	[32]	Rivet		Note 1
MS20426AD4-7	-	-	-	[2]	Rivet		Note 1
MS20470AD5-6	-	-	-	[30]	Rivet		Note 1
MS21042-06	-	-	-	[4]	Nut		Note 1
MS21042-3	-	-	-	[81]	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS24693S24 (MS24693-S24)	-	-	-	[4]	Screw		Note 1
MS27039-1-11	-	-	-	[2]	Screw		Note 1
NAS1149DN616H	-	-	-	[4]	Washer		Note 1
NAS1149D0363H	-	-	-	[78]	Washer		Note 1
NAS1197-10	-	-	-	[5]	Washer		Note 1
NAS517-3-10	-	-	-	[2]	Screw		Note 1
NAS517-3-11	-	-	-	[4]	Screw		Note 1
NAS517-3-12	-	-	-	[2]	Screw		Note 1
NAS517-3-13	-	-	-	[2]	Screw		Note 1
NAS517-3-14	-	-	-	[4]	Screw		Note 1
NAS517-3-15	-	-	-	[2]	Screw		Note 1
NAS517-3-16	-	-	-	[2]	Screw		Note 1
NAS517-3-18	-	-	-	[3]	Screw		Note 1
NAS517-3-4	-	-	-	[74]	Screw		Note 1
NAS517-3-5	-	-	-	[8]	Screw		Note 1
NAS517-3-6	-	-	-	[2]	Screw		Note 1
NAS517-3-7	-	-	-	[6]	Screw		Note 1
NAS517-3-8	-	-	-	[4]	Screw		Note 1
NAS517-3-9	-	-	-	[4]	Screw		Note 1
NAS623-3-5	-	-	-	[3]	Screw		Note 1
3317777-1	-	-	-	[1]	Filler		Note 1
3317777-5	-	-	-	[2]	Filler		Note 1
3317777-7	-	-	-	[1]	Filler		Note 1
390606-23	-	-	-	[4]	Tee		Note 1
3362678-1	(1)	(1)	-	-	Frame Installation - MLG Whelel Well Panel, FS 516.85, Kit, consisting of:		Note 1
3362678 Rev. NC	[1]	[1]	-	-	Frame Installation - MLG Wheel Well, Fus Sta 516.85, Kit Drawing		Note 1
AIC199-8-19	[2]	[2]	-	-	Bolt		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
AIC199-8-22	[4]	[4]	-	-	Bolt		Note 1
AN43B11A (AN43B-11A)	[1]	[1]	-	-	Eye Bolt		Note 1
HK52207P5	[12]	[12]	-	-	Nut		Note 1
HLT114-5-6	[1]	[1]	-	-	Pin		Note 1
HLT114-6-10	[4]	[4]	-	-	Pin		Note 1
HLT114-6-11	[14]	[14]	-	-	Pin		Note 1
HLT114-6-3	[55]	[55]	-	-	Pin		Note 1
HLT114-6-4	[21]	[21]	-	-	Pin		Note 1
HLT114-6-5	[3]	[3]	-	-	Pin		Note 1
HLT114-6-6	[31]	[31]	-	-	Pin		Note 1
HLT114-6-7	[10]	[10]	-	-	Pin		Note 1
HLT114-8-10	[24]	[24]	-	-	Pin		Note 1
HLT114-8-12	[17]	[17]	-	-	Pin		Note 1
HLT114-8-15	[16]	[16]	-	-	Pin		Note 1
HLT114-8-16	[4]	[4]	-	-	Pin		Note 1
HLT114-8-18	[6]	[6]	-	-	Pin		Note 1
HLT114-8-5	[22]	[22]	-	-	Pin		Note 1
HLT114-8-6	[7]	[7]	-	-	Pin		Note 1
HLT114-8-8	[52]	[52]	-	-	Pin		Note 1
HLT114-8-9	[2]	[2]	-	-	Pin		Note 1
HLT115-10-11	[23]	[23]	-	-	Pin		Note 1
HLT115-10-12	[19]	[19]	-	-	Pin		Note 1
HLT115-10-14	[11]	[11]	-	-	Pin		Note 1
HLT115-6-4	[2]	[2]	-	-	Pin		Note 1
HLT116-10-11	[3]	[3]	-	-	Pin		Note 1
HLT116-10-13	[3]	[3]	-	-	Pin		Note 1
HLT116-10-16	[2]	[2]	-	-	Pin		Note 1
HLT116-10-21	[10]	[10]	-	-	Pin		Note 1
HLT116-10-8	[2]	[2]	-	-	Pin		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
HLT116-6-10	[4]	[4]	-	-	Pin		Note 1
HLT116-6-3	[12]	[12]	-	-	Pin		Note 1
HLT116-6-4	[14]	[14]	-	-	Pin		Note 1
HLT116-6-5	[74]	[74]	-	-	Pin		Note 1
HLT116-6-6	[4]	[4]	-	-	Pin		Note 1
HLT116-6-7	[53]	[53]	-	-	Pin		Note 1
HLT116-6-8	[9]	[9]	-	-	Pin		Note 1
HLT116-8-5	[5]	[5]	-	-	Pin		Note 1
HLT116-8-6	[2]	[2]	-	-	Pin		Note 1
HLT116-8-8	[13]	[13]	-	-	Pin		Note 1
HLT116-8-9	[17]	[17]	-	-	Pin		Note 1
HLT124-6-4	[91]	[91]	-	-	Pin		Note 1
HLT124-6-5	[33]	[33]	-	-	Pin		Note 1
HLT124-6-6	[29]	[29]	-	-	Pin		Note 1
HLT124-6-7	[2]	[2]	-	-	Pin		Note 1
HLT124-6-8	[5]	[5]	-	-	Pin		Note 1
KFN542-3	[228]	[228]	-	-	Nut		Note 1
KFN542-4	[180]	[180]	-	-	Nut		Note 1
KFN542-5	[69]	[69]	-	-	Nut		Note 1
LS15906E6F10	[2]	[2]	-	-	Rivet		Note 1
LS15906E6F7	[25]	[25]	-	-	Rivet		Note 1
LS15906E6F8	[9]	[9]	-	-	Rivet		Note 1
LS15906E6F9	[5]	[5]	-	-	Rivet		Note 1
LS35176CC06H	[160]	[160]	-	-	Washer		Note 1
NAS1149G0432P (LS35307-4M)	[1]	[1]	-	-	Washer		Note 1
LS5909K208-0612	[1]	[1]	-	-	Spacer		Note 1
LS5909L112-0208	[1]	[1]	-	-	Spacer		Note 1
LS5909M112-0208	[5]	[5]	-	-	Spacer		Note 1
LS5984D3H	[2]	[2]	-	-	Washer		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS20002-12	[30]	[30]	-	-	Washer		Note 1
MS20002-5	[3]	[3]	-	-	Washer		Note 1
MS20002C12	[6]	[6]	-	-	Washer		Note 1
MS20002C5	[3]	[3]	-	-	Washer		Note 1
MS20005-12	[2]	[2]	-	-	Bolt		Note 1
MS20005-14	[1]	[1]	-	-	Bolt		Note 1
MS20470AD3-6	[4]	[4]	-	-	Rivet		Note 1
MS20470AD4-7	[12]	[12]	-	-	Rivet		Note 1
MS20470AD5-6	[3]	[3]	-	-	Rivet		Note 1
MS20470D6-11	[33]	[33]	-	-	Rivet		Note 1
MS20470D6-7	[9]	[9]	-	-	Rivet		Note 1
MS20470D6-9	[1]	[1]	-	-	Rivet		Note 1
MS21042-3	[12]	[12]	-	-	Nut		Note 1
MS21042-4	[1]	[1]	-	-	Nut		Note 1
MS21042-5	[2]	[2]	-	-	Nut		Note 1
MS21042-6	[2]	[2]	-	-	Nut		Note 1
NAS1149D0316H	[3]	[3]	-	-	Washer		Note 1
NAS1149D0363H	[6]	[6]	-	-	Washer		Note 1
NAS1149D0563H	[2]	[2]	-	-	Washer		Note 1
NAS1149D0863H	[18]	[18]	-	-	Washer		Note 1
NAS1149F0363P	[2]	[2]	-	-	Washer		Note 1
NAS517-3-12	[2]	[2]	-	-	Screw		Note 1
NAS517-5-14	[1]	[1]	-	-	Screw		Note 1
NAS517-5-15	[1]	[1]	-	-	Screw		Note 1
NAS557-12A	[1]	[1]	-	-	Grommet		Note 1
NAS6206-8D	[2]	[2]	-	-	Bolt		Note 1
NAS623-3-10	[3]	[3]	-	-	Screw		Note 1
NAS623-3-14	[2]	[2]	-	-	Screw		Note 1
NAS623-3-4	[3]	[3]	-	-	Screw		Note 1
NAS623-3-6	[2]	[2]	-	-	Screw		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3311014-7	[2]	[2]	-	-	Shim		Note 1
3313885-3	[1]	[1]	-	-	Brace Assembly		Note 1
3313886-3	[1]	[1]	-	-	Clip		Note 1
3313887-1	[1]	[1]	-	-	Brace Assembly		Note 1
3313889-1	[1]	[1]	-	-	Brace Assembly		Note 1
3313899-1	[1]	[1]	-	-	Brace Assembly		Note 1
1-3314702-3 (3314702-3)	[1]	[1]	-	-	Angle		Note 1
3314702-5	[1]	[1]	-	-	Angle		Note 1
3314703-21	[1]	[1]	-	-	Beam Assembly		Note 1
3314705-1	[1]	[1]	-	-	Brace Assembly		Note 1
3337611-5	[1]	[1]	-	-	Radius Block		Note 1
3339701-1	[1]	[1]	-	-	Attach Angle		Note 1
3361133-1	[1]	[1]	-	-	Frame Assembly		Note 1
3362333-1	[1]	[1]	-	-	Tee		Note 1
3362333-3	[1]	[1]	-	-	Tee		Note 1
3362333-5	[1]	[1]	-	-	Clip		Note 1
338645-7	[1]	[1]	-	-	Filler		Note 1
338674-25	[1]	[1]	-	-	Channel		Note 1
1-342098-5 (342098-5)	[1]	[1]	-	-	Clip		Note 1
1-342099-4L (342099-4L)	[1]	[1]	-	-	Clip		Note 1
388330-3	[1]	[1]	-	-	Clip		Note 1
388513-3	[2]	[2]	-	-	Shim		Note 1
389732-5	[2]	[2]	-	-	Shim		Note 1
398801-3	[1]	[1]	-	-	Filler		Note 1
68454-1216	[6]	[6]	-	-	Nut		Note 1
68454-820	[6]	[6]	-	-	Nut		Note 1
69678A524	[3]	[3]	-	-	Nut		Note 1
756400-1	[3]	[3]	-	-	Bolt		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
756400-3	[3]	[3]	-	-	Bolt		Note 1
3362678-2	(1)	(1)	-	-	Frame Installation - MLG Whell Well Panel, FS 516.85, consisting of:		Note 1
3362678 Rev. NC	[1]	[1]	-	-	Frame Installation - MLG Wheel Well, Fus Sta 516.85, Kit Drawing		Note 1
AIC199-8-19	[2]	[2]	-	-	Bolt		Note 1
AIC199-8-22	[4]	[4]	-	-	Bolt		Note 1
AN43B11A (AN43B-11A)	[1]	[1]	-	-	Eye Bolt		Note 1
HK52207P5	[12]	[12]	-	-	Nut		Note 1
HLT114-5-6	[1]	[1]	-	-	Pin		Note 1
HLT114-6-10	[4]	[4]	-	-	Pin		Note 1
HLT114-6-11	[14]	[14]	-	-	Pin		Note 1
HLT114-6-3	[54]	[54]	-	-	Pin		Note 1
HLT114-6-4	[22]	[22]	-	-	Pin		Note 1
HLT114-6-5	[3]	[3]	-	-	Pin		Note 1
HLT114-6-6	[41]	[41]	-	-	Pin		Note 1
HLT114-8-10	[24]	[24]	-	-	Pin		Note 1
HLT114-8-12	[17]	[17]	-	-	Pin		Note 1
HLT114-8-15	[16]	[16]	-	-	Pin		Note 1
HLT114-8-16	[4]	[4]	-	-	Pin		Note 1
HLT114-8-18	[6]	[6]	-	-	Pin		Note 1
HLT114-8-5	[22]	[22]	-	-	Pin		Note 1
HLT114-8-6	[7]	[7]	-	-	Pin		Note 1
HLT114-8-8	[52]	[52]	-	-	Pin		Note 1
HLT114-8-9	[2]	[2]	-	-	Pin		Note 1
HLT115-10-11	[23]	[23]	-	-	Pin		Note 1
HLT115-10-12	[19]	[19]	-	-	Pin		Note 1
HLT115-10-14	[11]	[11]	-	-	Pin		Note 1
HLT115-6-4	[2]	[2]	-	-	Pin		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
HLT116-10-11	[3]	[3]	-	-	Pin		Note 1
HLT116-10-13	[3]	[3]	-	-	Pin		Note 1
HLT116-10-16	[2]	[2]	-	-	Pin		Note 1
HLT116-10-21	[10]	[10]	-	-	Pin		Note 1
HLT116-10-8	[1]	[1]	-	-	Pin		Note 1
HLT116-6-10	[4]	[4]	-	-	Pin		Note 1
HLT116-6-3	[12]	[12]	-	-	Pin		Note 1
HLT116-6-4	[13]	[13]	-	-	Pin		Note 1
HLT116-6-5	[74]	[74]	-	-	Pin		Note 1
HLT116-6-6	[5]	[5]	-	-	Pin		Note 1
HLT116-6-7	[52]	[52]	-	-	Pin		Note 1
HLT116-6-8	[9]	[9]	-	-	Pin		Note 1
HLT116-6-9	[1]	[1]	-	-	Pin		Note 1
HLT116-8-5	[5]	[5]	-	-	Pin		Note 1
HLT116-8-6	[9]	[9]	-	-	Pin		Note 1
HLT116-8-8	[6]	[6]	-	-	Pin		Note 1
HLT116-8-9	[17]	[17]	-	-	Pin		Note 1
HLT124-6-4	[91]	[91]	-	-	Pin		Note 1
HLT124-6-5	[33]	[33]	-	-	Pin		Note 1
HLT124-6-6	[29]	[29]	-	-	Pin		Note 1
HLT124-6-7	[2]	[2]	-	-	Pin		Note 1
HLT124-6-8	[5]	[5]	-	-	Pin		Note 1
KFN542-3	[228]	[228]	-	-	Nut		Note 1
KFN542-4	[180]	[180]	-	-	Nut		Note 1
KFN542-5	[69]	[69]	-	-	Nut		Note 1
LS15906E6F10	[2]	[2]	-	-	Rivet		Note 1
LS15906E6F7	[25]	[25]	-	-	Rivet		Note 1
LS15906E6F8	[9]	[9]	-	-	Rivet		Note 1
LS15906E6F9	[10]	[10]	-	-	Rivet		Note 1
LS35176CC06H	[160]	[160]	-	-	Washer		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS1149G0432P (LS35307-4M)	[1]	[1]	-	-	Washer		Note 1
LS5909K208-0612	[1]	[1]	-	-	Spacer		Note 1
LS5909L112-0208	[1]	[1]	-	-	Spacer		Note 1
LS5909M112-0208	[5]	[5]	-	-	Spacer		Note 1
LS5984D3H	[2]	[2]	-	-	Washer		Note 1
MS20002-12	[30]	[30]	-	-	Washer		Note 1
MS20002-5	[3]	[3]	-	-	Washer		Note 1
MS20002C12	[6]	[6]	-	-	Washer		Note 1
MS20002C5	[3]	[3]	-	-	Washer		Note 1
MS20005-12	[2]	[2]	-	-	Bolt		Note 1
MS20005-14	[1]	[1]	-	-	Bolt		Note 1
MS20470AD3-6	[4]	[4]	-	-	Rivet		Note 1
MS20470AD4-7	[12]	[12]	-	-	Rivet		Note 1
MS20470AD5-6	[3]	[3]	-	-	Rivet		Note 1
MS20470AD5-7	[2]	[2]	-	-	Rivet		Note 1
MS20470D6-11	[33]	[33]	-	-	Rivet		Note 1
MS20470D6-7	[9]	[9]	-	-	Rivet		Note 1
MS20470D6-9	[1]	[1]	-	-	Rivet		Note 1
MS21042-3	[12]	[12]	-	-	Nut		Note 1
MS21042-4	[1]	[1]	-	-	Nut		Note 1
MS21042-5	[2]	[2]	-	-	Nut		Note 1
MS21042-6	[2]	[2]	-	-	Nut		Note 1
NAS1097AD5-4	[5]	[5]	-	-	Rivet		Note 1
NAS1149D0316H	[3]	[3]	-	-	Washer		Note 1
NAS1149D0363H	[6]	[6]	-	-	Washer		Note 1
NAS1149D0563H	[2]	[2]	-	-	Washer		Note 1
NAS1149D0863H	[18]	[18]	-	-	Washer		Note 1
NAS1149F0363P	[2]	[2]	-	-	Washer		Note 1
NAS517-3-12	[2]	[2]	-	-	Screw		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS517-5-14	[1]	[1]	-	-	Screw		Note 1
NAS517-5-15	[1]	[1]	-	-	Screw		Note 1
NAS557-12A	[1]	[1]	-	-	Grommet		Note 1
NAS6206-8D	[2]	[2]	-	-	Bolt		Note 1
NAS623-3-10	[3]	[3]	-	-	Screw		Note 1
NAS623-3-14	[2]	[2]	-	-	Screw		Note 1
NAS623-3-4	[3]	[3]	-	-	Screw		Note 1
NAS623-3-6	[2]	[2]	-	-	Screw		Note 1
3311014-7	[2]	[2]	-	-	Shim		Note 1
3313885-4	[1]	[1]	-	-	Brace Assembly		Note 1
3313886-4	[1]	[1]	-	-	Clip		Note 1
3313887-2	[1]	[1]	-	-	Brace Assembly		Note 1
3313889-2	[1]	[1]	-	-	Brace Assembly		Note 1
3313899-2	[1]	[1]	-	-	Brace Assembly		Note 1
1-3314702-4 (3314702-4)	[1]	[1]	-	-	Angle		Note 1
3314702-6	[1]	[1]	-	-	Angle		Note 1
3314705-2	[1]	[1]	-	-	Brace Assembly		Note 1
3337611-5	[1]	[1]	-	-	Radius Block		Note 1
3339701-2	[1]	[1]	-	-	Attach Angle		Note 1
3361133-2	[1]	[1]	-	-	Frame Assembly		Note 1
3361442-1	[1]	[1]	-	-	Beam Assembly		Note 1
3362333-2	[1]	[1]	-	-	Tee		Note 1
3362333-4	[1]	[1]	-	-	Tee		Note 1
3362333-5	[1]	[1]	-	-	Clip		Note 1
338645-7	[1]	[1]	-	-	Filler		Note 1
338674-25	[1]	[1]	-	-	Channel		Note 1
1-342098-5 (342098-5)	[1]	[1]	-	-	Clip		Note 1
1-342099-4R (342099-4R)	[1]	[1]	-	-	Clip		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
388330-4	[1]	[1]	-	-	Clip		Note 1
388513-3	[2]	[2]	-	-	Shim		Note 1
389732-5	[2]	[2]	-	-	Shim		Note 1
398801-3	[1]	[1]	-	-	Filler		Note 1
68454-1216	[6]	[6]	-	-	Nut		Note 1
68454-820	[6]	[6]	-	-	Nut		Note 1
69678A524	[3]	[3]	-	-	Nut		Note 1
756400-1	[3]	[3]	-	-	Bolt		Note 1
756400-3	[3]	[3]	-	-	Bolt		Note 1
3362678-3	-	-	(1)	(1)	Frame Installation - MLG Whelel Well Panel, FS 516.85, Kit, consisting of:		Note 1
3362678 Rev. NC	-	-	[1]	[1]	Frame Installation - MLG Wheel Well, Fus Sta 516.85, Kit Drawing		Note 1
AIC199-8-19	-	-	[2]	[2]	Bolt		Note 1
AIC199-8-22	-	-	[4]	[4]	Bolt		Note 1
AN43B11A (AN43B-11A)	-	-	[1]	[1]	Eye Bolt		Note 1
HK52207P5	-	-	[12]	[12]	Nut		Note 1
HLT114-5-6	-	-	[1]	[1]	Pin		Note 1
HLT114-6-10	-	-	[4]	[4]	Pin		Note 1
HLT114-6-11	-	-	[14]	[14]	Pin		Note 1
HLT114-6-3	-	-	[55]	[55]	Pin		Note 1
HLT114-6-4	-	-	[21]	[21]	Pin		Note 1
HLT114-6-5	-	-	[3]	[3]	Pin		Note 1
HLT114-6-6	-	-	[31]	[31]	Pin		Note 1
HLT114-6-7	-	-	[10]	[10]	Pin		Note 1
HLT114-8-10	-	-	[24]	[24]	Pin		Note 1
HLT114-8-12	-	-	[17]	[17]	Pin		Note 1
HLT114-8-15	-	-	[16]	[16]	Pin		Note 1
HLT114-8-16	-	-	[4]	[4]	Pin		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
HLT114-8-18	-	-	[6]	[6]	Pin		Note 1
HLT114-8-5	-	-	[22]	[22]	Pin		Note 1
HLT114-8-6	-	-	[7]	[7]	Pin		Note 1
HLT114-8-8	-	-	[52]	[52]	Pin		Note 1
HLT114-8-9	-	-	[2]	[2]	Pin		Note 1
HLT115-10-11	-	-	[23]	[23]	Pin		Note 1
HLT115-10-12	-	-	[19]	[19]	Pin		Note 1
HLT115-10-14	-	-	[11]	[11]	Pin		Note 1
HLT115-6-4	-	-	[2]	[2]	Pin		Note 1
HLT116-10-11	-	-	[3]	[3]	Pin		Note 1
HLT116-10-13	-	-	[3]	[3]	Pin		Note 1
HLT116-10-16	-	-	[2]	[2]	Pin		Note 1
HLT116-10-21	-	-	[10]	[10]	Pin		Note 1
HLT116-10-8	-	-	[2]	[2]	Pin		Note 1
HLT116-6-10	-	-	[4]	[4]	Pin		Note 1
HLT116-6-3	-	-	[12]	[12]	Pin		Note 1
HLT116-6-4	-	-	[14]	[14]	Pin		Note 1
HLT116-6-5	-	-	[74]	[74]	Pin		Note 1
HLT116-6-6	-	-	[4]	[4]	Pin		Note 1
HLT116-6-7	-	-	[53]	[53]	Pin		Note 1
HLT116-6-8	-	-	[9]	[9]	Pin		Note 1
HLT116-8-5	-	-	[5]	[5]	Pin		Note 1
HLT116-8-6	-	-	[2]	[2]	Pin		Note 1
HLT116-8-8	-	-	[13]	[13]	Pin		Note 1
HLT116-8-9	-	-	[17]	[17]	Pin		Note 1
HLT124-6-4	-	-	[91]	[91]	Pin		Note 1
HLT124-6-5	-	-	[33]	[33]	Pin		Note 1
HLT124-6-6	-	-	[29]	[29]	Pin		Note 1
HLT124-6-7	-	-	[2]	[2]	Pin		Note 1
HLT124-6-8	-	-	[5]	[5]	Pin		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
KFN542-3	-	-	[228]	[228]	Nut		Note 1
KFN542-4	-	-	[180]	[180]	Nut		Note 1
KFN542-5	-	-	[69]	[69]	Nut		Note 1
LS15906E6F10	-	-	[2]	[2]	Rivet		Note 1
LS15906E6F7	-	-	[25]	[25]	Rivet		Note 1
LS15906E6F8	-	-	[9]	[9]	Rivet		Note 1
LS15906E6F9	-	-	[5]	[5]	Rivet		Note 1
LS35176CC06H	-	-	[160]	[160]	Washer		Note 1
NAS1149G0432P (LS35307-4M)	-	-	[1]	[1]	Washer		Note 1
LS5909K208-0612	-	-	[1]	[1]	Spacer		Note 1
LS5909L112-0208	-	-	[1]	[1]	Spacer		Note 1
LS5909M112-0208	-	-	[5]	[5]	Spacer		Note 1
LS5984D3H	-	-	[2]	[2]	Washer		Note 1
MS20002-12	-	-	[30]	[30]	Washer		Note 1
MS20002-5	-	-	[3]	[3]	Washer		Note 1
MS20002C12	-	-	[6]	[6]	Washer		Note 1
MS20002C5	-	-	[3]	[3]	Washer		Note 1
MS20005-12	-	-	[2]	[2]	Bolt		Note 1
MS20005-14	-	-	[1]	[1]	Bolt		Note 1
MS20470AD3-6	-	-	[4]	[4]	Rivet		Note 1
MS20470AD4-7	-	-	[12]	[12]	Rivet		Note 1
MS20470AD5-6	-	-	[3]	[3]	Rivet		Note 1
MS20470D6-11	-	-	[33]	[33]	Rivet		Note 1
MS20470D6-7	-	-	[9]	[9]	Rivet		Note 1
MS20470D6-9	-	-	[1]	[1]	Rivet		Note 1
MS21042-3	-	-	[12]	[12]	Nut		Note 1
MS21042-4	-	-	[1]	[1]	Nut		Note 1
MS21042-5	-	-	[2]	[2]	Nut		Note 1
MS21042-6	-	-	[2]	[2]	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS1149D0316H	-	-	[3]	[3]	Washer		Note 1
NAS1149D0363H	-	-	[6]	[6]	Washer		Note 1
NAS1149D0563H	-	-	[2]	[2]	Washer		Note 1
NAS1149D0863H	-	-	[18]	[18]	Washer		Note 1
NAS1149F0363P	-	-	[2]	[2]	Washer		Note 1
NAS517-3-12	-	-	[2]	[2]	Screw		Note 1
NAS517-5-14	-	-	[1]	[1]	Screw		Note 1
NAS517-5-15	-	-	[1]	[1]	Screw		Note 1
NAS557-12A	-	-	[1]	[1]	Grommet		Note 1
NAS6206-8D	-	-	[2]	[2]	Bolt		Note 1
NAS623-3-10	-	-	[3]	[3]	Screw		Note 1
NAS623-3-14	-	-	[2]	[2]	Screw		Note 1
NAS623-3-4	-	-	[3]	[3]	Screw		Note 1
NAS623-3-6	-	-	[2]	[2]	Screw		Note 1
3311014-7	-	-	[2]	[2]	Shim		Note 1
3313885-3	-	-	[1]	[1]	Brace Assembly		Note 1
3313886-3	-	-	[1]	[1]	Clip		Note 1
3313887-1	-	-	[1]	[1]	Brace Assembly		Note 1
3313889-1	-	-	[1]	[1]	Brace Assembly		Note 1
3313899-1	-	-	[1]	[1]	Brace Assembly		Note 1
1-3314702-3 (3314702-3)	-	-	[1]	[1]	Angle		Note 1
3314702-5	-	-	[1]	[1]	Angle		Note 1
3314703-21	-	-	[1]	[1]	Beam Assembly		Note 1
3314705-1	-	-	[1]	[1]	Brace Assembly		Note 1
3337611-5	-	-	[1]	[1]	Radius Block		Note 1
3339701-1	-	-	[1]	[1]	Attach Angle		Note 1
3361133-1	-	-	[1]	[1]	Frame Assembly		Note 1
3362333-1	-	-	[1]	[1]	Tee		Note 1
3362333-3	-	-	[1]	[1]	Tee		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3362333-5	-	-	[1]	[1]	Clip		Note 1
338645-7	-	-	[1]	[1]	Filler		Note 1
338674-25	-	-	[1]	[1]	Channel		Note 1
1-342098-5 (342098-5)	-	-	[1]	[1]	Clip		Note 1
1-342099-4L (342099-4L)	-	-	[1]	[1]	Clip		Note 1
388330-3	-	-	[1]	[1]	Clip		Note 1
388513-3	-	-	[2]	[2]	Shim		Note 1
389732-5	-	-	[2]	[2]	Shim		Note 1
398801-3	-	-	[1]	[1]	Filler		Note 1
68454-1216	-	-	[6]	[6]	Nut		Note 1
68454-820	-	-	[6]	[6]	Nut		Note 1
69678A524	-	-	[3]	[3]	Nut		Note 1
756400-1	-	-	[3]	[3]	Bolt		Note 1
756400-3	-	-	[3]	[3]	Bolt		Note 1
3362678-4	-	-	(1)	(1)	Frame Installation - MLG Whell Well Panel, FS 516.85, consisting of:		Note 1
3362678 Rev. NC	-	-	[1]	[1]	Frame Installation - MLG Wheel Well, Fus Sta 516.85, Kit Drawing		Note 1
AIC199-8-19	-	-	[2]	[2]	Bolt		Note 1
AIC199-8-22	-	-	[4]	[4]	Bolt		Note 1
AN43B11A (AN43B-11A)	-	-	[1]	[1]	Eye Bolt		Note 1
HK52207P5	-	-	[12]	[12]	Nut		Note 1
HLT114-5-6	-	-	[1]	[1]	Pin		Note 1
HLT114-6-10	-	-	[4]	[4]	Pin		Note 1
HLT114-6-11	-	-	[14]	[14]	Pin		Note 1
HLT114-6-3	-	-	[55]	[55]	Pin		Note 1
HLT114-6-4	-	-	[21]	[21]	Pin		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
HLT114-6-5	-	-	[3]	[3]	Pin		Note 1
HLT114-6-6	-	-	[41]	[41]	Pin		Note 1
HLT114-8-10	-	-	[24]	[24]	Pin		Note 1
HLT114-8-12	-	-	[17]	[17]	Pin		Note 1
HLT114-8-15	-	-	[16]	[16]	Pin		Note 1
HLT114-8-16	-	-	[4]	[4]	Pin		Note 1
HLT114-8-18	-	-	[6]	[6]	Pin		Note 1
HLT114-8-5	-	-	[22]	[22]	Pin		Note 1
HLT114-8-6	-	-	[7]	[7]	Pin		Note 1
HLT114-8-8	-	-	[52]	[52]	Pin		Note 1
HLT114-8-9	-	-	[2]	[2]	Pin		Note 1
HLT115-10-11	-	-	[23]	[23]	Pin		Note 1
HLT115-10-12	-	-	[19]	[19]	Pin		Note 1
HLT115-10-14	-	-	[11]	[11]	Pin		Note 1
HLT115-6-4	-	-	[2]	[2]	Pin		Note 1
HLT116-10-11	-	-	[3]	[3]	Pin		Note 1
HLT116-10-13	-	-	[3]	[3]	Pin		Note 1
HLT116-10-16	-	-	[2]	[2]	Pin		Note 1
HLT116-10-21	-	-	[10]	[10]	Pin		Note 1
HLT116-10-8	-	-	[1]	[1]	Pin		Note 1
HLT116-6-10	-	-	[4]	[4]	Pin		Note 1
HLT116-6-3	-	-	[12]	[12]	Pin		Note 1
HLT116-6-4	-	-	[13]	[13]	Pin		Note 1
HLT116-6-5	-	-	[74]	[74]	Pin		Note 1
HLT116-6-6	-	-	[4]	[4]	Pin		Note 1
HLT116-6-7	-	-	[52]	[52]	Pin		Note 1
HLT116-6-8	-	-	[9]	[9]	Pin		Note 1
HLT116-8-5	-	-	[5]	[5]	Pin		Note 1
HLT116-8-6	-	-	[2]	[2]	Pin		Note 1
HLT116-8-8	-	-	[13]	[13]	Pin		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
HLT116-8-9	-	-	[17]	[17]	Pin		Note 1
HLT124-6-4	-	-	[91]	[91]	Pin		Note 1
HLT124-6-5	-	-	[33]	[33]	Pin		Note 1
HLT124-6-6	-	-	[29]	[29]	Pin		Note 1
HLT124-6-7	-	-	[2]	[2]	Pin		Note 1
HLT124-6-8	-	-	[5]	[5]	Pin		Note 1
KFN542-3	-	-	[228]	[228]	Nut		Note 1
KFN542-4	-	-	[180]	[180]	Nut		Note 1
KFN542-5	-	-	[69]	[69]	Nut		Note 1
LS15906E6F10	-	-	[2]	[2]	Rivet		Note 1
LS15906E6F7	-	-	[25]	[25]	Rivet		Note 1
LS15906E6F8	-	-	[9]	[9]	Rivet		Note 1
LS15906E6F9	-	-	[5]	[5]	Rivet		Note 1
LS35176CC06H	-	-	[160]	[160]	Washer		Note 1
NAS1149G0432P (LS35307-4M)	-	-	[1]	[1]	Washer		Note 1
LS5909K208-0612	-	-	[1]	[1]	Spacer		Note 1
LS5909L112-0208	-	-	[1]	[1]	Spacer		Note 1
LS5909M112-0208	-	-	[5]	[5]	Spacer		Note 1
LS5984D3H	-	-	[2]	[2]	Washer		Note 1
MS20002-12	-	-	[30]	[30]	Washer		Note 1
MS20002-5	-	-	[3]	[3]	Washer		Note 1
MS20002C12	-	-	[6]	[6]	Washer		Note 1
MS20002C5	-	-	[3]	[3]	Washer		Note 1
MS20005-12	-	-	[2]	[2]	Bolt		Note 1
MS20005-14	-	-	[1]	[1]	Bolt		Note 1
MS20470AD3-6	-	-	[4]	[4]	Rivet		Note 1
MS20470AD4-7	-	-	[12]	[12]	Rivet		Note 1
MS20470AD5-6	-	-	[3]	[3]	Rivet		Note 1
MS20470AD5-7	-	-	[2]	[2]	Rivet		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS20470D6-11	-	-	[33]	[33]	Rivet		Note 1
MS20470D6-7	-	-	[9]	[9]	Rivet		Note 1
MS20470D6-9	-	-	[1]	[1]	Rivet		Note 1
MS21042-3	-	-	[12]	[12]	Nut		Note 1
MS21042-4	-	-	[1]	[1]	Nut		Note 1
MS21042-5	-	-	[2]	[2]	Nut		Note 1
MS21042-6	-	-	[2]	[2]	Nut		Note 1
NAS1097AD5-4	-	-	[5]	[5]	Rivet		Note 1
NAS1149D0316H	-	-	[3]	[3]	Washer		Note 1
NAS1149D0363H	-	-	[6]	[6]	Washer		Note 1
NAS1149D0563H	-	-	[2]	[2]	Washer		Note 1
NAS1149D0863H	-	-	[18]	[18]	Washer		Note 1
NAS1149F0363P	-	-	[2]	[2]	Washer		Note 1
NAS517-3-12	-	-	[2]	[2]	Screw		Note 1
NAS517-5-14	-	-	[1]	[1]	Screw		Note 1
NAS517-5-15	-	-	[1]	[1]	Screw		Note 1
NAS557-12A	-	-	[1]	[1]	Grommet		Note 1
NAS6206-8D	-	-	[2]	[2]	Bolt		Note 1
NAS623-3-10	-	-	[3]	[3]	Screw		Note 1
NAS623-3-14	-	-	[2]	[2]	Screw		Note 1
NAS623-3-4	-	-	[3]	[3]	Screw		Note 1
NAS623-3-6	-	-	[2]	[2]	Screw		Note 1
3311014-7	-	-	[2]	[2]	Shim		Note 1
3313885-4	-	-	[1]	[1]	Brace Assembly		Note 1
3313886-4	-	-	[1]	[1]	Clip		Note 1
3313887-2	-	-	[1]	[1]	Brace Assembly		Note 1
3313889-2	-	-	[1]	[1]	Brace Assembly		Note 1
3313899-2	-	-	[1]	[1]	Brace Assembly		Note 1
1-3314702-4 (3314702-4)	-	-	[1]	[1]	Angle		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3314702-6	-	-	[1]	[1]	Angle		Note 1
3314703-22	-	-	[1]	[1]	Beam Assembly		Note 1
3314705-2	-	-	[1]	[1]	Brace Assembly		Note 1
3337611-5	-	-	[1]	[1]	Radius Block		Note 1
3339701-2	-	-	[1]	[1]	Attach Angle		Note 1
3361133-2	-	-	[1]	[1]	Frame Assembly		Note 1
3362333-2	-	-	[1]	[1]	Tee		Note 1
3362333-4	-	-	[1]	[1]	Tee		Note 1
3362333-5	-	-	[1]	[1]	Clip		Note 1
338645-7	-	-	[1]	[1]	Filler		Note 1
338674-25	-	-	[1]	[1]	Channel		Note 1
1-342098-5 (342098-5)	-	-	[1]	[1]	Clip		Note 1
1-342099-4R (342099-4R)	-	-	[1]	[1]	Clip		Note 1
388330-4	-	-	[1]	[1]	Clip		Note 1
388513-3	-	-	[2]	[2]	Shim		Note 1
389732-5	-	-	[2]	[2]	Shim		Note 1
398801-3	-	-	[1]	[1]	Filler		Note 1
68454-1216	-	-	[6]	[6]	Nut		Note 1
68454-820	-	-	[6]	[6]	Nut		Note 1
69678A524	-	-	[3]	[3]	Nut		Note 1
756400-1	-	-	[3]	[3]	Bolt		Note 1
756400-3	-	-	[3]	[3]	Bolt		Note 1
3362679-1	(1)	(1)	(1)	(1)	Frame Installation, MLG Wheel Well Panel, FS 596.805, Kit, consisting of:		Note 1
3362679 Rev. NC	[1]	[1]	[1]	[1]	Frame Installation - MLG Wheel Well Panel, FS 596.805, Kit Drawing		Note 1
HLT116-6-16	[4]	[4]	[4]	[4]	Pin		Note 1
HLT116-6-4	[18]	[18]	[18]	[18]	Pin		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
HLT116-6-5	[12]	[12]	[12]	[12]	Pin		Note 1
HLT116-6-6	[6]	[6]	[6]	[6]	Pin		Note 1
HLT116-8-11	[8]	[8]	[8]	[8]	Pin		Note 1
HLT116-8-12	[6]	[6]	[6]	[6]	Pin		Note 1
HLT116-8-4	[8]	[8]	[8]	[8]	Pin		Note 1
HLT116-8-6	[4]	[4]	[4]	[4]	Pin		Note 1
HLT116-8-7	[55]	[55]	[55]	[55]	Pin		Note 1
HLT116-8-8	[5]	[5]	[5]	[5]	Pin		Note 1
HLT116-8-9	[26]	[26]	[26]	[26]	Pin		Note 1
HLT124-6-6	[260]	[260]	[260]	[260]	Pin		Note 1
HLT124-6-8	[20]	[20]	[20]	[20]	Pin		Note 1
HLT124-8-11	[8]	[8]	[8]	[8]	Pin		Note 1
HLT124-8-8	[41]	[41]	[41]	[41]	Pin		Note 1
HK52207P3	[1]	[1]	[1]	[1]	Nut/Base Assembly		Note 1
KFN542-3	[320]	[320]	[320]	[320]	Nut		Note 1
KFN542-4	[161]	[161]	[161]	[161]	Nut		Note 1
LS15905E6F12	[2]	[2]	[2]	[2]	Rivet		Note 1
LS15906E6F12	[7]	[7]	[7]	[7]	Rivet		Note 1
LS15906E6F9	[33]	[33]	[33]	[33]	Rivet		Note 1
LS35176CC06H	[280]	[280]	[280]	[280]	Washer		Note 1
LS35176CC08H	[49]	[49]	[49]	[49]	Washer		Note 1
MS20002C6	[10]	[10]	[10]	[10]	Washer		Note 1
MS20470AD5-7	[4]	[4]	[4]	[4]	Rivet		Note 1
MS21042-3	[19]	[19]	[19]	[19]	Nut		Note 1
MS21042-6	[8]	[8]	[8]	[8]	Nut		Note 1
MS21250-06016	[5]	[5]	[5]	[5]	Bolt		Note 1
MS21250-06029	[5]	[5]	[5]	[5]	Bolt		Note 1
MS21299-6	[18]	[18]	[18]	[18]	Washer		Note 1
NAS1149D0363H	[19]	[19]	[19]	[19]	Washer		Note 1
NAS1669-3L6	[2]	[2]	[2]	[2]	Bolt - Blind		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS517-3-11	[1]	[1]	[1]	[1]	Screw		Note 1
NAS6206-14D	[8]	[8]	[8]	[8]	Bolt		Note 1
NAS623-3-10	[6]	[6]	[6]	[6]	Screw		Note 1
NAS623-3-11	[2]	[2]	[2]	[2]	Screw		Note 1
NAS623-3-12	[2]	[2]	[2]	[2]	Screw		Note 1
NAS623-3-26	[9]	[9]	[9]	[9]	Screw		Note 1
388494-3	[1]	[1]	[1]	[1]	Cap		Note 1
69678A624	[10]	[10]	[10]	[10]	Nut		Note 1
3362679-2	(1)	(1)	(1)	(1)	Frame Installation, MGL Wheel Well Panel, FS 596.805, Kit, consisting of:		Note 1
3362679 Rev. NC	[1]	[1]	[1]	[1]	Frame Installation - MLG Wheel Well Panel, FS 596.805, Kit Drawing		Note 1
HLT116-6-16	[4]	[4]	[4]	[4]	Pin		Note 1
HLT116-6-4	[18]	[18]	[18]	[18]	Pin		Note 1
HLT116-6-5	[12]	[12]	[12]	[12]	Pin		Note 1
HLT116-6-6	[6]	[6]	[6]	[6]	Pin		Note 1
HLT116-8-11	[8]	[8]	[8]	[8]	Pin		Note 1
HLT116-8-12	[6]	[6]	[6]	[6]	Pin		Note 1
HLT116-8-4	[8]	[8]	[8]	[8]	Pin		Note 1
HLT116-8-6	[4]	[4]	[4]	[4]	Pin		Note 1
HLT116-8-7	[55]	[55]	[55]	[55]	Pin		Note 1
HLT116-8-8	[5]	[5]	[5]	[5]	Pin		Note 1
HLT116-8-9	[26]	[26]	[26]	[26]	Pin		Note 1
HLT124-6-6	[260]	[260]	[260]	[260]	Pin		Note 1
HLT124-6-8	[20]	[20]	[20]	[20]	Pin		Note 1
HLT124-8-11	[8]	[8]	[8]	[8]	Pin		Note 1
HLT124-8-8	[41]	[41]	[41]	[41]	Pin		Note 1
HK52207P3	[1]	[1]	[1]	[1]	Nut/Base Assembly		Note 1
KFN542-3	[320]	[320]	[320]	[320]	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
KFN542-4	[161]	[161]	[161]	[161]	Nut		Note 1
LS15905E6F12	[2]	[2]	[2]	[2]	Rivet		Note 1
LS15906E6F12	[7]	[7]	[7]	[7]	Rivet		Note 1
LS15906E6F9	[33]	[33]	[33]	[33]	Rivet		Note 1
LS35176CC06H	[280]	[280]	[280]	[280]	Washer		Note 1
LS35176CC08H	[49]	[49]	[49]	[49]	Washer		Note 1
MS20002C6	[10]	[10]	[10]	[10]	Washer		Note 1
MS20470AD5-7	[4]	[4]	[4]	[4]	Rivet		Note 1
MS21042-3	[19]	[19]	[19]	[19]	Nut		Note 1
MS21042-6	[8]	[8]	[8]	[8]	Nut		Note 1
MS21250-06016	[5]	[5]	[5]	[5]	Bolt		Note 1
MS21250-06029	[5]	[5]	[5]	[5]	Bolt		Note 1
MS21299-6	[18]	[18]	[18]	[18]	Washer		Note 1
NAS1149D0363H	[19]	[19]	[19]	[19]	Washer		Note 1
NAS1669-3L6	[2]	[2]	[2]	[2]	Bolt - Blind		Note 1
NAS517-3-11	[1]	[1]	[1]	[1]	Screw		Note 1
NAS6206-14D	[8]	[8]	[8]	[8]	Bolt		Note 1
NAS623-3-10	[6]	[6]	[6]	[6]	Screw		Note 1
NAS623-3-11	[2]	[2]	[2]	[2]	Screw		Note 1
NAS623-3-12	[2]	[2]	[2]	[2]	Screw		Note 1
NAS623-3-26	[9]	[9]	[9]	[9]	Screw		Note 1
388494-4	[1]	[1]	[1]	[1]	Cap		Note 1
69678A624	[10]	[10]	[10]	[10]	Nut		Note 1
3362680-1	(1)	(1)	(1)	(1)	Fillet Installation Under Wing, Ctr Wing Replacement, Kit, consisting of:		Note 1
3362680 Rev. NC	[1]	[1]	[1]	[1]	Fillet Installation - Under Wing, Ctr Wing Replacement, Kit Drawing		Note 1
CR3523P4-02	[5]	[5]	[5]	[5]	Blind Rivet		Note 1
HL18PB5-5	[37]	[37]	[37]	[37]	Pin		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
KFN618-5	[37]	[37]	[37]	[37]	Nut		Note 1
LS6061-616L	[35]	[35]	[35]	[35]	Washer		Note 1
MS20426AD3-13	[14]	[14]	[14]	[14]	Rivet		Note 1
MS20426AD3-3	[108]	[108]	[108]	[108]	Rivet		Note 1
MS20426AD3-8	[14]	[14]	[14]	[14]	Rivet		Note 1
MS20426AD4-3	[16]	[16]	[16]	[16]	Rivet		Note 1
MS20426AD4-5	[2]	[2]	[2]	[2]	Rivet		Note 1
MS20426AD5-5	[4]	[4]	[4]	[4]	Rivet		Note 1
MS20470AD4-5	[25]	[25]	[25]	[25]	Rivet		Note 1
MS20470AD5-5	[17]	[17]	[17]	[17]	Rivet		Note 1
MS21042-3	[11]	[11]	[11]	[11]	Nut		Note 1
MS21055L3	[1]	[1]	[1]	[1]	Nut		Note 1
MS21059L08	[9]	[9]	[9]	[9]	Nut		Note 1
MS21059L3	[54]	[54]	[54]	[54]	Nut		Note 1
MS21061L3	[3]	[3]	[3]	[3]	Nut		Note 1
MS21086L3	[1]	[1]	[1]	[1]	Nut		Note 1
NAS1149D0363H	[11]	[11]	[11]	[11]	Washer		Note 1
NAS1149F0332P	[178]	[178]	[178]	[178]	Washer		Note 1
NAS1169-10	[32]	[32]	[32]	[32]	Washer		Note 1
NAS1169-416	[178]	[178]	[178]	[178]	Washer		Note 1
NAS1169-8L	[35]	[35]	[35]	[35]	Washer		Note 1
NAS517-2-3	[34]	[34]	[34]	[34]	Screw		Note 1
NAS517-2-4	[1]	[1]	[1]	[1]	Screw		Note 1
NAS517-3-1	[81]	[81]	[81]	[81]	Screw		Note 1
NAS517-3-10	[2]	[2]	[2]	[2]	Screw		Note 1
NAS517-3-11	[1]	[1]	[1]	[1]	Screw		Note 1
NAS517-3-2	[41]	[41]	[41]	[41]	Screw		Note 1
NAS517-3-3	[48]	[48]	[48]	[48]	Screw		Note 1
NAS517-3-4	[16]	[16]	[16]	[16]	Screw		Note 1
NAS517-3-5	[7]	[7]	[7]	[7]	Screw		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS517-3-6	[26]	[26]	[26]	[26]	Screw		Note 1
NAS517-3-7	[19]	[19]	[19]	[19]	Screw		Note 1
NAS517-3-8	[9]	[9]	[9]	[9]	Screw		Note 1
NAS517-3-9	[4]	[4]	[4]	[4]	Screw		Note 1
NAS623-3-6	[2]	[2]	[2]	[2]	Screw		Note 1
R4G	[80]	[80]	[80]	[80]	Snap Ring		Note 1
W3614	[178]	[178]	[178]	[178]	Washer		Note 1
244-16	[8]	[8]	[8]	[8]	Receptacle		Note 1
4002G (4002-G)	[30]	[30]	[30]	[30]	Grommet		Note 1
4002H (4002-H)	[50]	[50]	[50]	[50]	Grommet		Note 1
4002-3	[58]	[58]	[58]	[58]	Stud		Note 1
4002-5	[21]	[21]	[21]	[21]	Stud		Note 1
4002-7	[1]	[1]	[1]	[1]	Stud		Note 1
3362680-2	(1)	(1)	(1)	(1)	Fillet Installation Under Wing, Ctr Wing Replacement, Kit, consisting of:		Note 1
3362680 Rev. NC	[1]	[1]	[1]	[1]	Fillet Installation - Under Wing, Ctr Wing Replacement, Kit Drawing		Note 1
CR3523P4-02	[5]	[5]	[5]	[5]	Blind Rivet		Note 1
HL18PB5-5	[37]	[37]	[37]	[37]	Pin		Note 1
KFN618-5	[37]	[37]	[37]	[37]	Nut		Note 1
LS6061-616L	[35]	[35]	[35]	[35]	Washer		Note 1
MS20426AD3-13	[14]	[14]	[14]	[14]	Rivet		Note 1
MS20426AD3-3	[108]	[108]	[108]	[108]	Rivet		Note 1
MS20426AD3-8	[14]	[14]	[14]	[14]	Rivet		Note 1
MS20426AD4-3	[16]	[16]	[16]	[16]	Rivet		Note 1
MS20426AD4-5	[2]	[2]	[2]	[2]	Rivet		Note 1
MS20426AD5-5	[4]	[4]	[4]	[4]	Rivet		Note 1
MS20470AD4-5	[25]	[25]	[25]	[25]	Rivet		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS20470AD5-5	[17]	[17]	[17]	[17]	Rivet		Note 1
MS21042-3	[11]	[11]	[11]	[11]	Nut		Note 1
MS21055L3	[1]	[1]	[1]	[1]	Nut		Note 1
MS21059L08	[9]	[9]	[9]	[9]	Nut		Note 1
MS21059L3	[54]	[54]	[54]	[54]	Nut		Note 1
MS21061L3	[3]	[3]	[3]	[3]	Nut		Note 1
MS21086L3	[1]	[1]	[1]	[1]	Nut		Note 1
NAS1149D0363H	[11]	[11]	[11]	[11]	Washer		Note 1
NAS1149F0332P	[178]	[178]	[178]	[178]	Washer		Note 1
NAS1169-10	[32]	[32]	[32]	[32]	Washer		Note 1
NAS1169-416	[178]	[178]	[178]	[178]	Washer		Note 1
NAS1169-8L	[35]	[35]	[35]	[35]	Washer		Note 1
NAS517-2-3	[34]	[34]	[34]	[34]	Screw		Note 1
NAS517-2-4	[1]	[1]	[1]	[1]	Screw		Note 1
NAS517-3-1	[81]	[81]	[81]	[81]	Screw		Note 1
NAS517-3-10	[2]	[2]	[2]	[2]	Screw		Note 1
NAS517-3-11	[1]	[1]	[1]	[1]	Screw		Note 1
NAS517-3-2	[41]	[41]	[41]	[41]	Screw		Note 1
NAS517-3-3	[48]	[48]	[48]	[48]	Screw		Note 1
NAS517-3-4	[16]	[16]	[16]	[16]	Screw		Note 1
NAS517-3-5	[7]	[7]	[7]	[7]	Screw		Note 1
NAS517-3-6	[26]	[26]	[26]	[26]	Screw		Note 1
NAS517-3-7	[19]	[19]	[19]	[19]	Screw		Note 1
NAS517-3-8	[9]	[9]	[9]	[9]	Screw		Note 1
NAS517-3-9	[4]	[4]	[4]	[4]	Screw		Note 1
NAS623-3-6	[2]	[2]	[2]	[2]	Screw		Note 1
R4G	[80]	[80]	[80]	[80]	Snap Ring		Note 1
W3614	[178]	[178]	[178]	[178]	Washer		Note 1
244-16	[8]	[8]	[8]	[8]	Receptacle		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
4002G (4002-G)	[30]	[30]	[30]	[30]	Grommet		Note 1
4002H (4002-H)	[50]	[50]	[50]	[50]	Grommet		Note 1
4002-3	[58]	[58]	[58]	[58]	Stud		Note 1
4002-5	[21]	[21]	[21]	[21]	Stud		Note 1
4002-7	[1]	[1]	[1]	[1]	Stud		Note 1
3362681-1	(1)	(1)	(1)	-	Splice Installation - Center Wing to BL 20 Longeron, Fwd & Aft, Kit, consisting of:		Note 1
3362681 Rev. NC	[1]	[1]	[1]	-	Splice Installation-Center Wing to BL20 Longeron, Fwd & Aft, Kit Drawing		Note 1
HLT114-6-7	[3]	[3]	[3]	-	Pin		Note 1
HLT123-6-4	[6]	[6]	[6]	-	Pin		Note 1
HLT124-6-4	[9]	[9]	[9]	-	Pin		Note 1
HLT124-6-5	[12]	[12]	[12]	-	Pin		Note 1
HLT124-6-6	[9]	[9]	[9]	-	Pin		Note 1
HLT124-8-22	[8]	[8]	[8]	-	Pin		Note 1
HL19PB5-6	[3]	[3]	[3]	-	Pin		Note 1
HL19PB5-7	[2]	[2]	[2]	-	Pin		Note 1
JK5516C08P16L	[38]	[38]	[38]	-	Sleeve		Note 1
KFN542-08	[5]	[5]	[5]	-	Nut		Note 1
KFN542-3	[39]	[39]	[39]	-	Nut		Note 1
KFN542-4	[8]	[8]	[8]	-	Nut		Note 1
LS15906E6F6	[7]	[7]	[7]	-	Rivet		Note 1
LS15907E6F6	[7]	[7]	[7]	-	Rivet		Note 1
LS15907E6F7	[4]	[4]	[4]	-	Rivet		Note 1
LS35176CC06H	[36]	[36]	[36]	-	Washer		Note 1
LS35176CC08H	[8]	[8]	[8]	-	Washer		Note 1
LS5984D3M	[2]	[2]	[2]	-	Washer		Note 1
MS20426AD5-7	[6]	[6]	[6]	-	Rivet		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS20470AD5-5	[10]	[10]	[10]	-	Rivet		Note 1
MS21042-3	[4]	[4]	[4]	-	Nut		Note 1
MS21042-4	[38]	[38]	[38]	-	Nut		Note 1
MS21250-05022	[15]	[15]	[15]	-	Bolt		Note 1
MS21299-5	[15]	[15]	[15]	-	Washer		Note 1
MS21299C5	[15]	[15]	[15]	-	Washer		Note 1
NAS1149D0363H	[2]	[2]	[2]	-	Washer		Note 1
NAS1149D0463H	[38]	[38]	[38]	-	Washer		Note 1
NAS1804-5	[15]	[15]	[15]	-	Nut		Note 1
NAS517-4-10	[2]	[2]	[2]	-	Screw		Note 1
NAS517-4-7	[28]	[28]	[28]	-	Screw		Note 1
NAS517-4-8	[8]	[8]	[8]	-	Screw		Note 1
NAS623-3-4	[2]	[2]	[2]	-	Screw		Note 1
NAS623-3-5	[2]	[2]	[2]	-	Screw		Note 1
373062-5	[1]	[1]	[1]	-	Splice Angle		Note 1
373062-6	[1]	[1]	[1]	-	Splice Angle		Note 1
375207-10	[1]	[1]	[1]	-	Splice Angle		Note 1
375207-9	[1]	[1]	[1]	-	Splice Angle		Note 1
1-375238-1L (375238-1L)	[1]	[1]	[1]	-	Clip		Note 1
3362681-2	(1)	(1)	(1)	-	Splice Installation - Center Wing to BL 20 Longeron, Fwd & Aft, Kit, consisting of:		Note 1
3362681 Rev. NC	[1]	[1]	[1]	-	Splice Installation-Center Wing to BL20 Longeron, Fwd & Aft, Kit Drawing		Note 1
HLT114-6-7	[3]	[3]	[3]	-	Pin		Note 1
HLT123-6-4	[6]	[6]	[6]	-	Pin		Note 1
HLT124-6-4	[9]	[9]	[9]	-	Pin		Note 1
HLT124-6-5	[12]	[12]	[12]	-	Pin		Note 1
HLT124-6-6	[9]	[9]	[9]	-	Pin		Note 1
HLT124-8-22	[8]	[8]	[8]	-	Pin		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
HL19PB5-6	[3]	[3]	[3]	-	Pin		Note 1
HL19PB5-7	[2]	[2]	[2]	-	Pin		Note 1
JK5516C08P16L	[38]	[38]	[38]	-	Sleeve		Note 1
KFN542-08	[5]	[5]	[5]	-	Nut		Note 1
KFN542-3	[39]	[39]	[39]	-	Nut		Note 1
KFN542-4	[8]	[8]	[8]	-	Nut		Note 1
LS15906E6F6	[7]	[7]	[7]	-	Rivet		Note 1
LS15907E6F6	[7]	[7]	[7]	-	Rivet		Note 1
LS15907E6F7	[4]	[4]	[4]	-	Rivet		Note 1
LS35176CC06H	[36]	[36]	[36]	-	Washer		Note 1
LS35176CC08H	[8]	[8]	[8]	-	Washer		Note 1
LS5984D3M	[2]	[2]	[2]	-	Washer		Note 1
MS20426AD5-7	[6]	[6]	[6]	-	Rivet		Note 1
MS20470AD5-5	[10]	[10]	[10]	-	Rivet		Note 1
MS21042-3	[4]	[4]	[4]	-	Nut		Note 1
MS21042-4	[38]	[38]	[38]	-	Nut		Note 1
MS21250-05022	[15]	[15]	[15]	-	Bolt		Note 1
MS21299-5	[15]	[15]	[15]	-	Washer		Note 1
MS21299C5	[15]	[15]	[15]	-	Washer		Note 1
NAS1149D0363H	[2]	[2]	[2]	-	Washer		Note 1
NAS1149D0463H	[38]	[38]	[38]	-	Washer		Note 1
NAS1804-5	[15]	[15]	[15]	-	Nut		Note 1
NAS517-4-10	[2]	[2]	[2]	-	Screw		Note 1
NAS517-4-7	[28]	[28]	[28]	-	Screw		Note 1
NAS517-4-8	[8]	[8]	[8]	-	Screw		Note 1
NAS623-3-4	[2]	[2]	[2]	-	Screw		Note 1
NAS623-3-5	[2]	[2]	[2]	-	Screw		Note 1
373062-5	[1]	[1]	[1]	-	Splice Angle		Note 1
373062-6	[1]	[1]	[1]	-	Splice Angle		Note 1
375207-10	[1]	[1]	[1]	-	Splice Angle		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
375207-9	[1]	[1]	[1]	-	Splice Angle		Note 1
1-375238-1R (375238-1R)	[1]	[1]	[1]	-	Clip		Note 1
3362681-3	-	-	-	(1)	Splice Installation - Center Wing to BL 20 Longeron, Fwd & Aft, Kit, consisting of:		Note 1
3362681 Rev. NC	-	-	-	[1]	Splice Installation-Center Wing to BL20 Longeron, Fwd & Aft, Kit Drawing		Note 1
HLT114-6-7	-	-	-	[3]	Pin		Note 1
HLT123-10-7	-	-	-	[12]	Pin		Note 1
HLT123-6-4	-	-	-	[6]	Pin		Note 1
HLT123-8-7	-	-	-	[12]	Pin		Note 1
HLT123-8-8	-	-	-	[2]	Pin		Note 1
HLT123-8-9	-	-	-	[6]	Pin		Note 1
HLT124-6-4	-	-	-	[9]	Pin		Note 1
HLT124-6-5	-	-	-	[12]	Pin		Note 1
HLT124-6-6	-	-	-	[9]	Pin		Note 1
HLT124-8-23	-	-	-	[8]	Pin		Note 1
HL19PB5-6	-	-	-	[3]	Pin		Note 1
HL19PB5-7	-	-	-	[2]	Pin		Note 1
KFN542-08	-	-	-	[5]	Nut		Note 1
KFN542-3	-	-	-	[39]	Nut		Note 1
KFN542-4	-	-	-	[28]	Nut		Note 1
KFN542-5	-	-	-	[12]	Nut		Note 1
LS15906E6F6	-	-	-	[7]	Rivet		Note 1
LS15907E6F6	-	-	-	[7]	Rivet		Note 1
LS15907E6F7	-	-	-	[4]	Rivet		Note 1
LS35176CC06H	-	-	-	[36]	Washer		Note 1
LS35176CC08H	-	-	-	[28]	Washer		Note 1
LS35176CC10H	-	-	-	[12]	Washer		Note 1
LS5984D3M	-	-	-	[2]	Washer		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS20426AD5-7	-	-	-	[6]	Rivet		Note 1
MS20470AD5-5	-	-	-	[10]	Rivet		Note 1
MS21042-3	-	-	-	[4]	Nut		Note 1
MS21250-05022	-	-	-	[15]	Bolt		Note 1
MS21299-5	-	-	-	[15]	Washer		Note 1
MS21299C5	-	-	-	[15]	Washer		Note 1
NAS1149D0363H	-	-	-	[2]	Washer		Note 1
NAS1804-5	-	-	-	[15]	Nut		Note 1
NAS623-3-4	-	-	-	[2]	Screw		Note 1
NAS623-3-5	-	-	-	[2]	Screw		Note 1
3319636-3	-	-	-	[1]	Splice Angle		Note 1
3319636-4	-	-	-	[1]	Splice Angle		Note 1
3360657-1	-	-	-	[2]	Radius Block		Note 1
3360657-3	-	-	-	[2]	Radius Block		Note 1
375207-10	-	-	-	[1]	Splice Angle		Note 1
375207-9	-	-	-	[1]	Splice Angle		Note 1
1-375238-1L (375238-1L)	-	-	-	[1]	Clip		Note 1
3362681-4	-	-	-	(1)	Splice Installation - Center Wing to BL 20 Longeron, Fwd & Aft, Kit, consisting of:		Note 1
3362681 Rev. NC	-	-	-	[1]	Splice Installation-Center Wing to BL20 Longeron, Fwd & Aft, Kit Drawing		Note 1
HLT114-6-7	-	-	-	[3]	Pin		Note 1
HLT123-10-7	-	-	-	[12]	Pin		Note 1
HLT123-6-4	-	-	-	[6]	Pin		Note 1
HLT123-8-7	-	-	-	[12]	Pin		Note 1
HLT123-8-8	-	-	-	[2]	Pin		Note 1
HLT123-8-9	-	-	-	[6]	Pin		Note 1
HLT124-6-4	-	-	-	[9]	Pin		Note 1
HLT124-6-5	-	-	-	[12]	Pin		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
HLT124-6-6	-	-	-	[9]	Pin		Note 1
HLT124-8-23	-	-	-	[8]	Pin		Note 1
HL19PB5-6	-	-	-	[3]	Pin		Note 1
HL19PB5-7	-	-	-	[2]	Pin		Note 1
KFN542-08	-	-	-	[5]	Nut		Note 1
KFN542-3	-	-	-	[39]	Nut		Note 1
KFN542-4	-	-	-	[28]	Nut		Note 1
KFN542-5	-	-	-	[12]	Nut		Note 1
LS15906E6F6	-	-	-	[7]	Rivet		Note 1
LS15907E6F6	-	-	-	[7]	Rivet		Note 1
LS15907E6F7	-	-	-	[4]	Rivet		Note 1
LS35176CC06H	-	-	-	[36]	Washer		Note 1
LS35176CC08H	-	-	-	[28]	Washer		Note 1
LS35176CC10H	-	-	-	[12]	Washer		Note 1
LS5984D3M	-	-	-	[2]	Washer		Note 1
MS20426AD5-7	-	-	-	[6]	Rivet		Note 1
MS20470AD5-5	-	-	-	[10]	Rivet		Note 1
MS21042-3	-	-	-	[4]	Nut		Note 1
MS21250-05022	-	-	-	[15]	Bolt		Note 1
MS21299-5	-	-	-	[15]	Washer		Note 1
MS21299C5	-	-	-	[15]	Washer		Note 1
NAS1149D0363H	-	-	-	[2]	Washer		Note 1
NAS1804-5	-	-	-	[15]	Nut		Note 1
NAS623-3-4	-	-	-	[2]	Screw		Note 1
NAS623-3-5	-	-	-	[2]	Screw		Note 1
3319636-3	-	-	-	[1]	Splice Angle		Note 1
3319636-4	-	-	-	[1]	Splice Angle		Note 1
3360657-1	-	-	-	[2]	Radius Block		Note 1
3360657-3	-	-	-	[2]	Radius Block		Note 1
375207-10	-	-	-	[1]	Splice Angle		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
375207-9	-	-	-	[1]	Splice Angle		Note 1
1-375238-1R (375238-1R)	-	-	-	[1]	Clip		Note 1
3362682-1	(1)	(1)	(1)	-	Attach Angle Installation - Center Wing to Fuselage, BL 61.625, FS 477-617 Kit, consisting of:		Note 1
3362682 Rev. A	[1]	[1]	[1]	-	Attach Angle Installation - Center Wing to Fuselage BL61.625, FS477-617, Kit Drawing		Note 1
HK52207P4	[12]	[12]	[12]	-	Nut		Note 1
HK52207P5	[18]	[18]	[18]	-	Nut		Note 1
HLT124-6-11	[155]	[155]	[155]	-	Pin		Note 1
HLT124-6-15	[8]	[8]	[8]	-	Pin		Note 1
HLT124-6-16	[8]	[8]	[8]	-	Pin		Note 1
HLT124-6-17	[14]	[14]	[14]	-	Pin		Note 1
HLT124-6-19	[16]	[16]	[16]	-	Pin		Note 1
HLT124-6-6	[20]	[20]	[20]	-	Pin		Note 1
HLT124-6-7	[12]	[12]	[12]	-	Pin		Note 1
HLT124-6-8	[72]	[72]	[72]	-	Pin		Note 1
HLT622PB6-8	[3]	[3]	[3]	-	Pin		Note 1
HL18PB5-9	[12]	[12]	[12]	-	Pin		Note 1
KFN542-3	[305]	[305]	[305]	-	Nut		Note 1
KFN542-4	[1]	[1]	[1]	-	Nut		Note 1
KFN618-6	[3]	[3]	[3]	-	Nut		Note 1
LS15906E6F11	[2]	[2]	[2]	-	Rivet		Note 1
LS15906E6F7	[8]	[8]	[8]	-	Rivet		Note 1
LS35128B056E128	[12]	[12]	[12]	-	Spacer		Note 1
LS35128D016E018	[1]	[1]	[1]	-	Spacer		Note 1
LS35176CC06H	[305]	[305]	[305]	-	Washer		Note 1
LS35298B04CC	[12]	[12]	[12]	-	Washer		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
LS35298B05CC	[22]	[22]	[22]	-	Washer		Note 1
LS35298S04CV	[12]	[12]	[12]	-	Washer		Note 1
LS35298S05CV	[22]	[22]	[22]	-	Washer		Note 1
NAS1149G0532P (LS35307-5M)	[4]	[4]	[4]	-	Washer		Note 1
NAS1149G0732P (LS35307-7M)	[8]	[8]	[8]	-	Washer		Note 1
LS5909C100-0102	[1]	[1]	[1]	-	Shim		Note 1
LS5940-2	[1]	[1]	[1]	-	Washer		Note 1
LS5984S4M	[54]	[54]	[54]	-	Washer		Note 1
LS5984S5M	[14]	[14]	[14]	-	Washer		Note 1
MS20002-4	[6]	[6]	[6]	-	Washer		Note 1
MS20002-5	[4]	[4]	[4]	-	Washer		Note 1
MS20002-7	[1]	[1]	[1]	-	Washer		Note 1
MS20002C4	[6]	[6]	[6]	-	Washer		Note 1
MS20002C5	[4]	[4]	[4]	-	Washer		Note 1
MS20002C7	[1]	[1]	[1]	-	Washer		Note 1
MS20004-8	[6]	[6]	[6]	-	Bolt		Note 1
MS20005-12	[2]	[2]	[2]	-	Bolt		Note 1
MS20005-16	[2]	[2]	[2]	-	Bolt		Note 1
MS20426AD5-6	[2]	[2]	[2]	-	Rivet		Note 1
MS20470AD5-6	[18]	[18]	[18]	-	Rivet		Note 1
MS21042-4	[54]	[54]	[54]	-	Nut		Note 1
MS21042-5	[20]	[20]	[20]	-	Nut		Note 1
MS21042-6	[8]	[8]	[8]	-	Nut		Note 1
MS21250-04014	[1]	[1]	[1]	-	Bolt		Note 1
MS21250-04016	[2]	[2]	[2]	-	Bolt		Note 1
MS21250-04018	[3]	[3]	[3]	-	Bolt		Note 1
MS21250-04026	[2]	[2]	[2]	-	Bolt		Note 1
MS21250-04028	[4]	[4]	[4]	-	Bolt		Note 1
MS21250-05018	[8]	[8]	[8]	-	Bolt		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS21250-05020	[12]	[12]	[12]	-	Bolt		Note 1
MS21250-05024	[2]	[2]	[2]	-	Bolt		Note 1
MS21250-06018	[4]	[4]	[4]	-	Bolt		Note 1
MS21250-07016	[2]	[2]	[2]	-	Bolt		Note 1
MS21250-07020	[2]	[2]	[2]	-	Bolt		Note 1
MS21250-07028	[1]	[1]	[1]	-	Bolt		Note 1
MS21299-4	[12]	[12]	[12]	-	Washer		Note 1
MS21299-5	[18]	[18]	[18]	-	Washer		Note 1
MS21299C6	[4]	[4]	[4]	-	Washer		Note 1
MS21299C7	[4]	[4]	[4]	-	Washer		Note 1
NAS1097DD6-12A	[4]	[4]	[4]	-	Rivet		Note 1
NAS1097DD6-9A	[4]	[4]	[4]	-	Rivet		Note 1
NAS1149D0463H	[2]	[2]	[2]	-	Washer		Note 1
NAS1149D0563H	[1]	[1]	[1]	-	Washer		Note 1
NAS1149D0663H	[3]	[3]	[3]	-	Washer		Note 1
NAS1149G0632P	[7]	[7]	[7]	-	Washer		Note 1
NAS1291-7	[9]	[9]	[9]	-	Nut		Note 1
NAS6204-11D	[2]	[2]	[2]	-	Bolt		Note 1
NAS6204-13D	[9]	[9]	[9]	-	Bolt		Note 1
NAS6204-15D	[6]	[6]	[6]	-	Bolt		Note 1
NAS6204-19D	[8]	[8]	[8]	-	Bolt		Note 1
NAS6204-20D	[6]	[6]	[6]	-	Bolt		Note 1
NAS6204-21D	[2]	[2]	[2]	-	Bolt		Note 1
NAS6204-23D	[2]	[2]	[2]	-	Bolt		Note 1
NAS6204-30D	[14]	[14]	[14]	-	Bolt		Note 1
NAS6204-49D	[11]	[11]	[11]	-	Bolt		Note 1
NAS6204-6D	[2]	[2]	[2]	-	Bolt		Note 1
NAS6205-12D	[6]	[6]	[6]	-	Bolt		Note 1
NAS6205-13D	[3]	[3]	[3]	-	Bolt		Note 1
NAS6205-15D	[5]	[5]	[5]	-	Bolt		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS6205-18D	[1]	[1]	[1]	-	Bolt		Note 1
NAS6205-26D	[1]	[1]	[1]	-	Bolt		Note 1
NAS6206-17D	[2]	[2]	[2]	-	Bolt		Note 1
NAS6206-18D	[1]	[1]	[1]	-	Bolt		Note 1
NAS6206-26D	[1]	[1]	[1]	-	Bolt		Note 1
NAS6207-15D	[2]	[2]	[2]	-	Bolt		Note 1
NAS6207-17D	[2]	[2]	[2]	-	Bolt		Note 1
NAS6207-26D	[1]	[1]	[1]	-	Bolt		Note 1
3305107-3	[1]	[1]	[1]	-	Filler		Note 1
3305107-5	[2]	[2]	[2]	-	Shim		Note 1
3337611-3	[1]	[1]	[1]	-	Doubler		Note 1
341973L	[1]	[1]	[1]	-	Fitting		Note 1
341974-5	[1]	[1]	[1]	-	Fitting		Note 1
341975-3	[1]	[1]	[1]	-	Fitting		Note 1
69678A428	[6]	[6]	[6]	-	Nut		Note 1
69678A524	[4]	[4]	[4]	-	Nut		Note 1
3362682-2	(1)	(1)	(1)	-	Attach Angle Installation - Center Wing to Fuselage, BL 61.625, FS 477-617 Kit, consisting of:		Note 1
3362682 Rev. A	[1]	[1]	[1]	-	Attach Angle Installation - Center Wing to Fuselage BL61.625, FS477-617, Kit Drawing		Note 1
HK52207P4	[12]	[12]	[12]	-	Nut		Note 1
HK52207P5	[18]	[18]	[18]	-	Nut		Note 1
HLT124-6-11	[155]	[155]	[155]	-	Pin		Note 1
HLT124-6-15	[8]	[8]	[8]	-	Pin		Note 1
HLT124-6-16	[8]	[8]	[8]	-	Pin		Note 1
HLT124-6-17	[14]	[14]	[14]	-	Pin		Note 1
HLT124-6-19	[16]	[16]	[16]	-	Pin		Note 1
HLT124-6-6	[20]	[20]	[20]	-	Pin		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
HLT124-6-7	[12]	[12]	[12]	-	Pin		Note 1
HLT124-6-8	[72]	[72]	[72]	-	Pin		Note 1
HLT622PB6-8	[3]	[3]	[3]	-	Pin		Note 1
HL18PB5-9	[12]	[12]	[12]	-	Pin		Note 1
KFN542-3	[305]	[305]	[305]	-	Nut		Note 1
KFN542-4	[1]	[1]	[1]	-	Nut		Note 1
KFN618-6	[3]	[3]	[3]	-	Nut		Note 1
LS15906E6F11	[2]	[2]	[2]	-	Rivet		Note 1
LS15906E6F7	[8]	[8]	[8]	-	Rivet		Note 1
LS35128B056E128	[12]	[12]	[12]	-	Spacer		Note 1
LS35128D016E018	[1]	[1]	[1]	-	Spacer		Note 1
LS35176CC06H	[305]	[305]	[305]	-	Washer		Note 1
LS35298B04CC	[12]	[12]	[12]	-	Washer		Note 1
LS35298B05CC	[22]	[22]	[22]	-	Washer		Note 1
LS35298S04CV	[12]	[12]	[12]	-	Washer		Note 1
LS35298S05CV	[22]	[22]	[22]	-	Washer		Note 1
NAS1149G0532P (LS35307-5M)	[4]	[4]	[4]	-	Washer		Note 1
NAS1149G0732P (LS35307-7M)	[8]	[8]	[8]	-	Washer		Note 1
LS5909C100-0102	[1]	[1]	[1]	-	Shim		Note 1
LS5940-2	[1]	[1]	[1]	-	Washer		Note 1
LS5984S4M	[54]	[54]	[54]	-	Washer		Note 1
LS5984S5M	[14]	[14]	[14]	-	Washer		Note 1
MS20002-4	[6]	[6]	[6]	-	Washer		Note 1
MS20002-5	[4]	[4]	[4]	-	Washer		Note 1
MS20002-7	[1]	[1]	[1]	-	Washer		Note 1
MS20002C4	[6]	[6]	[6]	-	Washer		Note 1
MS20002C5	[4]	[4]	[4]	-	Washer		Note 1
MS20002C7	[1]	[1]	[1]	-	Washer		Note 1
MS20004-8	[6]	[6]	[6]	-	Bolt		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS20005-12	[2]	[2]	[2]	-	Bolt		Note 1
MS20005-16	[2]	[2]	[2]	-	Bolt		Note 1
MS20426AD5-6	[2]	[2]	[2]	-	Rivet		Note 1
MS20470AD5-6	[18]	[18]	[18]	-	Rivet		Note 1
MS21042-4	[54]	[54]	[54]	-	Nut		Note 1
MS21042-5	[20]	[20]	[20]	-	Nut		Note 1
MS21042-6	[8]	[8]	[8]	-	Nut		Note 1
MS21250-04014	[1]	[1]	[1]	-	Bolt		Note 1
MS21250-04016	[2]	[2]	[2]	-	Bolt		Note 1
MS21250-04018	[3]	[3]	[3]	-	Bolt		Note 1
MS21250-04026	[2]	[2]	[2]	-	Bolt		Note 1
MS21250-04028	[4]	[4]	[4]	-	Bolt		Note 1
MS21250-05018	[8]	[8]	[8]	-	Bolt		Note 1
MS21250-05020	[12]	[12]	[12]	-	Bolt		Note 1
MS21250-05024	[2]	[2]	[2]	-	Bolt		Note 1
MS21250-06018	[4]	[4]	[4]	-	Bolt		Note 1
MS21250-07016	[2]	[2]	[2]	-	Bolt		Note 1
MS21250-07020	[2]	[2]	[2]	-	Bolt		Note 1
MS21250-07028	[1]	[1]	[1]	-	Bolt		Note 1
MS21299-4	[12]	[12]	[12]	-	Washer		Note 1
MS21299-5	[18]	[18]	[18]	-	Washer		Note 1
MS21299C6	[4]	[4]	[4]	-	Washer		Note 1
MS21299C7	[4]	[4]	[4]	-	Washer		Note 1
NAS1097DD6-12A	[4]	[4]	[4]	-	Rivet		Note 1
NAS1097DD6-9A	[4]	[4]	[4]	-	Rivet		Note 1
NAS1149D0463H	[2]	[2]	[2]	-	Washer		Note 1
NAS1149D0563H	[1]	[1]	[1]	-	Washer		Note 1
NAS1149D0663H	[3]	[3]	[3]	-	Washer		Note 1
NAS1149G0632P	[7]	[7]	[7]	-	Washer		Note 1
NAS1291-7	[9]	[9]	[9]	-	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS6204-11D	[2]	[2]	[2]	-	Bolt		Note 1
NAS6204-13D	[9]	[9]	[9]	-	Bolt		Note 1
NAS6204-15D	[6]	[6]	[6]	-	Bolt		Note 1
NAS6204-19D	[8]	[8]	[8]	-	Bolt		Note 1
NAS6204-20D	[6]	[6]	[6]	-	Bolt		Note 1
NAS6204-21D	[2]	[2]	[2]	-	Bolt		Note 1
NAS6204-23D	[2]	[2]	[2]	-	Bolt		Note 1
NAS6204-30D	[14]	[14]	[14]	-	Bolt		Note 1
NAS6204-49D	[11]	[11]	[11]	-	Bolt		Note 1
NAS6204-6D	[2]	[2]	[2]	-	Bolt		Note 1
NAS6205-12D	[6]	[6]	[6]	-	Bolt		Note 1
NAS6205-13D	[3]	[3]	[3]	-	Bolt		Note 1
NAS6205-15D	[5]	[5]	[5]	-	Bolt		Note 1
NAS6205-18D	[1]	[1]	[1]	-	Bolt		Note 1
NAS6205-26D	[1]	[1]	[1]	-	Bolt		Note 1
NAS6206-17D	[2]	[2]	[2]	-	Bolt		Note 1
NAS6206-18D	[1]	[1]	[1]	-	Bolt		Note 1
NAS6206-26D	[1]	[1]	[1]	-	Bolt		Note 1
NAS6207-15D	[2]	[2]	[2]	-	Bolt		Note 1
NAS6207-17D	[2]	[2]	[2]	-	Bolt		Note 1
NAS6207-26D	[1]	[1]	[1]	-	Bolt		Note 1
3305107-3	[1]	[1]	[1]	-	Filler		Note 1
3305107-5	[2]	[2]	[2]	-	Shim		Note 1
3337611-3	[1]	[1]	[1]	-	Doubler		Note 1
341973R	[1]	[1]	[1]	-	Fitting		Note 1
341974-6	[1]	[1]	[1]	-	Fitting		Note 1
341975-4	[1]	[1]	[1]	-	Fitting		Note 1
69678A428	[6]	[6]	[6]	-	Nut		Note 1
69678A524	[4]	[4]	[4]	-	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3362682-3	-	-	-	(1)	Attach Angle Installation - Center Wing to Fuselage, BL 61.625, FS 477-617 Kit, consisting of:		Note 1
3362682 Rev. A	-	-	-	[1]	Attach Angle Installation - Center Wing to Fuselage BL61.625, FS477-617, Kit Drawing		Note 1
HK52207P4	-	-	-	[12]	Nut		Note 1
HK52207P5	-	-	-	[18]	Nut		Note 1
HLT124-6-11	-	-	-	[155]	Pin		Note 1
HLT124-6-15	-	-	-	[8]	Pin		Note 1
HLT124-6-16	-	-	-	[8]	Pin		Note 1
HLT124-6-17	-	-	-	[14]	Pin		Note 1
HLT124-6-19	-	-	-	[16]	Pin		Note 1
HLT124-6-6	-	-	-	[20]	Pin		Note 1
HLT124-6-7	-	-	-	[12]	Pin		Note 1
HLT124-6-8	-	-	-	[69]	Pin		Note 1
HLT622PB6-8	-	-	-	[3]	Pin		Note 1
HL18PB5-9	-	-	-	[12]	Pin		Note 1
HT184-7-17	-	-	-	[2]	Bolt		Note 1
KFN542-3	-	-	-	[302]	Nut		Note 1
KFN542-4	-	-	-	[1]	Nut		Note 1
KFN618-6	-	-	-	[3]	Nut		Note 1
LS15906E6F11	-	-	-	[2]	Rivet		Note 1
LS15906E6F7	-	-	-	[8]	Rivet		Note 1
LS35128B056E128	-	-	-	[12]	Spacer		Note 1
LS35128D016E018	-	-	-	[1]	Spacer		Note 1
LS35176CC06H	-	-	-	[302]	Washer		Note 1
LS35298B04CC	-	-	-	[12]	Washer		Note 1
LS35298B05CC	-	-	-	[22]	Washer		Note 1
LS35298S04CV	-	-	-	[12]	Washer		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
LS35298S05CV	-	-	-	[22]	Washer		Note 1
NAS1149G0532P (LS35307-5M)	-	-	-	[4]	Washer		Note 1
NAS1149G0732P (LS35307-7M)	-	-	-	[7]	Washer		Note 1
LS35363-6-18	-	-	-	[1]	Bolt		Note 1
LS5909C100-0102	-	-	-	[1]	Shim		Note 1
LS5940-2	-	-	-	[1]	Washer		Note 1
LS5984S4M	-	-	-	[54]	Washer		Note 1
LS5984S5M	-	-	-	[14]	Washer		Note 1
MS20002-4	-	-	-	[6]	Washer		Note 1
MS20002-5	-	-	-	[4]	Washer		Note 1
MS20002-7	-	-	-	[1]	Washer		Note 1
MS20002C4	-	-	-	[6]	Washer		Note 1
MS20002C5	-	-	-	[4]	Washer		Note 1
MS20002C7	-	-	-	[1]	Washer		Note 1
MS20004-8	-	-	-	[6]	Bolt		Note 1
MS20005-12	-	-	-	[2]	Bolt		Note 1
MS20005-16	-	-	-	[2]	Bolt		Note 1
MS20426AD5-6	-	-	-	[2]	Rivet		Note 1
MS20470AD5-6	-	-	-	[18]	Rivet		Note 1
MS21042-4	-	-	-	[54]	Nut		Note 1
MS21042-5	-	-	-	[20]	Nut		Note 1
MS21042-6	-	-	-	[8]	Nut		Note 1
MS21250-04014	-	-	-	[1]	Bolt		Note 1
MS21250-04016	-	-	-	[2]	Bolt		Note 1
MS21250-04018	-	-	-	[3]	Bolt		Note 1
MS21250-04026	-	-	-	[2]	Bolt		Note 1
MS21250-04028	-	-	-	[4]	Bolt		Note 1
MS21250-05018	-	-	-	[8]	Bolt		Note 1
MS21250-05020	-	-	-	[12]	Bolt		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS21250-05024	-	-	-	[2]	Bolt		Note 1
MS21250-06018	-	-	-	[4]	Bolt		Note 1
MS21250-07016	-	-	-	[2]	Bolt		Note 1
MS21250-07020	-	-	-	[1]	Bolt		Note 1
MS21250-07028	-	-	-	[1]	Bolt		Note 1
MS21299-4	-	-	-	[12]	Washer		Note 1
MS21299-5	-	-	-	[18]	Washer		Note 1
MS21299C6	-	-	-	[4]	Washer		Note 1
MS21299C7	-	-	-	[4]	Washer		Note 1
NAS1097DD6-12A	-	-	-	[4]	Rivet		Note 1
NAS1097DD6-9A	-	-	-	[4]	Rivet		Note 1
NAS1149D0463H	-	-	-	[2]	Washer		Note 1
NAS1149D0563H	-	-	-	[1]	Washer		Note 1
NAS1149D0663H	-	-	-	[3]	Washer		Note 1
NAS1149G0632P	-	-	-	[7]	Washer		Note 1
NAS1149G0732P	-	-	-	[2]	Washer		Note 1
NAS1291-7	-	-	-	[9]	Nut		Note 1
NAS1995-18T	-	-	-	[1]	Bolt		Note 1
NAS6204-11D	-	-	-	[2]	Bolt		Note 1
NAS6204-13D	-	-	-	[9]	Bolt		Note 1
NAS6204-15D	-	-	-	[6]	Bolt		Note 1
NAS6204-19D	-	-	-	[8]	Bolt		Note 1
NAS6204-20D	-	-	-	[6]	Bolt		Note 1
NAS6204-21D	-	-	-	[2]	Bolt		Note 1
NAS6204-23D	-	-	-	[2]	Bolt		Note 1
NAS6204-30D	-	-	-	[14]	Bolt		Note 1
NAS6204-49D	-	-	-	[11]	Bolt		Note 1
NAS6204-6D	-	-	-	[2]	Bolt		Note 1
NAS6205-12D	-	-	-	[6]	Bolt		Note 1
NAS6205-13D	-	-	-	[3]	Bolt		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS6205-15D	-	-	-	[5]	Bolt		Note 1
NAS6205-26D	-	-	-	[1]	Bolt		Note 1
NAS6206-17D	-	-	-	[2]	Bolt		Note 1
NAS6206-26D	-	-	-	[1]	Bolt		Note 1
NAS6207-15D	-	-	-	[2]	Bolt		Note 1
NAS6207-17D	-	-	-	[1]	Bolt		Note 1
NAS6207-26D	-	-	-	[1]	Bolt		Note 1
3305107-3	-	-	-	[1]	Filler		Note 1
3305107-5	-	-	-	[2]	Shim		Note 1
3305107-9	-	-	-	[1]	Filler		Note 1
3337611-3	-	-	-	[1]	Doubler		Note 1
341973L	-	-	-	[1]	Fitting		Note 1
341974-5	-	-	-	[1]	Fitting		Note 1
341975-3	-	-	-	[1]	Fitting		Note 1
69678A428	-	-	-	[6]	Nut		Note 1
69678A524	-	-	-	[4]	Nut		Note 1
3362682-4	-	-	-	(1)	Attach Angle Installation - Center Wing to Fuselage, BL 61.625, FS 477-617 Kit, consisting of:		Note 1
3362682 Rev. A	-	-	-	[1]	Attach Angle Installation - Center Wing to Fuselage BL61.625, FS477-617, Kit Drawing		Note 1
HK52207P4	-	-	-	[12]	Nut		Note 1
HK52207P5	-	-	-	[18]	Nut		Note 1
HLT124-6-11	-	-	-	[155]	Pin		Note 1
HLT124-6-15	-	-	-	[8]	Pin		Note 1
HLT124-6-16	-	-	-	[8]	Pin		Note 1
HLT124-6-17	-	-	-	[14]	Pin		Note 1
HLT124-6-19	-	-	-	[16]	Pin		Note 1
HLT124-6-6	-	-	-	[20]	Pin		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
HLT124-6-7	-	-	-	[12]	Pin		Note 1
HLT124-6-8	-	-	-	[69]	Pin		Note 1
HLT622PB6-8	-	-	-	[3]	Pin		Note 1
HL18PB5-9	-	-	-	[12]	Pin		Note 1
HT184-7-17	-	-	-	[2]	Bolt		Note 1
KFN542-3	-	-	-	[302]	Nut		Note 1
KFN542-4	-	-	-	[1]	Nut		Note 1
KFN618-6	-	-	-	[3]	Nut		Note 1
LS15906E6F11	-	-	-	[2]	Rivet		Note 1
LS15906E6F7	-	-	-	[8]	Rivet		Note 1
LS35128B056E128	-	-	-	[12]	Spacer		Note 1
LS35128D016E018	-	-	-	[1]	Spacer		Note 1
LS35176CC06H	-	-	-	[302]	Washer		Note 1
LS35298B04CC	-	-	-	[12]	Washer		Note 1
LS35298B05CC	-	-	-	[22]	Washer		Note 1
LS35298S04CV	-	-	-	[12]	Washer		Note 1
LS35298S05CV	-	-	-	[22]	Washer		Note 1
NAS1149G0532P (LS35307-5M)	-	-	-	[4]	Washer		Note 1
NAS1149G0732P (LS35307-7M)	-	-	-	[7]	Washer		Note 1
LS35363-6-18	-	-	-	[1]	Bolt		Note 1
LS5909C100-0102	-	-	-	[1]	Shim		Note 1
LS5940-2	-	-	-	[1]	Washer		Note 1
LS5984S4M	-	-	-	[54]	Washer		Note 1
LS5984S5M	-	-	-	[14]	Washer		Note 1
MS20002-4	-	-	-	[6]	Washer		Note 1
MS20002-5	-	-	-	[4]	Washer		Note 1
MS20002-7	-	-	-	[1]	Washer		Note 1
MS20002C4	-	-	-	[6]	Washer		Note 1
MS20002C5	-	-	-	[4]	Washer		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS20002C7	-	-	-	[1]	Washer		Note 1
MS20004-8	-	-	-	[6]	Bolt		Note 1
MS20005-12	-	-	-	[2]	Bolt		Note 1
MS20005-16	-	-	-	[2]	Bolt		Note 1
MS20426AD5-6	-	-	-	[2]	Rivet		Note 1
MS20470AD5-6	-	-	-	[18]	Rivet		Note 1
MS21042-4	-	-	-	[54]	Nut		Note 1
MS21042-5	-	-	-	[20]	Nut		Note 1
MS21042-6	-	-	-	[8]	Nut		Note 1
MS21250-04014	-	-	-	[1]	Bolt		Note 1
MS21250-04016	-	-	-	[2]	Bolt		Note 1
MS21250-04018	-	-	-	[3]	Bolt		Note 1
MS21250-04026	-	-	-	[2]	Bolt		Note 1
MS21250-04028	-	-	-	[4]	Bolt		Note 1
MS21250-05018	-	-	-	[8]	Bolt		Note 1
MS21250-05020	-	-	-	[12]	Bolt		Note 1
MS21250-05024	-	-	-	[2]	Bolt		Note 1
MS21250-06018	-	-	-	[4]	Bolt		Note 1
MS21250-07016	-	-	-	[2]	Bolt		Note 1
MS21250-07020	-	-	-	[1]	Bolt		Note 1
MS21250-07028	-	-	-	[1]	Bolt		Note 1
MS21299-4	-	-	-	[12]	Washer		Note 1
MS21299-5	-	-	-	[18]	Washer		Note 1
MS21299C6	-	-	-	[4]	Washer		Note 1
MS21299C7	-	-	-	[4]	Washer		Note 1
NAS1097DD6-12A	-	-	-	[4]	Rivet		Note 1
NAS1097DD6-9A	-	-	-	[4]	Rivet		Note 1
NAS1149D0463H	-	-	-	[2]	Washer		Note 1
NAS1149D0563H	-	-	-	[1]	Washer		Note 1
NAS1149D0663H	-	-	-	[3]	Washer		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS1149G0632P	-	-	-	[7]	Washer		Note 1
NAS1149G0732P	-	-	-	[2]	Washer		Note 1
NAS1291-7	-	-	-	[9]	Nut		Note 1
NAS1995-18T	-	-	-	[1]	Bolt		Note 1
NAS6204-11D	-	-	-	[2]	Bolt		Note 1
NAS6204-13D	-	-	-	[9]	Bolt		Note 1
NAS6204-15D	-	-	-	[6]	Bolt		Note 1
NAS6204-19D	-	-	-	[8]	Bolt		Note 1
NAS6204-20D	-	-	-	[6]	Bolt		Note 1
NAS6204-21D	-	-	-	[2]	Bolt		Note 1
NAS6204-23D	-	-	-	[2]	Bolt		Note 1
NAS6204-30D	-	-	-	[14]	Bolt		Note 1
NAS6204-49D	-	-	-	[11]	Bolt		Note 1
NAS6204-6D	-	-	-	[2]	Bolt		Note 1
NAS6205-12D	-	-	-	[6]	Bolt		Note 1
NAS6205-13D	-	-	-	[3]	Bolt		Note 1
NAS6205-15D	-	-	-	[5]	Bolt		Note 1
NAS6205-26D	-	-	-	[1]	Bolt		Note 1
NAS6206-17D	-	-	-	[2]	Bolt		Note 1
NAS6206-26D	-	-	-	[1]	Bolt		Note 1
NAS6207-15D	-	-	-	[2]	Bolt		Note 1
NAS6207-17D	-	-	-	[1]	Bolt		Note 1
NAS6207-26D	-	-	-	[1]	Bolt		Note 1
3305107-3	-	-	-	[1]	Filler		Note 1
3305107-5	-	-	-	[2]	Shim		Note 1
3305107-9	-	-	-	[1]	Filler		Note 1
3337611-3	-	-	-	[1]	Doubler		Note 1
341973R	-	-	-	[1]	Fitting		Note 1
341974-6	-	-	-	[1]	Fitting		Note 1
341975-4	-	-	-	[1]	Fitting		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
69678A428	-	-	-	[6]	Nut		Note 1
69678A524	-	-	-	[4]	Nut		Note 1
3363690-1	1	1	1	1	Nacelle - Reinstallation, Kit, consisting of:		Note 1
3363690 Rev. NC	(1)	(1)	(1)	(1)	Nacelle - Reinstallation, Kit Drawing		Note 1
AN23-14	(4)	(4)	(4)	(4)	Bolt		Note 1
AN24-17	(2)	(2)	(2)	(2)	Bolt		Note 1
AN24-23	(1)	(1)	(1)	(1)	Bolt		Note 1
AN310-4	(8)	(8)	(8)	(8)	Nut		Note 1
CR3523P4-06	(6)	(6)	(6)	(6)	Blind Rivet		Note 1
HLT114-5-3	(26)	(26)	(26)	(26)	Pin		Note 1
HLT114-5-4	(7)	(7)	(7)	(7)	Pin		Note 1
HLT114-6-6	(22)	(22)	(22)	(22)	Pin		Note 1
HLT114-6-7	(1)	(1)	(1)	(1)	Pin		Note 1
HLT114-6-8	(1)	(1)	(1)	(1)	Pin		Note 1
HL18PB6-10	(2)	(2)	(2)	(2)	Pin		Note 1
HL18PB6-4	(8)	(8)	(8)	(8)	Pin		Note 1
HL18PB6-5	(24)	(24)	(24)	(24)	Pin		Note 1
HL18PB6-6	(38)	(38)	(38)	(38)	Pin		Note 1
HL18PB6-7	(32)	(32)	(32)	(32)	Pin		Note 1
HL18PB6-8	(2)	(2)	(2)	(2)	Pin		Note 1
HL18PB6-9	(2)	(2)	(2)	(2)	Pin		Note 1
HL19PB6-6	(6)	(6)	(6)	(6)	Pin		Note 1
HL19PB6-7	(1)	(1)	(1)	(1)	Pin		Note 1
KFN542-08	(33)	(33)	(33)	(33)	Nut		Note 1
KFN542-3	(139)	(139)	(139)	(139)	Nut		Note 1
LS35247-08	(1)	(1)	(1)	(1)	Spacer		Note 1
LS881-2	(4)	(4)	(4)	(4)	Washer		Note 1
LS881-4	(4)	(4)	(4)	(4)	Washer		Note 1
MS20427M4-5	(12)	(12)	(12)	(12)	Rivet		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
(NAS1919C04S02U) (MS20604R4W2) MS20604ML4W2	(4)	(4)	(4)	(4)	Rivet		Note 1
MS20615-4M4	(29)	(29)	(29)	(29)	Rivet		Note 1
MS20615-4M5	(90)	(90)	(90)	(90)	Rivet		Note 1
MS20615-4M6	(14)	(14)	(14)	(14)	Rivet		Note 1
MS21042-3	(13)	(13)	(13)	(13)	Nut		Note 1
MS21042-4	(8)	(8)	(8)	(8)	Nut		Note 1
MS21042-6	(10)	(10)	(10)	(10)	Nut		Note 1
MS24665-136	(8)	(8)	(8)	(8)	Pin		Note 1
NAS1080K06	(4)	(4)	(4)	(4)	Collar		Note 1
NAS1149D0363H	(4)	(4)	(4)	(4)	Washer		Note 1
NAS1149D0363J	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1149D0416H	(4)	(4)	(4)	(4)	Washer		Note 1
NAS1149D0463H	(12)	(12)	(12)	(12)	Washer		Note 1
NAS1149D0663H	(10)	(10)	(10)	(10)	Washer		Note 1
NAS1149D0763H	(8)	(8)	(8)	(8)	Washer		Note 1
NAS1149F0363P	(7)	(7)	(7)	(7)	Washer		Note 1
NAS1291-7	(8)	(8)	(8)	(8)	Nut		Note 1
NAS517-3-3	(2)	(2)	(2)	(2)	Screw		Note 1
NAS517-3-5	(6)	(6)	(6)	(6)	Screw		Note 1
NAS517-3-6	(5)	(5)	(5)	(5)	Screw		Note 1
NAS6204-12	(8)	(8)	(8)	(8)	Bolt		Note 1
NAS6204-20D	(1)	(1)	(1)	(1)	Bolt		Note 1
(NAS6206-19D) NAS6206-19	(5)	(5)	(5)	(5)	Bolt		Note 1
(NAS6206-23D) NAS6206-23	(3)	(3)	(3)	(3)	Bolt		Note 1
(NAS6206-25D) NAS6206-25	(2)	(2)	(2)	(2)	Bolt		Note 1
(NAS6207-23D) NAS6207-23	(8)	(8)	(8)	(8)	Bolt		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS7036H05	(4)	(4)	(4)	(4)	Pin		Note 1
(LN16000-1) 3502-10-78-0542B	(4)	(4)	(4)	(4)	Washer		Note 1
(LN16000-2) 3502-14-48-0542B	(4)	(4)	(4)	(4)	Washer		Note 1
3363690-2	1	1	1	1	Nacelle - Reinstallation, Kit, consisting of:		Note 1
3363690 Rev. NC	(1)	(1)	(1)	(1)	Nacelle - Reinstallation, Kit Drawing		Note 1
AN23-14	(4)	(4)	(4)	(4)	Bolt		Note 1
AN24-17	(2)	(2)	(2)	(2)	Bolt		Note 1
AN24-23	(1)	(1)	(1)	(1)	Bolt		Note 1
AN310-4	(8)	(8)	(8)	(8)	Nut		Note 1
CR3523P4-06	(6)	(6)	(6)	(6)	Blind Rivet		Note 1
HLT114-5-3	(26)	(26)	(26)	(26)	Pin		Note 1
HLT114-5-4	(7)	(7)	(7)	(7)	Pin		Note 1
HLT114-6-6	(21)	(21)	(21)	(21)	Pin		Note 1
HLT114-6-8	(2)	(2)	(2)	(2)	Pin		Note 1
HLT114-6-9	(2)	(2)	(2)	(2)	Pin		Note 1
HL18PB6-11	(2)	(2)	(2)	(2)	Pin		Note 1
HL18PB6-5	(42)	(42)	(42)	(42)	Pin		Note 1
HL18PB6-7	(42)	(42)	(42)	(42)	Pin		Note 1
HL18PB6-9	(22)	(22)	(22)	(22)	Pin		Note 1
HL19PB6-6	(6)	(6)	(6)	(6)	Pin		Note 1
HL19PB6-7	(1)	(1)	(1)	(1)	Pin		Note 1
KFN542-08	(33)	(33)	(33)	(33)	Nut		Note 1
KFN542-3	(140)	(140)	(140)	(140)	Nut		Note 1
LS35247-08	(1)	(1)	(1)	(1)	Spacer		Note 1
LS881-2	(4)	(4)	(4)	(4)	Washer		Note 1
LS881-4	(4)	(4)	(4)	(4)	Washer		Note 1
MS20427M4-5	(12)	(12)	(12)	(12)	Rivet		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
(NAS1919C04S02U) (MS20604R4W2) MS20604ML4W2	(4)	(4)	(4)	(4)	Rivet		Note 1
MS20615-4M4	(29)	(29)	(29)	(29)	Rivet		Note 1
MS20615-4M5	(90)	(90)	(90)	(90)	Rivet		Note 1
MS20615-4M6	(14)	(14)	(14)	(14)	Rivet		Note 1
MS21042-3	(13)	(13)	(13)	(13)	Nut		Note 1
MS21042-4	(8)	(8)	(8)	(8)	Nut		Note 1
MS21042-6	(10)	(10)	(10)	(10)	Nut		Note 1
MS24665-136	(8)	(8)	(8)	(8)	Pin		Note 1
NAS1080K06	(4)	(4)	(4)	(4)	Collar		Note 1
NAS1149D0363H	(4)	(4)	(4)	(4)	Washer		Note 1
NAS1149D0363J	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1149D0416H	(4)	(4)	(4)	(4)	Washer		Note 1
NAS1149D0463H	(12)	(12)	(12)	(12)	Washer		Note 1
NAS1149D0663H	(10)	(10)	(10)	(10)	Washer		Note 1
NAS1149D0763H	(8)	(8)	(8)	(8)	Washer		Note 1
NAS1149F0363P	(7)	(7)	(7)	(7)	Washer		Note 1
NAS1291-7	(8)	(8)	(8)	(8)	Nut		Note 1
NAS517-3-3	(2)	(2)	(2)	(2)	Screw		Note 1
NAS517-3-5	(6)	(6)	(6)	(6)	Screw		Note 1
NAS517-3-6	(5)	(5)	(5)	(5)	Screw		Note 1
NAS6204-12	(8)	(8)	(8)	(8)	Bolt		Note 1
NAS6204-20D	(1)	(1)	(1)	(1)	Bolt		Note 1
(NAS6206-19D) NAS6206-19	(5)	(5)	(5)	(5)	Bolt		Note 1
(NAS6206-23D) NAS6206-23	(3)	(3)	(3)	(3)	Bolt		Note 1
(NAS6206-25D) NAS6206-25	(2)	(2)	(2)	(2)	Bolt		Note 1
(NAS6207-23D) NAS6207-23	(8)	(8)	(8)	(8)	Bolt		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS7036H05	(4)	(4)	(4)	(4)	Pin		Note 1
(LN16000-1) 3502-10-78-0542B	(4)	(4)	(4)	(4)	Washer		Note 1
(LN16000-2) 3502-14-48-0542B	(4)	(4)	(4)	(4)	Washer		Note 1
3362902-1	Ref	-	-	-	Components Installation - Center Wing, Kit, consisting of:		Note 1
3362902-3	-	Ref	Ref	-	Components Installation - Center Wing, Kit, consisting of:		Note 1
3362902-5	-	-	-	Ref	Components Installation - Center Wing, Kit, consisting of:		Note 1
3362902 Rev. A	1	1	1	1	Components Installation - Center Wing, Kit Drawing		Note 1
3337670-1	1	1	1	1	Support Bracket Installation - Center Wing Wiring, Kit, consisting of:		Note 1
3337670 Rev. B	(1)	(1)	(1)	(1)	Support Bracket Installation - Center Wing Wiring, Kit Drawing		Note 1
NAS1149C0332R (AN960C10L)	(6)	(6)	(6)	(6)	Washer		Note 1
LS5923-1	(1)	(1)	(1)	(1)	Washer - Saddle		Note 1
MS20470AD4-7	(2)	(2)	(2)	(2)	Rivet		Note 1
MS21042-3	(8)	(8)	(8)	(8)	Nut		Note 1
NAS623-3-16	(1)	(1)	(1)	(1)	Screw		Note 1
NAS623-3-5	(1)	(1)	(1)	(1)	Screw		Note 1
NAS623-3-6	(2)	(2)	(2)	(2)	Screw		Note 1
3337683-1	(1)	(1)	(1)	(1)	Clip		Note 1
3337670-3	(1)	(1)	(1)	(1)	Support Installation, consisting of:		Note 1
3337670 Rev. B	[1]	[1]	[1]	[1]	Support Bracket Installation - Center Wing Wiring, Kit Drawing		Note 1
NAS1149D0363H (AN960D10)	[4]	[4]	[4]	[4]	Washer		Note 1
MS21042-3	[4]	[4]	[4]	[4]	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
CR3523P6-03 (M7885/2-6-3)	[2]	[2]	[2]	[2]	Rivet, Blind		Note 1
NAS603-8P	[4]	[4]	[4]	[4]	Screw		Note 1
3337670-2	1	1	1	1	Support Bracket Installation - Center Wing Wiring, Kit, consisting of:		Note 1
3337670 Rev. B	(1)	(1)	(1)	(1)	Support Bracket Installation - Center Wing Wiring, Kit Drawing		Note 1
NAS1149C0332R (AN960C10L)	(6)	(6)	(6)	(6)	Washer		Note 1
LS5923-1	(1)	(1)	(1)	(1)	Washer - Saddle		Note 1
MS20470AD4-7	(2)	(2)	(2)	(2)	Rivet		Note 1
MS21042-3	(8)	(8)	(8)	(8)	Nut		Note 1
NAS623-3-16	(1)	(1)	(1)	(1)	Screw		Note 1
NAS623-3-5	(1)	(1)	(1)	(1)	Screw		Note 1
NAS623-3-6	(2)	(2)	(2)	(2)	Screw		Note 1
3337683-1	(1)	(1)	(1)	(1)	Clip		Note 1
3337670-5	(1)	(1)	(1)	(1)	Support Installation, consisting of:		Note 1
3337670 Rev. B	[1]	[1]	[1]	[1]	Support Bracket Installation - Center Wing Wiring, Kit Drawing		Note 1
NAS1149D0363H (AN960D10)	[4]	[4]	[4]	[4]	Washer		Note 1
MS21042-3	[4]	[4]	[4]	[4]	Nut		Note 1
CR3523P6-03 (M7885/2-6-3)	[2]	[2]	[2]	[2]	Rivet, Blind		Note 1
NAS603-8P	[4]	[4]	[4]	[4]	Screw		Note 1
3337672-1	1	1	1	1	Control Installation - Fire Detector Unit, Nacelle No. 2 & No. 3, Kit, consisting of:		Note 1
3337672 Rev. NC	(1)	(1)	(1)	(1)	Control Installation - Fire Detector Unit, Nacelle No. 2 & No. 3, Kit Drawing		Note 1
NAS623-3-6	(8)	(8)	(8)	(8)	Screw		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3337673-1	1	1	1	1	Inert Element Installation, Nacelle No. 2 & No. 3 Fire Detection Dry Bay, Kit, consisting of:		Note 1
3337673 Rev. D	(1)	(1)	(1)	(1)	Inert Element Installation - Nacelle No 2 & 3 Fire Detection Dry Bay, Kit Drawing		Note 1
MS21042-04	(8)	(8)	(8)	(8)	Nut		Note 1
MS21042-08	(2)	(2)	(2)	(2)	Nut		Note 1
MS35206-215	(8)	(8)	(8)	(8)	Screw		Note 1
MS35206-243	(2)	(2)	(2)	(2)	Screw		Note 1
348386-241	(1)	(1)	(1)	(1)	Nameplate		Note 1
348386-242	(1)	(1)	(1)	(1)	Nameplate		Note 1
3337673-3	1	1	1	1	Connector Plate Installation - Nacelle No. 2 and No. 3 Fire Detection Dry Bay, Kit, consisting of:		Note 1
3337673 Rev. D	(1)	(1)	(1)	(1)	Inert Element Installation - Nacelle No 2 & 3 Fire Detection Dry Bay, Kit Drawing		Note 1
MS20615-4MP-4	(2)	(2)	(2)	(2)	Rivet		Note 1
MS20615-4MP-5	(4)	(4)	(4)	(4)	Rivet		Note 1
TA102D01-06-06 (TA102D1-06-06)	(2)	(2)	(2)	(2)	Bracket		Note 1
3337673-5	1	1	1	1	Doubler Installation - Nacelle No. 2 and No. 3 Fire Detection Dry Bay, Kit, consisting of:		Note 1
3337673 Rev. C	(1)	(1)	(1)	(1)	Inert Element Installation - Nacelle No 2 & 3 Fire Detection Dry Bay, Kit Drawing		Note 1
HLT114-6-2	(32)	(32)	(32)	(32)	Pin		Note 1
HLT115-6-6	(12)	(12)	(12)	(12)	Pin		Note 1
HLT123-6-7	(4)	(4)	(4)	(4)	Pin		Note 1
HLT124-6-7	(50)	(50)	(50)	(50)	Pin		Note 1
HLT124-6-8	(34)	(34)	(34)	(34)	Pin		Note 1
KFN542-3	(132)	(132)	(132)	(132)	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
LS35176CC06H	(88)	(88)	(88)	(88)	Washer		Note 1
MS20426AD3-4	(16)	(16)	(16)	(16)	Rivet		Note 1
MS21075L3N	(8)	(8)	(8)	(8)	Nut		Note 1
389628-1	(1)	(1)	(1)	(1)	Doubler		Note 1
389628-5	(1)	(1)	(1)	(1)	Doubler		Note 1
389629-5	(1)	(1)	(1)	(1)	Spacer		Note 1
389629-7	(1)	(1)	(1)	(1)	Spacer		Note 1
394106-1	(2)	(2)	(2)	(2)	Doubler		Note 1
3337674-3	1	1	1	1	Bracket Installation - Zone III, Nacelles, Kit, consisting of:		Note 1
3337674 Rev. C	(1)	(1)	(1)	(1)	Fire Detector Installation - Zone III, Nacelles, Kit Drawing		Note 1
MS20615-4MP5	(28)	(28)	(28)	(28)	Rivet		Note 1
TA102D02-06-24 (TA102D2-06-24)	(14)	(14)	(14)	(14)	Bracket		Note 1
3337674-5	1	1	1	1	Element Installation - Zone III, Nacelles, Kit, consisting of:		Note 1
3337674 Rev. C	(1)	(1)	(1)	(1)	Fire Detector Installation - Zone III, Nacelles, Kit Drawing		Note 1
NAS1149C0363R (AN960C10)	(78)	(78)	(78)	(78)	Washer		Note 1
MS21042-08	(30)	(30)	(30)	(30)	Nut		Note 1
MS21042-3	(16)	(16)	(16)	(16)	Nut		Note 1
AS21919WDG28 MS21919WDG28 (MS21919DG28)	(8)	(8)	(8)	(8)	Clamp		Note 1
AS21919WDG08 MS21919WDG8 (MS21919DG8)	(8)	(8)	(8)	(8)	Clamp		Note 1
MS35206-243	(30)	(30)	(30)	(30)	Screw		Note 1
S484-3	(12)	(12)	(12)	(12)	Clamp		Note 1
S484-4	(12)	(12)	(12)	(12)	Clamp		Note 1
207420	(44)	(44)	(44)	(44)	Grommet		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3362653-1	1	1	1	1	Plumbing Installation - No. 2 Nacelle, Fwd Front Beam, Kit, consisting of:		Note 1
3362653 Rev. NC	(1)	(1)	(1)	(1)	Plumbing Installation - No. 2 Nacelle, Fwd Front Beam, Kit Drawing		Note 1
AS21919WCH22	(3)	(3)	(3)	(3)	Clamp		Note 1
AS21919WDG08	(5)	(5)	(5)	(5)	Clamp		Note 1
AS21919WDG12	(1)	(1)	(1)	(1)	Clamp		Note 1
AS21919WDG16	(1)	(1)	(1)	(1)	Clamp		Note 1
AS21919WDG20	(2)	(2)	(2)	(2)	Clamp		Note 1
AS21919WDG28	(2)	(2)	(2)	(2)	Clamp		Note 1
AS5174J0808	(1)	(1)	(1)	(1)	Union		Note 1
LN5406-10-0282	(1)	(1)	(1)	(1)	Hose Assembly		Note 1
LN5406-100	(1)	(1)	(1)	(1)	Hose Assembly		Note 1
LN5406-200	(1)	(1)	(1)	(1)	Hose Assembly		Note 1
LS35104FS006	(1)	(1)	(1)	(1)	Decal		Note 1
LS35104HS036	(1)	(1)	(1)	(1)	Decal		Note 1
LS35104HS039	(1)	(1)	(1)	(1)	Decal		Note 1
LS35104HS053	(1)	(1)	(1)	(1)	Decal		Note 1
LS5923-1	(2)	(2)	(2)	(2)	Washer		Note 1
LS607-9	(1)	(1)	(1)	(1)	Spacer		Note 1
MS21042-3	(12)	(12)	(12)	(12)	Nut		Note 1
NAS1149C0363R	(24)	(24)	(24)	(24)	Washer		Note 1
NAS1149D0363H	(5)	(5)	(5)	(5)	Washer		Note 1
NAS42DD6-40N (NAS42DD6-40)	(1)	(1)	(1)	(1)	Spacer		Note 1
NAS43DD3-30N	(1)	(1)	(1)	(1)	Spacer		Note 1
NAS603-10P	(9)	(9)	(9)	(9)	Screw		Note 1
NAS603-14P	(1)	(1)	(1)	(1)	Screw		Note 1
NAS603-24P	(2)	(2)	(2)	(2)	Screw		Note 1
S484-4	(2)	(2)	(2)	(2)	Clamp		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
S484-6	(4)	(4)	(4)	(4)	Clamp		Note 1
371350-42	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371350-43	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
624000-16D0310	(1)	(1)	(1)	(1)	Hose Assembly		Note 1
3362654-1	1	1	1	1	Plumbing Installation - No. 3 Nacelle, Fwd Front Beam, Kit, consisting of:		Note 1
3362654 Rev. NC	(1)	(1)	(1)	(1)	Plumbing Installation - No. 3 Nacelle, Fwd Front Beam, Kit Drawing		Note 1
AS21919WCH22	(1)	(1)	(1)	(1)	Clamp		Note 1
AS21919WDG08	(5)	(5)	(5)	(5)	Clamp		Note 1
AS21919WDG12	(1)	(1)	(1)	(1)	Clamp		Note 1
AS21919WDG16	(1)	(1)	(1)	(1)	Clamp		Note 1
AS21919WDG20	(2)	(2)	(2)	(2)	Clamp		Note 1
AS21919WDG28	(2)	(2)	(2)	(2)	Clamp		Note 1
AS5174J0808	(1)	(1)	(1)	(1)	Union		Note 1
LN5406-10-0282	(1)	(1)	(1)	(1)	Hose Assembly		Note 1
LN5406-100	(1)	(1)	(1)	(1)	Hose Assembly		Note 1
LN5406-200	(1)	(1)	(1)	(1)	Hose Assembly		Note 1
LS35104FS006	(1)	(1)	(1)	(1)	Decal		Note 1
LS35104HS036	(1)	(1)	(1)	(1)	Decal		Note 1
LS35104HS039	(1)	(1)	(1)	(1)	Decal		Note 1
LS35104HS053	(1)	(1)	(1)	(1)	Decal		Note 1
LS5923-1	(2)	(2)	(2)	(2)	Washer		Note 1
LS607-9	(1)	(1)	(1)	(1)	Spacer		Note 1
MS21042-3	(11)	(11)	(11)	(11)	Nut		Note 1
NAS1149C0363R	(18)	(18)	(18)	(18)	Washer		Note 1
NAS1149D0363H	(4)	(4)	(4)	(4)	Washer		Note 1
NAS603-10P	(9)	(9)	(9)	(9)	Screw		Note 1
NAS603-20P	(1)	(1)	(1)	(1)	Screw		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS603-24P	(1)	(1)	(1)	(1)	Screw		Note 1
S484-4	(2)	(2)	(2)	(2)	Clamp		Note 1
S484-6	(4)	(4)	(4)	(4)	Clamp		Note 1
371350-44	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371350-45	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
624000-16D0310	(1)	(1)	(1)	(1)	Hose Assembly		Note 1
3362655-1	1	-	-	-	Plumbing Installation - No. 2 Nacelle Dry Bay, Kit, consisting of:		Note 1
3362655-3	-	1	1	-	Plumbing Installation - No. 2 Nacelle Dry Bay, Kit, consisting of:		Note 1
3362655-5	-	-	-	1	Plumbing Installation - No. 2 Nacelle Dry Bay, Kit, consisting of:		Note 1
3362655 Rev. B	(1)	(1)	(1)	(1)	Plumbing Installation - No. 2 Nacelle, Dry Bay, Kit Drawing		Note 1
382-28-22 Rev. 3 & R3 Errata Notice	(1)	(1)	(1)	(1)	Fuel - SFAR 88 - Lockheed Martin 382 B, E, F, and G Airworthiness Limitations Inspection and Critical Design Configuration Control Limitations Service Bulletin		Note 1
AFP1028-16	(1)	(1)	(1)	(1)	Ring		Note 1
AN735D10	(1)	(1)	(1)	(1)	Clamp		Note 1
AN735D16	(21)	(21)	(21)	(21)	Clamp (11 to be used for SFAR 88 compliance)		Note 1
AN735D24	(27)	(27)	(27)	(27)	Clamp (18 to be used for SFAR 88 compliance)		Note 1
AN735D32	(6)	(6)	(6)	(6)	Clamp (4 to be used for SFAR 88 compliance)		Note 1
AN735D4	(1)	(1)	(1)	(1)	Clamp		Note 1
AN735D40	(4)	(4)	(4)	(4)	Clamp (3 to be used for SFAR 88 compliance)		Note 1
AN735D6	(3)	(3)	(3)	(3)	Clamp		Note 1
AN735D8	-	(1)	(1)	(1)	Clamp		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
AN929-8W	(1)	-	-	-	Cap Assembly		Note 1
AS1001-081004	-	-	-	(1)	Tee		Note 1
AS1003W060606	(1)	(1)	(1)	(1)	Tee		Note 1
AS1009F101008	(1)	(1)	(1)	-	Tee		Note 1
AS1031J161616	(1)	(1)	(1)	(1)	Tee		Note 1
AS1032W161616	(1)	(1)	(1)	(1)	Tee		Note 1
AS1035W040404	(1)	(1)	(1)	(1)	Tee		Note 1
AS1038W0404	(2)	(2)	(2)	(2)	Elbow		Note 1
AS1040J1616	(1)	(1)	(1)	(1)	Elbow		Note 1
AS21919WDG04	(3)	(3)	(3)	(3)	Clamp		Note 1
AS21919WDG06	(7)	(7)	(7)	(7)	Clamp		Note 1
AS21919WDG10	(2)	(2)	(2)	(2)	Clamp		Note 1
AS21919WDG16	(6)	(6)	(6)	(6)	Clamp		Note 1
AS21919WDG24	(1)	(1)	(1)	(1)	Clamp		Note 1
AS21919WDG37	(1)	(1)	(1)	(1)	Clamp		Note 1
AS3581-904	(1)	(1)	(1)	(1)	O-Ring		Note 1
AS3581-906	(1)	(1)	(1)	(1)	O-Ring		Note 1
AS3581-908	(4)	(4)	(4)	(4)	O-Ring		Note 1
AS5169W04L	(1)	(1)	(1)	(1)	Plug		Note 1
AS5169W06L	(1)	(1)	(1)	(1)	Plug		Note 1
AS5174J1608	(1)	(1)	(1)	(1)	Union		Note 1
AS5174W0404	(2)	(2)	(2)	(2)	Union		Note 1
AS5174W1616	(1)	(1)	(1)	(1)	Union		Note 1
AS5178K06	(1)	(1)	(1)	(1)	Nut		Note 1
AS5178K10	(1)	(1)	(1)	(1)	Nut		Note 1
AS5178K16	(2)	(2)	(2)	(2)	Nut		Note 1
AS5178W04	(3)	(3)	(3)	(3)	Nut		Note 1
(AN924-16W) AS5178W16	(2)	(2)	(2)	(2)	Nut		Note 1
AS5179-08	(1)	(1)	(1)	(1)	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
AV16B1464C	(1)	(1)	(1)	(1)	Valve		Note 1
LS607-16	(2)	(2)	(2)	(2)	Spacer		Note 1
LS7289-1	(5)	(5)	(5)	(5)	Tag		Note 1
LS756H (LS756-H)	(1)	(1)	(1)	(1)	Tag		Note 1
LS756K (LS756-K)	(1)	(1)	(1)	(1)	Tag		Note 1
LS756M (LS756-M)	(1)	(1)	(1)	(1)	Tag		Note 1
LS7560 (LS756-O)	-	(1)	(1)	(1)	Tag		Note 1
LS756S (LS756-S)	(1)	(1)	(1)	(1)	Tag		Note 1
LS756T (LS756-T)	(1)	(1)	(1)	(1)	Tag		Note 1
LS756U (LS756-U)	(1)	(1)	(1)	(1)	Tag		Note 1
LS756W (LS756-W)	(1)	(1)	(1)	(1)	Tag		Note 1
MS20470AD4-7	(4)	(4)	(4)	(4)	Rivet		Note 1
MS21042-3	(186)	(187)	(187)	(187)	Nut (73 to be used for SFAR 88 compliance)		Note 1
MS21042-4	(59)	(71)	(71)	(71)	Nut		Note 1
MS21902-4	-	-	-	(1)	Union		Note 1
MS21902W16	(1)	(1)	(1)	(1)	Union		Note 1
MS21907-6	(1)	(1)	(1)	(1)	Elbow		Note 1
MS21914-6W	(1)	(1)	(1)	(1)	Cap		Note 1
MS21915W8-6	(2)	(2)	(2)	(2)	Adapter		Note 1
MS21916-10-4	(1)	(1)	(1)	-	Union		Note 1
MS21916J10-8	(1)	(1)	(1)	(1)	Union		Note 1
MS21924-10	(1)	(1)	(1)	(1)	Union		Note 1
MS28773-08	(1)	(1)	(1)	(1)	Retainer		Note 1
MS28778-16	(1)	(1)	(1)	(1)	O-Ring		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS28892-10SS	(1)	(1)	(1)	(1)	Check Valve		Note 1
MS29512-04	(6)	(6)	(6)	(6)	Packing		Note 1
MS29512-16	(5)	(5)	(5)	(5)	Packing		Note 1
MS29513-214	(14)	(14)	(14)	(14)	Packing		Note 1
MS29513-217	(11)	(13)	(13)	(13)	Packing		Note 1
MS29513-223	(6)	(6)	(6)	(6)	Packing		Note 1
MS29513-325	(34)	(34)	(34)	(34)	Packing		Note 1
MS29513-329	(7)	(7)	(7)	(7)	Packing		Note 1
MS29513-333	(4)	(4)	(4)	(4)	Packing		Note 1
MS35338-43	(74)	(74)	(74)	(74)	Washer (to be used for SFAR 88 compliance)		Note 1
MS35650-302	(37)	(37)	(37)	(37)	Nut (to be used for SFAR 88 compliance)		Note 1
M83413/8A003BB (M83413/8-A003BB)	(37)	(37)	(37)	(37)	Jumper		Note 1
M83413/8A010BC (M83413/8-A010BC)	-	(1)	(1)	(1)	Jumper		Note 1
(M83413/8G006BB) M83413/8G005BB (M83413/8-G005BB)	(27)	(27)	(27)	(27)	Jumper (to be used for SFAR 88 compliance)		Note 1
(M83413/8G007BB) M83413/8G008BB (M83413/8-G008BB)	(10)	(10)	(10)	(10)	Jumper (to be used for SFAR 88 compliance)		Note 1
M83461/1-217	(2)	(2)	(2)	(2)	Packing		Note 1
NAS1149C0463R	(8)	(8)	(8)	(8)	Washer		Note 1
NAS1149D0363H	(288)	(289)	(289)	(289)	Washer (147 to be used for SFAR 88 compliance)		Note 1
NAS1149D0463H	(78)	(94)	(94)	(94)	Washer		Note 1
NAS1149D0916H	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1149D1490H	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1149D2116H	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1149D2190H	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1149F0463P	(2)	(2)	(2)	(2)	Washer		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS1149G0432P	(5)	(5)	(5)	(5)	Washer		Note 1
NAS42DD8-168N	(2)	(2)	(2)	(2)	Spacer		Note 1
NAS43DD3-50N	(1)	(1)	(1)	(1)	Spacer		Note 1
NAS603-10P	(42)	(42)	(42)	(42)	Screw		Note 1
NAS603-12P	(36)	(36)	(36)	(36)	Screw (to be used for SFAR 88 compliance)		Note 1
NAS603-20P	(38)	(38)	(38)	(38)	Screw (37 to be used for SFAR 88 compliance)		Note 1
NAS603-32P	(2)	(2)	(2)	(2)	Screw		Note 1
NAS603-40P	(2)	(2)	(2)	(2)	Screw		Note 1
NAS603-6P	(2)	(2)	(2)	(2)	Screw		Note 1
NAS603-8P	(79)	(80)	(80)	(80)	Screw		Note 1
NAS6204-30	(20)	(20)	(20)	(20)	Bolt		Note 1
NAS6204-32	(12)	(16)	(16)	(16)	Bolt		Note 1
NAS6204-4	(7)	(7)	(7)	(7)	Bolt		Note 1
NAS6204-46	(2)	(2)	(2)	(2)	Bolt		Note 1
NAS6204-6	(18)	(18)	(18)	(18)	Bolt		Note 1
NAS6204-8	-	(8)	(8)	(8)	Bolt		Note 1
NAS623-3-24	(5)	(5)	(5)	(5)	Screw		Note 1
NAS623-3-3	(2)	(2)	(2)	(2)	Screw		Note 1
NAS623-3-46	(2)	(2)	(2)	(2)	Screw		Note 1
TA102D02-06-12	(2)	(2)	(2)	(2)	Bracket		Note 1
1-01039	(1)	(1)	(1)	(1)	Restrictor		Note 1
1112-589978	(1)	(1)	(1)	(1)	Check Valve		Note 1
3308507-1	(1)	-	-	-	Marker		Note 1
3311270-1	-	(1)	(1)	(1)	Fitting		Note 1
350548	(1)	(1)	(1)	(1)	Fitting		Note 1
355061-1	(1)	(1)	(1)	(1)	Tee		Note 1
355067-1	(3)	(3)	(3)	(3)	Fitting		Note 1
3605-16D	(7)	(7)	(7)	(7)	Coupling		Note 1
3605-24D	(11)	(11)	(11)	(11)	Coupling		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3605-32D	(3)	(3)	(3)	(3)	Coupling		Note 1
3605-40D	(2)	(2)	(2)	(2)	Coupling		Note 1
371350-151	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371350-153	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371350-155	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371350-157	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-44	(1)	(1)	(1)	(1)	Tube		Note 1
371351-48	(1)	(1)	(1)	(1)	Tube		Note 1
371351-540	-	(1)	(1)	(1)	Tube		Note 1
371351-587	(1)	(1)	(1)	(1)	Tube		Note 1
371351-591	(1)	(1)	(1)	(1)	Tube		Note 1
371351-593	(1)	(1)	(1)	(1)	Tube		Note 1
371351-595	(1)	(1)	(1)	(1)	Tube		Note 1
371351-705	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-89	(1)	(1)	(1)	(1)	Tube		Note 1
371351-903	(1)	(1)	(1)	(1)	Tube		Note 1
371351-905	(1)	(1)	(1)	(1)	Tube		Note 1
371351-907	(1)	(1)	(1)	(1)	Tube		Note 1
371351-909	(1)	(1)	(1)	(1)	Tube		Note 1
371351-911	(1)	(1)	(1)	(1)	Tube		Note 1
371351-913	(1)	(1)	(1)	(1)	Tube		Note 1
371351-915	(1)	(1)	(1)	(1)	Tube		Note 1
371351-933	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-935	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-937	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-939	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-96	(1)	(1)	(1)	(1)	Tube		Note 1
371351-989	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-347	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-575	(1)	(1)	(1)	-	Tube Assembly		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
371352-599	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-625	(1)	(1)	(1)	-	Tube Assembly		Note 1
371352-68	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-69	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-70	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-71	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-72	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-925	-	-	-	(1)	Tube Assembly		Note 1
371352-927	-	-	-	(1)	Tube Assembly		Note 1
371364-1	(1)	(1)	(1)	(1)	Elbow		Note 1
371379-1	(1)	(1)	(1)	-	Fitting		Note 1
371379-3	-	-	-	(1)	Fitting		Note 1
371381-1	(1)	(1)	(1)	(1)	Adapter		Note 1
371383-1L	(1)	(1)	(1)	(1)	Manifold		Note 1
371388-1	(3)	(3)	(3)	(3)	Fitting		Note 1
371460-2	(2)	(2)	(2)	(2)	Clip		Note 1
373654-1	(1)	(1)	(1)	(1)	Clampblock Assembly		Note 1
374696-1	(1)	(1)	(1)	(1)	Fitting		Note 1
3751-24D	(3)	(3)	(3)	(3)	Elbow		Note 1
3752-16	(1)	(1)	(1)	(1)	Tee		Note 1
3752-24-32-24	(1)	(1)	(1)	(1)	Tee		Note 1
376122-17	(8)	(8)	(8)	(8)	Shim		Note 1
376122-3	(6)	(6)	(6)	(6)	Shim		Note 1
376122-4	(6)	(6)	(6)	(6)	Shim		Note 1
376136-1	(1)	(1)	(1)	(1)	Column		Note 1
3762-24D	(2)	(2)	(2)	(2)	Elbow		Note 1
388299-1	(1)	(1)	(1)	(1)	Plumbing Wye		Note 1
388341-1	(1)	(1)	(1)	(1)	Manifold		Note 1
389573-1	(1)	(1)	(1)	(1)	Manifold		Note 1
389599-1	(1)	(1)	(1)	(1)	Support Tee		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
389797-7	(1)	(1)	(1)	(1)	Tag		Note 1
403851-2	-	(1)	(1)	(1)	Fitting		Note 1
695060	(1)	(1)	(1)	(1)	Check Valve		Note 1
(695680-9) 695680-7	(1)	(1)	(1)	(1)	Directional Valve		Note 1
695683-3	(2)	(2)	(2)	(2)	Pressure Signal Assembly		Note 1
695745-1	(3)	(3)	(3)	(3)	Valve		Note 1
695746-1	(4)	(5)	(5)	(5)	Valve		Note 1
695767-1	-	-	-	(1)	Valve		Note 1
695832-1	(1)	(1)	(1)	(1)	Check Valve		Note 1
695832-5	(1)	(1)	(1)	(1)	Check Valve		Note 1
695899-1	(1)	(1)	(1)	(1)	Valve - Hydraulic Shutoff		Note 1
697149-1	(1)	(1)	(1)	(1)	Pressure Switch		Note 1
760-10-2-8	(3)	(3)	(3)	(3)	Clamp		Note 1
760-16-2-8	(12)	(12)	(12)	(12)	Clamp		Note 1
760-24-2-12	(3)	(3)	(3)	(3)	Clamp		Note 1
760-24-2-8	(9)	(9)	(9)	(9)	Clamp		Note 1
760-32-2-10	(3)	(3)	(3)	(3)	Clamp		Note 1
760-4-2-8	(1)	(1)	(1)	(1)	Clamp		Note 1
760-40-2-12	(1)	(1)	(1)	(1)	Clamp		Note 1
789-4	(2)	(2)	(2)	(2)	Clamp		Note 1
3362656-1	1	1	1	-	Plumbing Installation - No. 3 Nacelle Dry Bay, Kit, consisting of:		Note 1
3362656-3	-	-	-	1	Plumbing Installation - No. 3 Nacelle Dry Bay, Kit, consisting of:		Note 1
3362656 Rev. B	(1)	(1)	(1)	(1)	Plumbing Installation - No. 3 Nacelle Dry Bay, Kit Drawing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
382-28-22 Rev. 3 & R3 Errata Notice	(1)	(1)	(1)	(1)	Fuel - SFAR 88 - Lockheed Martin 382 B, E, F, and G Airworthiness Limitations Inspection and Critical Design Configuration Control Limitations Service Bulletin		Note 1
AFP1028-16	(1)	(1)	(1)	(1)	Ring		Note 1
AN735D11	(3)	(3)	(3)	(3)	Clamp		Note 1
AN735D16	(21)	(21)	(21)	(21)	Clamp (11 to be used for SFAR 88 compliance)		Note 1
AN735D24	(28)	(28)	(28)	(28)	Clamp (18 to be used for SFAR 88 compliance)		Note 1
AN735D32	(6)	(6)	(6)	(6)	Clamp (4 to be used for SFAR 88 compliance)		Note 1
AN735D4	(6)	(6)	(6)	(6)	Clamp		Note 1
AN735D40	(4)	(4)	(4)	(4)	Clamp (3 to be used for SFAR 88 compliance)		Note 1
AN735D6	(3)	(3)	(3)	(3)	Clamp		Note 1
AS1001-081004	-	-	-	(1)	Tee		Note 1
AS1009F101008	(1)	(1)	(1)	-	Tee		Note 1
AS1031J161616	(1)	(1)	(1)	(1)	Tee		Note 1
AS1032W161616	(1)	(1)	(1)	(1)	Tee		Note 1
AS1035W040404	(1)	(1)	(1)	(1)	Tee		Note 1
AS1038W0404	(2)	(2)	(2)	(2)	Elbow		Note 1
AS1040J1616	(1)	(1)	(1)	(1)	Elbow		Note 1
AS21919WDG04	(3)	(3)	(3)	(3)	Clamp		Note 1
AS21919WDG06	(6)	(6)	(6)	(6)	Clamp		Note 1
AS21919WDG10	(1)	(1)	(1)	(1)	Clamp		Note 1
AS21919WDG16	(3)	(3)	(3)	(3)	Clamp		Note 1
AS21919WDG24	(1)	(1)	(1)	(1)	Clamp		Note 1
AS21919WDG37	(1)	(1)	(1)	(1)	Clamp		Note 1
AS3581-904	(1)	(1)	(1)	(2)	O-Ring		Note 1
AS3581-906	(1)	(1)	(1)	(1)	O-Ring		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
AS3581-908	(4)	(4)	(4)	(4)	O-Ring		Note 1
AS5169W06L	(1)	(1)	(1)	(1)	Plug		Note 1
AS5174J1608	(1)	(1)	(1)	(1)	Union		Note 1
AN815-4D (AS5174W0404)	(3)	(3)	(3)	(3)	Union		Note 1
AS5178K06	(1)	(1)	(1)	(1)	Nut		Note 1
AS5178K10	(1)	(1)	(1)	(1)	Nut		Note 1
AS5178K16	(2)	(2)	(2)	(2)	Nut		Note 1
AS5178W04	(4)	(4)	(4)	(4)	Nut		Note 1
(AN924-16W) AS5178W16	(1)	(1)	(1)	(1)	Nut		Note 1
AS5179-08	(1)	(1)	(1)	(1)	Nut		Note 1
AV16B1464C	(1)	(1)	(1)	(1)	Valve		Note 1
LS607-12	(2)	(2)	(2)	(2)	Spacer		Note 1
LS7289-1	(4)	(4)	(4)	(4)	Tag		Note 1
LS756H (LS756-H)	(1)	(1)	(1)	(1)	Tag		Note 1
LS756K (LS756-K)	(1)	(1)	(1)	(1)	Tag		Note 1
LS756M (LS756-M)	(1)	(1)	(1)	(1)	Tag		Note 1
LS756S (LS756-S)	(1)	(1)	(1)	(1)	Tag		Note 1
LS756T (LS756-T)	(1)	(1)	(1)	(1)	Tag		Note 1
LS756U (LS756-U)	(1)	(1)	(1)	(1)	Tag		Note 1
LS756W (LS756-W)	(1)	(1)	(1)	(1)	Tag		Note 1
MS20470AD4-7	(2)	(2)	(2)	(2)	Rivet		Note 1
MS21042-3	(168)	(168)	(168)	(168)	Nut (74 to be used for SFAR 88 compliance)		Note 1
MS21042-4	(50)	(50)	(50)	(50)	Nut		Note 1
MS21902-4	-	-	-	(1)	Union		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS21902W16	(1)	(1)	(1)	(1)	Union		Note 1
MS21905W6	(1)	(1)	(1)	(1)	Tee		Note 1
MS21908-6	(1)	(1)	(1)	(1)	Elbow		Note 1
MS21914-6W	(1)	(1)	(1)	(1)	Cap		Note 1
MS21915W8-6	(2)	(2)	(2)	(2)	Adapter		Note 1
MS21916-10-4	(1)	(1)	(1)	-	Reducer		Note 1
MS21916J10-8	(1)	(1)	(1)	(1)	Reducer		Note 1
MS21924-10	(1)	(1)	(1)	(1)	Union		Note 1
MS28773-08	(1)	(1)	(1)	(1)	Retainer		Note 1
MS28778-16	(1)	(1)	(1)	(1)	O-Ring		Note 1
MS28892-10SS	(1)	(1)	(1)	(1)	Check Valve		Note 1
MS29512-04	(7)	(7)	(7)	(7)	Packing		Note 1
MS29512-16	(2)	(2)	(2)	(2)	Packing		Note 1
MS29513-214	(15)	(15)	(15)	(15)	Packing		Note 1
MS29513-217	(8)	(8)	(8)	(8)	Packing		Note 1
MS29513-325	(34)	(34)	(34)	(34)	Packing		Note 1
MS29513-329	(7)	(7)	(7)	(7)	Packing		Note 1
MS29513-333	(4)	(4)	(4)	(4)	Packing		Note 1
MS35206-230	(6)	(6)	(6)	(6)	Screw		Note 1
MS35338-43	(76)	(76)	(76)	(76)	Washer (to be used for SFAR 88 compliance)		Note 1
MS35650-302	(38)	(38)	(38)	(38)	Nut (to be used for SFAR 88 compliance)		Note 1
M83413/8A003BB (M83413/8-A003BB)	(35)	(35)	(35)	(35)	Jumper		Note 1
(M83413/8G006BB) M83413/8G005BB (M83413/8-G005BB)	(27)	(27)	(27)	(27)	Jumper (to be used for SFAR 88 compliance)		Note 1
(M83413/8G007BB) M83413/8G008BB (M83413/8-G008BB)	(11)	(11)	(11)	(11)	Jumper (to be used for SFAR 88 compliance)		Note 1
M83461/1-217	(8)	(8)	(8)	(8)	Packing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS1149C0463R	(8)	(8)	(8)	(8)	Washer		Note 1
NAS1149DN632H	(6)	(6)	(6)	(6)	Washer		Note 1
NAS1149D0363H	(274)	(274)	(274)	(274)	Washer (150 to be used for SFAR 88 compliance)		Note 1
NAS1149D0463H	(84)	(84)	(84)	(84)	Washer		Note 1
NAS1149D0916H	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1149D1490H	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1149D2116H	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1149D2190H	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1149F0463P	(2)	(2)	(2)	(2)	Washer		Note 1
NAS42DD8-88N	(2)	(2)	(2)	(2)	Spacer		Note 1
NAS43DD3-16N	(1)	(1)	(1)	(1)	Spacer		Note 1
NAS603-10P	(30)	(30)	(30)	(30)	Screw		Note 1
NAS603-12P	(37)	(37)	(37)	(37)	Screw (36 to be used for SFAR 88 compliance)		Note 1
NAS603-16P	(2)	(2)	(2)	(2)	Screw		Note 1
NAS603-20P	(38)	(38)	(38)	(38)	Screw (to be used for SFAR 88 compliance)		Note 1
NAS603-32P	(2)	(2)	(2)	(2)	Screw		Note 1
NAS603-40P	(2)	(2)	(2)	(2)	Screw		Note 1
NAS603-8P	(83)	(83)	(83)	(83)	Screw		Note 1
NAS6203-47	(2)	(2)	(2)	(2)	Bolt		Note 1
NAS6204-30	(34)	(34)	(34)	(34)	Bolt		Note 1
NAS6204-4	(13)	(13)	(13)	(13)	Bolt		Note 1
NAS6204-5	(5)	(5)	(5)	(5)	Bolt		Note 1
NAS6204-6	(8)	(8)	(8)	(8)	Bolt		Note 1
TA102D02-06-12	(1)	(1)	(1)	(1)	Bracket		Note 1
1-01039	(1)	(1)	(1)	(1)	Restrictor		Note 1
1112-589978	(1)	(1)	(1)	(1)	Check Valve		Note 1
350548	(2)	(2)	(2)	(2)	Fitting		Note 1
355067-1	(3)	(3)	(3)	(3)	Fitting		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3605-16D	(6)	(6)	(6)	(6)	Coupling		Note 1
3605-24D	(11)	(11)	(11)	(11)	Coupling		Note 1
3605-32D	(3)	(3)	(3)	(3)	Coupling		Note 1
3605-40D	(2)	(2)	(2)	(2)	Coupling		Note 1
371350-159	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371350-161	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371350-163	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371350-165	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-373	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-58	(1)	(1)	(1)	(1)	Tube		Note 1
371351-605	(1)	(1)	(1)	(1)	Tube		Note 1
371351-609	(1)	(1)	(1)	(1)	Tube		Note 1
371351-61	(1)	(1)	(1)	(1)	Tube		Note 1
371351-611	(1)	(1)	(1)	(1)	Tube		Note 1
371351-613	(1)	(1)	(1)	(1)	Tube		Note 1
371351-623	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-707	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-851	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-853	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-855	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-897	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-917	(1)	(1)	(1)	(1)	Tube		Note 1
371351-919	(1)	(1)	(1)	(1)	Tube		Note 1
371351-921	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-923	(1)	(1)	(1)	(1)	Tube		Note 1
371351-925	(1)	(1)	(1)	(1)	Tube		Note 1
371351-927	(1)	(1)	(1)	(1)	Tube		Note 1
371351-929	(1)	(1)	(1)	(1)	Tube		Note 1
371351-931	(1)	(1)	(1)	(1)	Tube		Note 1
371351-95	(1)	(1)	(1)	(1)	Tube		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
371352-139	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-577	(1)	(1)	(1)	-	Tube Assembly		Note 1
371352-601	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-623	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-627	(1)	(1)	(1)	-	Tube Assembly		Note 1
371352-82	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-86	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-87	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-88	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-929	-	-	-	(1)	Tube Assembly		Note 1
371352-931	-	-	-	(1)	Tube Assembly		Note 1
371379-1	(1)	(1)	(1)	-	Fitting		Note 1
371379-3	-	-	-	(1)	Fitting		Note 1
371381-1	(1)	(1)	(1)	(1)	Fitting		Note 1
371383-1R	(1)	(1)	(1)	(1)	Manifold		Note 1
371387-2	(1)	(1)	(1)	(1)	Fuel Tee		Note 1
371388-1	(3)	(3)	(3)	(3)	Fitting		Note 1
373654-1	(1)	(1)	(1)	(1)	Clampblock Assembly		Note 1
374696-1	(1)	(1)	(1)	(1)	Fitting		Note 1
3751-24D	(3)	(3)	(3)	(3)	Elbow		Note 1
3752-16	(1)	(1)	(1)	(1)	Tee		Note 1
3752-24-32-24	(1)	(1)	(1)	(1)	Tee		Note 1
376122-17	(8)	(8)	(8)	(8)	Shim		Note 1
376122-3	(6)	(6)	(6)	(6)	Shim		Note 1
376122-4	(6)	(6)	(6)	(6)	Shim		Note 1
3762-24D	(2)	(2)	(2)	(2)	Elbow		Note 1
388299-2	(1)	(1)	(1)	(1)	Plumbing Wye		Note 1
388341-1	(1)	(1)	(1)	(1)	Manifold		Note 1
389573-1	(1)	(1)	(1)	(1)	Manifold		Note 1
389597-1	(1)	(1)	(1)	(1)	Support Tee		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
389797-7	(2)	(2)	(2)	(1)	Tag		Note 1
(695680-9) 695680-7	(1)	(1)	(1)	(1)	Directional Valve		Note 1
695683-3	(2)	(2)	(2)	(2)	Pressure Signal Assembly		Note 1
695745-1	(3)	(3)	(3)	(3)	Valve		Note 1
695746-1	(4)	(4)	(4)	(4)	Valve		Note 1
695767-1	-	-	-	(1)	Valve		Note 1
695832-1	(1)	(1)	(1)	(1)	Check Valve		Note 1
695832-5	(1)	(1)	(1)	(1)	Check Valve		Note 1
695833-1	(1)	(1)	(1)	(1)	Check Valve		Note 1
695899-1	(1)	(1)	(1)	(1)	Valve - Hydraulic Shutoff		Note 1
697149-1	(1)	(1)	(1)	(1)	Pressure Switch		Note 1
760-10-2-8	(3)	(3)	(3)	(3)	Clamp		Note 1
760-16-2-8	(12)	(12)	(12)	(12)	Clamp		Note 1
760-24-2-12	(1)	(1)	(1)	(1)	Clamp		Note 1
760-24-2-8	(9)	(9)	(9)	(9)	Clamp		Note 1
760-32-2-10	(3)	(3)	(3)	(3)	Clamp		Note 1
760-4-2-8	(1)	(1)	(1)	(1)	Clamp		Note 1
760-40-2-12	(1)	(1)	(1)	(1)	Clamp		Note 1
MS28005-1 (7709-15B5-1)	(1)	(1)	(1)	(1)	Transmitter		Note 1
789-4	(2)	(2)	(2)	(2)	Clamp		Note 1
3362657-1	1	1	1	1	Power Plant & Plumbing Installation, Kit, consisting of:		Note 1
3362657 Rev. NC	(1)	(1)	(1)	(1)	Power Plant & Plumbing Installation-Kit Drawing		Note 1
AN173H5A	(2)	(2)	(2)	(2)	Bolt		Note 1
AN24-15	(2)	(2)	(2)	(2)	Clevis Bolt		Note 1
AN320-4	(2)	(2)	(2)	(2)	Nut		Note 1
AN320-8	(8)	(8)	(8)	(8)	Nut		Note 1
AN735D12	(2)	(2)	(2)	(2)	Clamp		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
AN735D56	(1)	(1)	(1)	(1)	Clamp		Note 1
AN735D8	(2)	(2)	(2)	(2)	Clamp		Note 1
HK52207P3	(2)	(2)	(2)	(2)	Nut/Base Assembly		Note 1
LS881-7	(30)	(30)	(30)	(30)	Washer		Note 1
MS16624-1037	(2)	(2)	(2)	(2)	Ring		Note 1
MS20002-8	(8)	(8)	(8)	(8)	Washer		Note 1
MS20002C12	(4)	(4)	(4)	(4)	Washer		Note 1
MS20002C16	(4)	(4)	(4)	(4)	Washer		Note 1
MS21042-3	(76)	(76)	(76)	(76)	Nut		Note 1
MS21042-4	(10)	(10)	(10)	(10)	Nut		Note 1
MS21043-3	(26)	(26)	(26)	(26)	Nut		Note 1
MS21250-12074	(4)	(4)	(4)	(4)	Bolt		Note 1
MS24665-132	(2)	(2)	(2)	(2)	Cotter Pin		Note 1
MS24665-289	(8)	(8)	(8)	(8)	Cotter Pin		Note 1
MS29513-341	(4)	(4)	(4)	(4)	Packing		Note 1
MS51958-63	(24)	(24)	(24)	(24)	Screw		Note 1
M83413/8A004DD (M83413/8-A004DD)	(2)	(2)	(2)	(2)	Jumper		Note 1
M83413/8A006DD (M83413/8-A006DD)	(4)	(4)	(4)	(4)	Jumper		Note 1
NAS1149C0332R	(8)	(8)	(8)	(8)	Washer		Note 1
NAS1149C0432R	(6)	(6)	(6)	(6)	Washer		Note 1
NAS1149C0463R	(22)	(22)	(22)	(22)	Washer		Note 1
NAS1149D0363H	(12)	(12)	(12)	(12)	Washer		Note 1
NAS1149D0463H	(12)	(12)	(12)	(12)	Washer		Note 1
NAS43DD4-28N	(4)	(4)	(4)	(4)	Spacer		Note 1
NAS603-8P	(10)	(10)	(10)	(10)	Screw		Note 1
NAS604-16P	(4)	(4)	(4)	(4)	Screw		Note 1
NAS604-8P	(4)	(4)	(4)	(4)	Screw		Note 1
NAS6204-34	(2)	(2)	(2)	(2)	Bolt		Note 1
NAS6204-4	(4)	(4)	(4)	(4)	Bolt		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS6204-9	(4)	(4)	(4)	(4)	Bolt		Note 1
NAS636A88	(4)	(4)	(4)	(4)	Bolt		Note 1
3362658-1	1	-	-	-	Plumbing & Support Installation - Center Wing Trailing Edge,Kit, consisting of:		Note 1
3362658 Rev. A	(1)	-	-	-	Plumbing & Support Installation-Center Wing Trailing Edge, Kit Drawing		Note 1
382-28-22 Rev. 3 & R3 Errata Notice	(1)	-	-	-	Fuel - SFAR 88 - Lockheed Martin 382 B, E, F, and G Airworthiness Limitations Inspection and Critical Design Configuration Control Limitations Service Bulletin		Note 1
AFP1028-16	(2)	-	-	-	Ring		Note 1
AN735D10	(2)	-	-	-	Clamp		Note 1
AN735D16	(5)	-	-	-	Clamp		Note 1
AN735D24	(19)	-	-	-	Clamp (18 to be used for SFAR 88 compliance)		Note 1
AN735D32	(2)	-	-	-	Clamp		Note 1
AN735D4	(3)	-	-	-	Clamp		Note 1
AN735D48	(14)	-	-	-	Clamp (to be used for SFAR 88 compliance)		Note 1
AN735D6	(5)	-	-	-	Clamp		Note 1
AS1003W161616	(1)	-	-	-	Tee		Note 1
AS1005W121010	(1)	-	-	-	Tee		Note 1
AS21919WDG04	(2)	-	-	-	Clamp		Note 1
AS21919WDG06	(1)	-	-	-	Clamp		Note 1
AS21919WDG10	(1)	-	-	-	Clamp		Note 1
AS21919WDG16	(2)	-	-	-	Clamp		Note 1
AS21919WDG32	(1)	-	-	-	Clamp		Note 1
AS3581-916	(2)	-	-	-	O-Ring		Note 1
AS5178-10	(2)	-	-	-	Nut		Note 1
AS5178K04	(1)	-	-	-	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
AS5178K16	(1)	-	-	-	Nut		Note 1
AS5178W06	(2)	-	-	-	Nut		Note 1
(AN924-16W) AS5178W16	(2)	-	-	-	Nut		Note 1
AS5179W16	(1)	-	-	-	Nut		Note 1
AS5406J16	(1)	-	-	-	Union		Note 1
LN28000-2 (LP9-4-6-12-16-16)	(6)	-	-	-	Clampblock		Note 1
LS607-36	(1)	-	-	-	Spacer		Note 1
LS607-8	(9)	-	-	-	Spacer		Note 1
MS21042-3	(105)	-	-	-	Nut (50 to be used for SFAR 88 compliance)		Note 1
MS21902-4	(2)	-	-	-	Union		Note 1
MS21902W12	(2)	-	-	-	Union		Note 1
MS21902W16	(3)	-	-	-	Union		Note 1
MS21902W6	(1)	-	-	-	Union		Note 1
MS21905W16	(1)	-	-	-	Tee		Note 1
MS21905W6	(1)	-	-	-	Tee		Note 1
MS21907W16	(1)	-	-	-	Elbow		Note 1
MS21924-10	(2)	-	-	-	Union		Note 1
MS21924-4	(1)	-	-	-	Union		Note 1
MS21924W16	(1)	-	-	-	Union		Note 1
MS21924W6	(2)	-	-	-	Union		Note 1
MS28773-16	(1)	-	-	-	Retainer		Note 1
MS29513-325	(4)	-	-	-	Packing		Note 1
MS29513-329	(4)	-	-	-	Packing		Note 1
MS35338-43	(36)	-	-	-	Washer (to be used for SFAR 88 compliance)		Note 1
MS35650-302	(18)	-	-	-	Nut (to be used for SFAR 88 compliance)		Note 1
M83413/8A003BB (M83413/8-A003BB)	(2)	-	-	-	Jumper		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
M83413/8A004BB (M83413/8-A004BB)	(1)	-	-	-	Jumper		Note 1
M83413/8A007BB (M83413/8-A007BB)	(1)	-	-	-	Jumper		Note 1
(M83413/8G008BB) (M83413/8G006BB) M83413/8G005BB (M83413/8-G005BB)	(12)	-	-	-	Jumper (to be used for SFAR 88 compliance)		Note 1
M83413/8G006BB (M83413/8-G006BB)	(6)	-	-	-	Jumper (to be used for SFAR 88 compliance)		Note 1
NAS1149D0363H	(141)	-	-	-	Washer (86 to be used for SFAR 88 compliance)		Note 1
NAS1149D0763H	(1)	-	-	-	Washer		Note 1
NAS1149D0963H	(2)	-	-	-	Washer		Note 1
NAS1149D1490H	(1)	-	-	-	Washer		Note 1
NAS1149D1790H	(1)	-	-	-	Washer		Note 1
NAS1149D2190H	(3)	-	-	-	Washer		Note 1
NAS603-12P	(36)	-	-	-	Screw (32 to be used for SFAR 88 compliance)		Note 1
NAS603-20P	(18)	-	-	-	Screw (to be used for SFAR 88 compliance)		Note 1
NAS603-28P	(1)	-	-	-	Screw		Note 1
NAS603-8P	(40)	-	-	-	Screw		Note 1
NAS6203-27	(12)	-	-	-	Bolt		Note 1
NAS6203-31	(2)	-	-	-	Bolt		Note 1
3605-24D	(2)	-	-	-	Coupling		Note 1
3605-32D	(2)	-	-	-	Coupling		Note 1
371350-131	(1)	-	-	-	Tube Assembly		Note 1
371350-135	(1)	-	-	-	Tube Assembly		Note 1
371350-139	(1)	-	-	-	Tube Assembly		Note 1
371350-28	(1)	-	-	-	Tube Assembly		Note 1
371351-695	(1)	-	-	-	Tube		Note 1
371352-128	(1)	-	-	-	Tube Assembly		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
371352-129	(1)	-	-	-	Tube Assembly		Note 1
371352-33	(1)	-	-	-	Tube Assembly		Note 1
371352-35	(1)	-	-	-	Tube Assembly		Note 1
371352-37	(1)	-	-	-	Tube Assembly		Note 1
371352-39	(1)	-	-	-	Tube Assembly		Note 1
371352-41	(1)	-	-	-	Tube Assembly		Note 1
371352-43	(1)	-	-	-	Tube Assembly		Note 1
371352-45	(1)	-	-	-	Tube Assembly		Note 1
371352-49	(1)	-	-	-	Tube Assembly		Note 1
371352-51	(1)	-	-	-	Tube Assembly		Note 1
371352-53	(1)	-	-	-	Tube Assembly		Note 1
371352-55	(1)	-	-	-	Tube Assembly		Note 1
371352-57	(1)	-	-	-	Tube Assembly		Note 1
371352-59	(1)	-	-	-	Tube Assembly		Note 1
371352-61	(1)	-	-	-	Tube Assembly		Note 1
371352-63	(1)	-	-	-	Tube Assembly		Note 1
371359-2	(1)	-	-	-	Vent Tube		Note 1
695901-1	(1)	-	-	-	Valve		Note 1
760-24-2-12	(3)	-	-	-	Clamp		Note 1
784-16	(1)	-	-	-	Clamp		Note 1
789-12	(1)	-	-	-	Clamp		Note 1
789-16	(2)	-	-	-	Clamp		Note 1
789-6	(1)	-	-	-	Clamp		Note 1
371557-1L	(1)	-	-	-	Vent Installation		Note 1
371557 Rev. P	[1]	-	-	-	Vent & Drain Installation - Center Wing Fuel Drawing		Note 1
AN735D16	[1]	-	-	-	Clamp		Note 1
AS5178W16 (AN924-16W) (AN924-16D)	[1]	-	-	-	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS1149D0363H (AN960D10)	[1]	-	-	-	Washer		Note 1
NAS1149D2190H (AN960D2116)	[1]	-	-	-	Washer		Note 1
LS607-8 (LS5987-10-8)	[1]	-	-	-	Spacer		Note 1
10394D16K (LS7357DT-16)	[1]	-	-	-	Clamp		Note 1
MS21042-3	[1]	-	-	-	Nut		Note 1
M83413/8A004BB (MS25083-2BB4)	[1]	-	-	-	Jumper		Note 1
NAS603-8P (NAS603-8)	[1]	-	-	-	Screw		Note 1
371351-84	[1]	-	-	-	Tube Assembly		Note 1
371495-1	[1]	-	-	-	Mast Assembly		Note 1
371571-3	[1]	-	-	-	Mast Assembly		Note 1
756060-1	[1]	-	-	-	Elbow		Note 1
3362658-2	1	1	1	1	Plumbing & Support Installation - Center Wing Trailing Edge,Kit, consisting of:		Note 1
3362658 Rev. A	(1)	(1)	(1)	(1)	Plumbing & Support Installation-Center Wing Trailing Edge, Kit Drawing		Note 1
382-28-22 Rev. 3 & R3 Errata Notice	(1)	(1)	(1)	(1)	Fuel - SFAR 88 - Lockheed Martin 382 B, E, F, and G Airworthiness Limitations Inspection and Critical Design Configuration Control Limitations Service Bulletin		Note 1
AFP1028-16	(2)	(2)	(2)	(2)	Ring		Note 1
AN735D10	(2)	(2)	(2)	(2)	Clamp		Note 1
AN735D12	(5)	(5)	(5)	(5)	Clamp		Note 1
AN735D16	(7)	(7)	(7)	(7)	Clamp		Note 1
AN735D24	(19)	(19)	(19)	(19)	Clamp (18 to be used for SFAR 88 compliance)		Note 1
AN735D32	(2)	(2)	(2)	(2)	Clamp		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
AN735D4	(3)	(3)	(3)	(3)	Clamp		Note 1
AN735D48	(14)	(14)	(14)	(14)	Clamp (to be used for SFAR 88 compliance)		Note 1
AN735D6	(4)	(4)	(4)	(4)	Clamp		Note 1
AS1005W121010	(1)	(1)	(1)	(1)	Tee		Note 1
AS21919WDG04	(2)	(2)	(2)	(2)	Clamp		Note 1
AS21919WDG06	(1)	(1)	(1)	(1)	Clamp		Note 1
AS21919WDG10	(1)	(1)	(1)	(1)	Clamp		Note 1
AS21919WDG12	(8)	(8)	(8)	(8)	Clamp		Note 1
AS21919WDG16	(2)	(2)	(2)	(2)	Clamp		Note 1
AS21919WDG32	(1)	(1)	(1)	(1)	Clamp		Note 1
AS5174W1212	(2)	(2)	(2)	(2)	Union		Note 1
AS5178-10	(2)	(2)	(2)	(2)	Nut		Note 1
AS5178K04	(1)	(1)	(1)	(1)	Nut		Note 1
AS5178K16	(1)	(1)	(1)	(1)	Nut		Note 1
AS5178W06	(2)	(2)	(2)	(2)	Nut		Note 1
AS5178W12	(1)	(1)	(1)	(1)	Nut		Note 1
(AN924-16W) AS5178W16	(2)	(2)	(2)	(2)	Nut		Note 1
AS5406J16	(1)	(1)	(1)	(1)	Union		Note 1
AS5406W12	(1)	(1)	(1)	(1)	Union		Note 1
LN28000-2 (LP9-4-6-12-16-16)	(6)	(6)	(6)	(6)	Clampblock		Note 1
LS607-8	(9)	(9)	(9)	(9)	Spacer		Note 1
MS21042-3	(105)	(105)	(105)	(105)	Nut (50 to be used for SFAR 88 compliance)		Note 1
MS21902-4	(2)	(2)	(2)	(2)	Union		Note 1
MS21902W12	(1)	(1)	(1)	(1)	Union		Note 1
MS21902W16	(1)	(1)	(1)	(1)	Union		Note 1
MS21902W6	(1)	(1)	(1)	(1)	Union		Note 1
MS21905W16	(1)	(1)	(1)	(1)	Tee		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS21905W6	(1)	(1)	(1)	(1)	Tee		Note 1
MS21907W16	(1)	(1)	(1)	(1)	Elbow		Note 1
MS21924-10	(2)	(2)	(2)	(2)	Union		Note 1
MS21924-4	(1)	(1)	(1)	(1)	Union		Note 1
MS21924W16	(1)	(1)	(1)	(1)	Union		Note 1
MS21924W6	(2)	(2)	(2)	(2)	Union		Note 1
MS29513-325	(4)	(4)	(4)	(4)	Packing		Note 1
MS29513-329	(4)	(4)	(4)	(4)	Packing		Note 1
MS35338-43	(36)	(36)	(36)	(36)	Washer (to be used for SFAR 88 compliance)		Note 1
MS35650-302	(18)	(18)	(18)	(18)	Nut (to be used for SFAR 88 compliance)		Note 1
M83413/8A003BB (M83413/8-A003BB)	(4)	(4)	(4)	(4)	Jumper		Note 1
M83413/8A004BB (M83413/8-A004BB)	(22)	(22)	(22)	(22)	Jumper		Note 1
M83413/8A007BB (M83413/8-A007BB)	(1)	(1)	(1)	(1)	Jumper		Note 1
(M83413/8G008BB) (M83413/8G006BB) M83413/8G005BB (M83413/8-G005BB)	(12)	(12)	(12)	(12)	Jumper (to be used for SFAR 88 compliance)		Note 1
M83413/8G006BB (M83413/8-G006BB)	(6)	(6)	(6)	(6)	Jumper (to be used for SFAR 88 compliance)		Note 1
NAS1149D0363H	(141)	(141)	(141)	(141)	Washer (86 to be used for SFAR 88 compliance)		Note 1
NAS1149D0763H	(1)	(1)	(1)	(1)	Washer		Note 1
NAS1149D0963H	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1149D1490H	(1)	(1)	(1)	(1)	Washer		Note 1
NAS1149D1790H	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1149D2190H	(3)	(3)	(3)	(3)	Washer		Note 1
NAS603-12P	(36)	(36)	(36)	(36)	Screw (32 to be used for SFAR 88 compliance)		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS603-20P	(18)	(18)	(18)	(18)	Screw (to be used for SFAR 88 compliance)		Note 1
NAS603-8P	(40)	(40)	(40)	(40)	Screw		Note 1
NAS6203-27	(12)	(12)	(12)	(12)	Bolt		Note 1
NAS6203-31	(4)	(4)	(4)	(4)	Bolt		Note 1
NAS6203-35	(1)	(1)	(1)	(1)	Bolt		Note 1
3605-24D	(2)	(2)	(2)	(2)	Coupling		Note 1
3605-32D	(2)	(2)	(2)	(2)	Coupling		Note 1
371350-133	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371350-137	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371350-141	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-38	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-39	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-40	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-697	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-34	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-36	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-38	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-40	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-42	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-44	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-46	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-50	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-52	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-54	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-56	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-58	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-60	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-62	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-90	(1)	(1)	(1)	(1)	Tube Assembly		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
371359-2	(1)	(1)	(1)	(1)	Vent Tube		Note 1
760-24-2-12	(3)	(3)	(3)	(3)	Clamp		Note 1
789-6	(1)	(1)	(1)	(1)	Clamp		Note 1
371557-1R	(1)	(1)	(1)	(1)	Vent Installation, consisting of:		Note 1
371557 Rev. P	[1]	[1]	[1]	[1]	Vent & Drain Installation - Center Wing Fuel Drawing		Note 1
AN735D16	[1]	[1]	[1]	[1]	Clamp		Note 1
AS5178W16 (AN924-16W) (AN924-16D)	[1]	[1]	[1]	[1]	Nut		Note 1
NAS1149D0363H (AN960D10)	[1]	[1]	[1]	[1]	Washer		Note 1
NAS1149D2190H (AN960D2116)	[1]	[1]	[1]	[1]	Washer		Note 1
10394D16K (LS7357DT-16)	[1]	[1]	[1]	[1]	Clamp		Note 1
MS21042-3	[1]	[1]	[1]	[1]	Nut		Note 1
M83413/8A004BB (MS25083-2BB4)	[1]	[1]	[1]	[1]	Jumper		Note 1
NAS603-8P (NAS603-8)	[1]	[1]	[1]	[1]	Screw		Note 1
371351-83	[1]	[1]	[1]	[1]	Tube Assembly		Note 1
371495-1	[1]	[1]	[1]	[1]	Mast Assembly		Note 1
371571-3	[1]	[1]	[1]	[1]	Mast Assembly		Note 1
756060-1	[1]	[1]	[1]	[1]	Elbow		Note 1
3362658-3	-	1	1	1	Plumbing & Support Installation - Center Wing Trailing Edge,Kit, consisting of:		Note 1
3362658 Rev. A	-	(1)	(1)	(1)	Plumbing & Support Installation-Center Wing Trailing Edge, Kit Drawing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
382-28-22 Rev. 3 & R3 Errata Notice	-	(1)	(1)	(1)	Fuel - SFAR 88 - Lockheed Martin 382 B, E, F, and G Airworthiness Limitations Inspection and Critical Design Configuration Control Limitations Service Bulletin		Note 1
AFP1028-16	-	(2)	(2)	(2)	Ring		Note 1
AN735D10	-	(2)	(2)	(2)	Clamp		Note 1
AN735D12	-	(5)	(5)	(5)	Clamp		Note 1
AN735D16	-	(7)	(7)	(7)	Clamp		Note 1
AN735D24	-	(19)	(19)	(19)	Clamp (18 to be used for SFAR 88 compliance)		Note 1
AN735D32	-	(2)	(2)	(2)	Clamp		Note 1
AN735D4	-	(3)	(3)	(3)	Clamp		Note 1
AN735D48	-	(14)	(14)	(14)	Clamp (to be used for SFAR 88 compliance)		Note 1
AN735D6	-	(5)	(5)	(5)	Clamp		Note 1
AS1003W161616	-	(1)	(1)	(1)	Tee		Note 1
AS1005W121010	-	(1)	(1)	(1)	Tee		Note 1
AS21919WDG04	-	(2)	(2)	(2)	Clamp		Note 1
AS21919WDG06	-	(1)	(1)	(1)	Clamp		Note 1
AS21919WDG08	-	(6)	(6)	(6)	Clamp		Note 1
AS21919WDG10	-	(1)	(1)	(1)	Clamp		Note 1
AS21919WDG16	-	(2)	(2)	(2)	Clamp		Note 1
AS3581-916	-	(2)	(2)	(2)	O-Ring		Note 1
AS5174W0808	-	(3)	(3)	(3)	Union		Note 1
AS5178-10	-	(2)	(2)	(2)	Nut		Note 1
AS5178K04	-	(1)	(1)	(1)	Nut		Note 1
AS5178K16	-	(1)	(1)	(1)	Nut		Note 1
AS5178W06	-	(2)	(2)	(2)	Nut		Note 1
(AN924-16W) AS5178W16	-	(2)	(2)	(2)	Nut		Note 1
AS5179W16	-	(1)	(1)	(1)	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
AS5406J16	-	(1)	(1)	(1)	Union		Note 1
LN28000-2 (LP9-4-6-12-16-16)	-	(6)	(6)	(6)	Clampblock		Note 1
LS607-20	-	(2)	(2)	(2)	Spacer		Note 1
LS607-24	-	(1)	(1)	(1)	Spacer		Note 1
LS607-8	-	(6)	(6)	(6)	Spacer		Note 1
MS21042-3	-	(105)	(105)	(105)	Nut (50 to be used for SFAR 88 compliance)		Note 1
MS21902-4	-	(2)	(2)	(2)	Union		Note 1
MS21902W12	-	(2)	(2)	(2)	Union		Note 1
MS21902W16	-	(3)	(3)	(3)	Union		Note 1
MS21902W6	-	(1)	(1)	(1)	Union		Note 1
MS21905W16	-	(1)	(1)	(1)	Tee		Note 1
MS21905W6	-	(1)	(1)	(1)	Tee		Note 1
MS21907W16	-	(1)	(1)	(1)	Elbow		Note 1
MS21924-10	-	(2)	(2)	(2)	Union		Note 1
MS21924-4	-	(1)	(1)	(1)	Union		Note 1
MS21924W16	-	(1)	(1)	(1)	Union		Note 1
MS21924W6	-	(2)	(2)	(2)	Union		Note 1
MS28773-16	-	(1)	(1)	(1)	Retainer		Note 1
MS29513-325	-	(4)	(4)	(4)	Packing		Note 1
MS29513-329	-	(4)	(4)	(4)	Packing		Note 1
MS35338-43	-	(36)	(36)	(36)	Washer (to be used for SFAR 88 compliance)		Note 1
MS35650-302	-	(18)	(18)	(18)	Nut (to be used for SFAR 88 compliance)		Note 1
M83413/8A003BB (M83413/8-A003BB)	-	(2)	(2)	(2)	Jumper		Note 1
M83413/8A004BB (M83413/8-A004BB)	-	(22)	(22)	(22)	Jumper		Note 1
M83413/8A007BB (M83413/8-A007BB)	-	(1)	(1)	(1)	Jumper		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
M83413/8G005BB (M83413/8-G005BB)	-	(12)	(12)	(12)	Jumper (to be used for SFAR 88 compliance)		Note 1
M83413/8G006BB (M83413/8-G006BB)	-	(6)	(6)	(6)	Jumper (to be used for SFAR 88 compliance)		Note 1
NAS1149D0363H	-	(141)	(141)	(141)	Washer (86 to be used for SFAR 88 compliance)		Note 1
NAS1149D0763H	-	(1)	(1)	(1)	Washer		Note 1
NAS1149D0963H	-	(2)	(2)	(2)	Washer		Note 1
NAS1149D1490H	-	(1)	(1)	(1)	Washer		Note 1
NAS1149D1790H	-	(1)	(1)	(1)	Washer		Note 1
NAS1149D2190H	-	(3)	(3)	(3)	Washer		Note 1
NAS603-12P	-	(36)	(36)	(36)	Screw (32 to be used for SFAR 88 compliance)		Note 1
NAS603-20P	-	(19)	(19)	(19)	Screw (18 to be used for SFAR 88 compliance)		Note 1
NAS603-28P	-	(1)	(1)	(1)	Screw		Note 1
NAS603-8P	-	(40)	(40)	(40)	Screw		Note 1
NAS6203-27	-	(10)	(10)	(10)	Bolt		Note 1
NAS6203-31	-	(2)	(2)	(2)	Bolt		Note 1
3605-24D	-	(2)	(2)	(2)	Coupling		Note 1
3605-32D	-	(2)	(2)	(2)	Coupling		Note 1
371350-131	-	(1)	(1)	(1)	Tube Assembly		Note 1
371350-135	-	(1)	(1)	(1)	Tube Assembly		Note 1
371350-139	-	(1)	(1)	(1)	Tube Assembly		Note 1
371350-28	-	(1)	(1)	(1)	Tube Assembly		Note 1
371351-542	-	(1)	(1)	(1)	Tube Assembly		Note 1
371351-544	-	(1)	(1)	(1)	Tube Assembly		Note 1
371351-546	-	(1)	(1)	(1)	Tube Assembly		Note 1
371351-548	-	(1)	(1)	(1)	Tube Assembly		Note 1
371351-695	-	(1)	(1)	(1)	Tube		Note 1
371352-128	-	(1)	(1)	(1)	Tube Assembly		Note 1
371352-129	-	(1)	(1)	(1)	Tube Assembly		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
371352-33	-	(1)	(1)	(1)	Tube Assembly		Note 1
371352-35	-	(1)	(1)	(1)	Tube Assembly		Note 1
371352-37	-	(1)	(1)	(1)	Tube Assembly		Note 1
371352-39	-	(1)	(1)	(1)	Tube Assembly		Note 1
371352-41	-	(1)	(1)	(1)	Tube Assembly		Note 1
371352-43	-	(1)	(1)	(1)	Tube Assembly		Note 1
371352-45	-	(1)	(1)	(1)	Tube Assembly		Note 1
371352-49	-	(1)	(1)	(1)	Tube Assembly		Note 1
371352-51	-	(1)	(1)	(1)	Tube Assembly		Note 1
371352-53	-	(1)	(1)	(1)	Tube Assembly		Note 1
371352-55	-	(1)	(1)	(1)	Tube Assembly		Note 1
371352-57	-	(1)	(1)	(1)	Tube Assembly		Note 1
371352-59	-	(1)	(1)	(1)	Tube Assembly		Note 1
371352-61	-	(1)	(1)	(1)	Tube Assembly		Note 1
371352-63	-	(1)	(1)	(1)	Tube Assembly		Note 1
371352-945	-	(1)	(1)	(1)	Tube Assembly		Note 1
371359-2	-	(1)	(1)	(1)	Vent Tube		Note 1
695901-1	-	(1)	(1)	(1)	Valve		Note 1
760-24-2-12	-	(3)	(3)	(3)	Clamp		Note 1
760-8-2-8	-	(2)	(2)	(2)	Clamp		Note 1
784-16	-	(1)	(1)	(1)	Clamp		Note 1
789-12	-	(1)	(1)	(1)	Clamp		Note 1
789-6	-	(1)	(1)	(1)	Clamp		Note 1
371557-1L	-	(1)	(1)	(1)	Vent Installation		Note 1
371557 Rev. P	-	[1]	[1]	[1]	Vent & Drain Installation - Center Wing Fuel Drawing		Note 1
AN735D16	-	[1]	[1]	[1]	Clamp		Note 1
AS5178W16 (AN924-16W) (AN924-16D)	-	[1]	[1]	[1]	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS1149D0363H (AN960D10)	-	[1]	[1]	[1]	Washer		Note 1
NAS1149D2190H (AN960D2116)	-	[1]	[1]	[1]	Washer		Note 1
LS607-8 (LS5987-10-8)	-	[1]	[1]	[1]	Spacer		Note 1
10394D16K (LS7357DT-16)	-	[1]	[1]	[1]	Clamp		Note 1
MS21042-3	-	[1]	[1]	[1]	Nut		Note 1
M83413/8A004BB (MS25083-2BB4)	-	[1]	[1]	[1]	Jumper		Note 1
NAS603-8P (NAS603-8)	-	[1]	[1]	[1]	Screw		Note 1
371351-84	-	[1]	[1]	[1]	Tube Assembly		Note 1
371495-1	-	[1]	[1]	[1]	Mast Assembly		Note 1
371571-3	-	[1]	[1]	[1]	Mast Assembly		Note 1
756060-1	-	[1]	[1]	[1]	Elbow		Note 1
3362659-1	1	-	-	-	Plumbing Installation - Center Wing Dry Bay, Kit, consisting of:		Note 1
3362659-3	-	1	1	1	Plumbing Installation - Center Wing Dry Bay, Kit, consisting of:		Note 1
3362659 Rev. A	(1)	(1)	(1)	(1)	Plumbing Installation - Center Wing Dry Bay, Kit Drawing		Note 1
382-28-22 Rev. 3 & R3 Errata Notice	(1)	(1)	(1)	(1)	Fuel - SFAR 88 - Lockheed Martin 382 B, E, F, and G Airworthiness Limitations Inspection and Critical Design Configuration Control Limitations Service Bulletin		Note 1
AN4-21A	(4)	(4)	(4)	(4)	Bolt		Note 1
AN4-23A	(4)	(4)	(4)	(4)	Bolt		Note 1
AN4-4A	(2)	-	-	-	Bolt		Note 1
AN735D12	(5)	(5)	(5)	(5)	Clamp		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
AN735D16	(17)	(17)	(17)	(17)	Clamp (8 to be used for SFAR 88 compliance)		Note 1
AN735D24	(17)	(17)	(17)	(17)	Clamp (11 to be used for SFAR 88 compliance)		Note 1
AN735D4	(7)	(7)	(7)	(7)	Clamp		Note 1
AN735D40	(10)	(10)	(10)	(10)	Clamp (7 to be used for SFAR 88 compliance)		Note 1
AN735D56	(7)	(7)	(7)	(7)	Clamp (5 to be used for SFAR 88 compliance)		Note 1
AN735D6	(6)	(6)	(6)	(6)	Clamp		Note 1
AN735D8	(4)	(4)	(4)	(4)	Clamp		Note 1
AS1038W0505	(2)	(2)	(2)	(2)	Elbow		Note 1
AS1038W0606	(1)	(1)	(1)	(1)	Elbow		Note 1
AS1038W0808	(1)	-	-	-	Elbow		Note 1
AS1040J1616	(2)	(2)	(2)	(2)	Elbow		Note 1
AS21919WDG04	(6)	(6)	(6)	(6)	Clamp		Note 1
AS21919WDG05	(5)	(5)	(5)	(5)	Clamp		Note 1
AS21919WDG06	(12)	(12)	(12)	(12)	Clamp		Note 1
AS21919WDG08	(12)	(12)	(12)	(12)	Clamp		Note 1
AS21919WDG12	(6)	(6)	(6)	(6)	Clamp		Note 1
AS21919WDG24	(1)	(1)	(1)	(1)	Clamp		Note 1
AS3581-908	(1)	(1)	(1)	(1)	O-Ring		Note 1
AS5174J1616	(1)	(1)	(1)	(1)	Union		Note 1
AS5174W0404	(1)	(1)	(1)	(1)	Union		Note 1
AS5174W0505	(1)	(1)	(1)	(1)	Union		Note 1
AS5174W0606	(3)	(3)	(3)	(3)	Union		Note 1
AS5174W0806	(1)	-	-	-	Union		Note 1
AS5174W2424	(1)	(1)	(1)	(1)	Union		Note 1
AS5178K16	(4)	(4)	(4)	(4)	Nut		Note 1
AS5178W04	(7)	(7)	(7)	(7)	Nut		Note 1
AS5178W05	(2)	(2)	(2)	(2)	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
AS5178W06	(10)	(10)	(10)	(10)	Nut		Note 1
AS5178W08	(5)	(4)	(4)	(4)	Nut		Note 1
AS5178W12	(6)	(6)	(6)	(6)	Nut		Note 1
(AN924-16W) AS5178W16	(6)	(6)	(6)	(6)	Nut		Note 1
AS5190W08	(1)	(1)	(1)	(1)	Elbow		Note 1
AS5406J16	(3)	(3)	(3)	(3)	Union		Note 1
AS5406W04	(2)	(2)	(2)	(2)	Union		Note 1
AS5406W06	(3)	(3)	(3)	(3)	Union		Note 1
LS35469BH	(9)	(9)	(9)	(9)	Clampblock		Note 1
LS35471BDH	(6)	(6)	(6)	(6)	Clampblock		Note 1
LS35471DHG	(6)	(6)	(6)	(6)	Clampblock		Note 1
LS607-16	(4)	(4)	(4)	(4)	Spacer		Note 1
LS607-24	(2)	(2)	(2)	(2)	Spacer		Note 1
LS607-44	(5)	(5)	(5)	(5)	Spacer		Note 1
LS756I (LS756-I)	(1)	(1)	(1)	(1)	Tag		Note 1
LS756P (LS756-P)	(1)	(1)	(1)	(1)	Tag		Note 1
LS756Y (LS756-Y)	(1)	(1)	(1)	(1)	Tag		Note 1
MS21042-3	(228)	(224)	(224)	(224)	Nut (59 to be used for SFAR 88 compliance)		Note 1
MS21042-4	(18)	(16)	(16)	(16)	Nut		Note 1
MS21042-5	(9)	(9)	(9)	(9)	Nut		Note 1
MS21902-4	(2)	(2)	(2)	(2)	Union		Note 1
MS21902W12	(2)	(2)	(2)	(2)	Union		Note 1
MS21902W16	(2)	(2)	(2)	(2)	Union		Note 1
MS21902W6	(2)	(2)	(2)	(2)	Union		Note 1
MS21902W8	(2)	(2)	(2)	(2)	Union		Note 1
MS21905-4	(1)	(1)	(1)	(1)	Tee		Note 1
MS21905W12	(1)	(1)	(1)	(1)	Tee		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS21907-4	(3)	(3)	(3)	(3)	Elbow		Note 1
MS21907W12	(1)	(1)	(1)	(1)	Elbow		Note 1
MS21907W16	(2)	(2)	(2)	(2)	Elbow		Note 1
MS21907W6	(3)	(3)	(3)	(3)	Elbow		Note 1
MS21908W12	(2)	(2)	(2)	(2)	Elbow		Note 1
MS21924-4	(2)	(2)	(2)	(2)	Union		Note 1
MS21924W12	(3)	(3)	(3)	(3)	Union		Note 1
MS21924W16	(4)	(4)	(4)	(4)	Union		Note 1
MS21924W6	(3)	(3)	(3)	(3)	Union		Note 1
MS21924W8	(4)	(4)	(4)	(4)	Union		Note 1
MS29512-08	(1)	-	-	-	Packing		Note 1
MS29512-24	(1)	(1)	(1)	(1)	Packing		Note 1
MS29513-214	(10)	(10)	(10)	(10)	Packing		Note 1
MS29513-223	(4)	(4)	(4)	(4)	Packing		Note 1
MS29513-234	(2)	(2)	(2)	(2)	Packing		Note 1
MS29513-325	(18)	(16)	(16)	(16)	Packing		Note 1
MS29513-333	(10)	(10)	(10)	(10)	Packing		Note 1
MS29513-337	(2)	(2)	(2)	(2)	Packing		Note 1
MS29513-341	(6)	(6)	(6)	(6)	Packing		Note 1
MS35338-43	(56)	(56)	(56)	(56)	Washer (to be used for SFAR 88 compliance)		Note 1
MS35650-302	(28)	(28)	(28)	(28)	Nut (to be used for SFAR 88 compliance)		Note 1
M83413/8A003BB (M83413/8-A003BB)	(39)	(39)	(39)	(39)	Jumper		Note 1
M83413/8A006BB (M83413/8-A006BB)	(1)	(1)	(1)	(1)	Jumper		Note 1
(M83413/8G006BB) M83413/8G005BB (M83413/8-G005BB)	(18)	(18)	(18)	(18)	Jumper (to be used for SFAR 88 compliance)		Note 1
(M83413/8G007BB) M83413/8G008BB (M83413/8-G008BB)	(10)	(10)	(10)	(10)	Jumper (to be used for SFAR 88 compliance)		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS1149D0363H	(313)	(309)	(309)	(309)	Washer (115 to be used for SFAR 88 compliance)		Note 1
NAS1149D0463H	(18)	(16)	(16)	(16)	Washer		Note 1
NAS1149D0563H	(9)	(9)	(9)	(9)	Washer		Note 1
NAS1149D0763H	(5)	(5)	(5)	(5)	Washer		Note 1
NAS1149D0863H	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1149D0963H	(8)	(8)	(8)	(8)	Washer		Note 1
NAS1149D1290H	(4)	(4)	(4)	(4)	Washer		Note 1
NAS1149D1790H	(6)	(6)	(6)	(6)	Washer		Note 1
NAS1149D2190H	(10)	(10)	(10)	(10)	Washer		Note 1
NAS603-12P	(33)	(33)	(33)	(33)	Screw (31 to be used for SFAR 88 compliance)		Note 1
NAS603-20P	(28)	(28)	(28)	(28)	Screw (to be used for SFAR 88 compliance)		Note 1
NAS603-30P	(5)	(5)	(5)	(5)	Screw		Note 1
NAS603-8P	(92)	(88)	(88)	(88)	Screw		Note 1
NAS604-8P	(6)	(6)	(6)	(6)	Screw		Note 1
NAS6203-31	(4)	(4)	(4)	(4)	Bolt		Note 1
NAS6203-33	(48)	(48)	(48)	(48)	Bolt		Note 1
NAS6203-34	(4)	(4)	(4)	(4)	Bolt		Note 1
NAS6203-42	(2)	(2)	(2)	(2)	Bolt		Note 1
NAS6203-49	(4)	(4)	(4)	(4)	Bolt		Note 1
NAS6203-65	(8)	(8)	(8)	(8)	Bolt		Note 1
NAS6204-3D	(2)	(2)	(2)	(2)	Bolt		Note 1
NAS6205-39D	(3)	(3)	(3)	(3)	Bolt		Note 1
NAS6205-41D	(3)	(3)	(3)	(3)	Bolt		Note 1
NAS6205-6	(3)	(3)	(3)	(3)	Bolt		Note 1
3605-16D	(5)	(5)	(5)	(5)	Coupling		Note 1
3605-24D	(9)	(8)	(8)	(8)	Coupling		Note 1
3605-40D	(5)	(5)	(5)	(5)	Coupling		Note 1
3605-56D	(2)	(2)	(2)	(2)	Coupling		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
370739-151	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
370739-153	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
370739-351	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
370739-353	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
370739-371	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
370739-373	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371350-143	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371350-145	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371350-147	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371350-149	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-10	(1)	(1)	(1)	(1)	Tube		Note 1
371351-11	(1)	(1)	(1)	(1)	Tube		Note 1
371351-12	(1)	-	-	-	Tube Assembly		Note 1
371351-223	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-427	(1)	(1)	(1)	(1)	Tube		Note 1
371351-429	(1)	(1)	(1)	(1)	Tube		Note 1
371351-538	-	(1)	(1)	(1)	Tube		Note 1
371351-6	(1)	(1)	(1)	(1)	Tube		Note 1
371351-7	(1)	(1)	(1)	(1)	Tube		Note 1
371351-723	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-725	(1)	(1)	(1)	(1)	Tube		Note 1
371351-8	(1)	-	-	-	Tube		Note 1
371351-88	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371351-899	(1)	(1)	(1)	(1)	Tube		Note 1
371351-9	(1)	(1)	(1)	(1)	Tube		Note 1
371351-901	(1)	(1)	(1)	(1)	Tube		Note 1
371351-97	(1)	(1)	(1)	(1)	Tube		Note 1
371351-98	(1)	-	-	-	Tube Assembly		Note 1
371352-1	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-11	(1)	(1)	(1)	(1)	Tube Assembly		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
371352-12	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-13	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-14	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-15	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-16	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-17	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-18	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-19	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-2	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-20	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-23	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-24	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-3	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-4	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-5	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-6	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-603	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-605	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-607	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-609	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-611	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-613	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-615	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-617	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-619	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-621	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-8	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371352-9	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371377-1	(1)	-	-	-	Fuel Tee		Note 1
371378-1	(1)	(1)	(1)	(1)	Fuel Tee		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
371385-1	(1)	(1)	(1)	(1)	Manifold		Note 1
371388-1	(3)	(3)	(3)	(3)	Fitting		Note 1
371472-2R	(1)	(1)	(1)	(1)	Angle		Note 1
371472-3	(1)	(1)	(1)	(1)	Angle		Note 1
371473-2	(1)	(1)	(1)	(1)	Support		Note 1
371473-3	(1)	(1)	(1)	(1)	Support		Note 1
371474-1	(4)	(4)	(4)	(4)	Clampblock		Note 1
371475-1	(2)	(2)	(2)	(2)	Clampblock		Note 1
371476-1	(2)	(2)	(2)	(2)	Clampblock		Note 1
376122-7	(12)	(12)	(12)	(12)	Shim		Note 1
376143-1	(1)	(1)	(1)	(1)	Shim		Note 1
3765-48-56	(2)	(2)	(2)	(2)	Reducer		Note 1
382195-1	(1)	(1)	(1)	(1)	Adapter		Note 1
386295-1	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
388263-137	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
388263-139	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
389574-1	(1)	(1)	(1)	(1)	Support		Note 1
695745-1	(2)	(2)	(2)	(2)	Valve		Note 1
695974-1	(1)	(1)	(1)	(1)	Valve		Note 1
760-16-2-8	(10)	(10)	(10)	(10)	Clamp		Note 1
760-24-2-12	(9)	(9)	(9)	(9)	Clamp		Note 1
760-36-2-10	(1)	(1)	(1)	(1)	Clamp		Note 1
760-40-2-10	(4)	(4)	(4)	(4)	Clamp		Note 1
789-6	(2)	-	-	-	Clamp		Note 1
3362661-1	1	1	1	1	Plumbing Installation - Bladder Cell, Kit, consisting of:		Note 1
3362661 Rev. A	(1)	(1)	(1)	(1)	Plumbing Installation - Bladder Cell, Kit Drawing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
382-28-22 Rev. 3 & R3 Errata Notice	(1)	(1)	(1)	(1)	Fuel - SFAR 88 - Lockheed Martin 382 B, E, F, and G Airworthiness Limitations Inspection and Critical Design Configuration Control Limitations Service Bulletin		Note 1
AN173H41A	(2)	(2)	(2)	(2)	Bolt		Note 1
AN4H5A	(4)	(4)	(4)	(4)	Bolt		Note 1
AN4H6A	(4)	(4)	(4)	(4)	Bolt		Note 1
AN735D10	(1)	(1)	(1)	(1)	Clamp		Note 1
AN735D24	(29)	(29)	(29)	(29)	Clamp (24 to be used for SFAR 88 compliance)		Note 1
AN735D32	(38)	(38)	(38)	(38)	Clamp (28 to be used for SFAR 88 compliance)		Note 1
AN735D40	(15)	(15)	(15)	(15)	Clamp (12 to be used for SFAR 88 compliance)		Note 1
AN735D8	(2)	(2)	(2)	(2)	Clamp		Note 1
AS5178W10	(1)	(1)	(1)	(1)	Nut		Note 1
AS5178W24	(1)	(1)	(1)	(1)	Nut		Note 1
AS5406W10	(1)	(1)	(1)	(1)	Union		Note 1
DAA7-1057-1	(1)	(1)	(1)	(1)	Tee		Note 1
LS35407-2	(1)	(1)	(1)	(1)	Gasket		Note 1
MS20074-06-54	(1)	(1)	(1)	(1)	Bolt		Note 1
MS20756D24	(1)	(1)	(1)	(1)	Flange		Note 1
MS20762D24	(1)	(1)	(1)	(1)	Elbow		Note 1
MS21042-3	(162)	(162)	(162)	(162)	Nut (92 to be used for SFAR 88 compliance)		Note 1
MS21042-4	(12)	(12)	(12)	(12)	Nut		Note 1
MS28741-10-0341	(1)	(1)	(1)	(1)	Hose Assembly		Note 1
MS28741-24-0354	(1)	(1)	(1)	(1)	Hose Assembly		Note 1
MS29513-012	(1)	(1)	(1)	(1)	Packing		Note 1
MS29513-223	(1)	(1)	(1)	(1)	Packing		Note 1
MS29513-237	(1)	(1)	(1)	(1)	Packing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS29513-325	(12)	(12)	(12)	(12)	Packing		Note 1
MS29513-329	(18)	(18)	(18)	(18)	Packing		Note 1
MS29513-333	(6)	(6)	(6)	(6)	Packing		Note 1
MS35338-43	(56)	(56)	(56)	(56)	Washer (to be used for SFAR 88 compliance)		Note 1
MS35650-302	(28)	(28)	(28)	(28)	Nut (to be used for SFAR 88 compliance)		Note 1
M83413/8C004BB (M83413/8-C004BB)	(12)	(12)	(12)	(12)	Jumper (to be used for SFAR 88 compliance)		Note 1
M83413/8C004PP (M83413/8-C004PP)	(20)	(20)	(20)	(20)	Jumper		Note 1
(M83413/8C006BB) M83413/8C005BB (M83413/8-C005BB)	(16)	(16)	(16)	(16)	Jumper (to be used for SFAR 88 compliance)		Note 1
M83413/8C006PP (M83413/8-C006PP)	(1)	(1)	(1)	(1)	Jumper		Note 1
NAS1149D0363H	(308)	(308)	(308)	(308)	Washer (148 to be used for SFAR 88 compliance)		Note 1
NAS1149D0463H	(22)	(22)	(22)	(22)	Washer		Note 1
NAS1149D0663H	(1)	(1)	(1)	(1)	Washer		Note 1
NAS1149D1490H	(1)	(1)	(1)	(1)	Washer		Note 1
NAS1149D3016H	(1)	(1)	(1)	(1)	Washer		Note 1
NAS1224-3	(4)	(4)	(4)	(4)	Bolt		Note 1
NAS603-12P	(64)	(64)	(64)	(64)	Screw (to be used for SFAR 88 compliance)		Note 1
NAS603-20P	(28)	(28)	(28)	(28)	Screw (to be used for SFAR 88 compliance)		Note 1
NAS6203-1	(2)	(2)	(2)	(2)	Bolt		Note 1
NAS6203-2	(2)	(2)	(2)	(2)	Bolt		Note 1
NAS6203-3	(2)	(2)	(2)	(2)	Bolt		Note 1
NAS6204-10	(16)	(16)	(16)	(16)	Bolt		Note 1
NAS6204-2	(12)	(12)	(12)	(12)	Bolt		Note 1
NAS6204-3	(12)	(12)	(12)	(12)	Bolt		Note 1
NAS6204-4	(4)	(4)	(4)	(4)	Bolt		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS623-4-12	(6)	(6)	(6)	(6)	Screw		Note 1
TA04C68D24P	(8)	(8)	(8)	(8)	Clamp		Note 1
TA04C68D32P	(18)	(18)	(18)	(18)	Clamp		Note 1
TA04C68D40P	(3)	(3)	(3)	(3)	Clamp		Note 1
TA04C68SS40P	(1)	(1)	(1)	(1)	Clamp		Note 1
TA11C50D10	(1)	(1)	(1)	(1)	Clamp		Note 1
TA11C50D8	(3)	(3)	(3)	(3)	Clamp		Note 1
123510-010-01	(1)	(1)	(1)	(1)	Pump		Note 1
3605-24D	(6)	(6)	(6)	(6)	Coupling		Note 1
3605-32D	(9)	(9)	(9)	(9)	Coupling		Note 1
3605-40D	(3)	(3)	(3)	(3)	Coupling		Note 1
371353-1	(1)	(1)	(1)	(1)	Tube		Note 1
371353-14	(1)	(1)	(1)	(1)	Tube		Note 1
371353-16	(1)	(1)	(1)	(1)	Tube		Note 1
371353-2	(1)	(1)	(1)	(1)	Tube		Note 1
371353-3	(1)	(1)	(1)	(1)	Tube		Note 1
371353-329	(1)	(1)	(1)	(1)	Tube		Note 1
371353-331	(1)	(1)	(1)	(1)	Tube		Note 1
371353-333	(1)	(1)	(1)	(1)	Tube		Note 1
371353-335	(1)	(1)	(1)	(1)	Tube		Note 1
371353-337	(1)	(1)	(1)	(1)	Tube		Note 1
371353-339	(1)	(1)	(1)	(1)	Tube		Note 1
371353-4	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371353-429	(1)	(1)	(1)	(1)	Tube		Note 1
371353-445	(1)	(1)	(1)	(1)	Tube		Note 1
371353-449	(1)	(1)	(1)	(1)	Tube		Note 1
371353-465	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371353-5	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371353-79	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371353-81	(1)	(1)	(1)	(1)	Tube Assembly		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
371432-5	(1)	(1)	(1)	(1)	Support		Note 1
371434-1	(1)	(1)	(1)	(1)	Support		Note 1
371437-3	(3)	(3)	(3)	(3)	Bracket		Note 1
371438-1	(1)	(1)	(1)	(1)	Support		Note 1
371438-2	(1)	(1)	(1)	(1)	Support		Note 1
371444-1	(1)	(1)	(1)	(1)	Support		Note 1
371470-1	(1)	(1)	(1)	(1)	Support		Note 1
371485-1	(1)	(1)	(1)	(1)	Clampblock Assembly		Note 1
373326-17	(1)	(1)	(1)	(1)	Door Seal		Note 1
373647-1	(1)	(1)	(1)	(1)	Fitting		Note 1
376100-1	(2)	(2)	(2)	(2)	Ring Assembly		Note 1
376101-1	(2)	(2)	(2)	(2)	Adapter		Note 1
376122-1	(12)	(12)	(12)	(12)	Shim		Note 1
376122-11	(15)	(15)	(15)	(15)	Shim		Note 1
376122-2	(6)	(6)	(6)	(6)	Shim		Note 1
376122-3	(30)	(30)	(30)	(30)	Shim		Note 1
376122-4	(48)	(48)	(48)	(48)	Shim		Note 1
376122-5	(24)	(24)	(24)	(24)	Shim		Note 1
376123-1	(2)	(2)	(2)	(2)	Shim Assembly		Note 1
389461-1	(1)	(1)	(1)	(1)	Bracket		Note 1
389462-1	(1)	(1)	(1)	(1)	Bracket Assembly		Note 1
695752-1	(1)	(1)	(1)	(1)	Valve		Note 1
697486-3	(1)	(1)	(1)	(1)	Sight Gage		Note 1
756432-1	(44)	(44)	(44)	(44)	Screw		Note 1
371333-5	(1)	(1)	(1)	(1)	Eductor Installation, consisting of:		Note 1
371333 Rev. L	[1]	[1]	[1]	[1]	Eductor Installation - Fuel Cell Drawing		Note 1
AN735D32	[1]	[1]	[1]	[1]	Clamp		Note 1
AN737TW82	[2]	[2]	[2]	[2]	Clamp		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
AS5406W12 (AN832-12D)	[1]	[1]	[1]	[1]	Union		Note 1
AS5178W12 (AN924-12D)	[1]	[1]	[1]	[1]	Nut		Note 1
NAS1149D0363H (AN960D10)	[8]	[8]	[8]	[8]	Washer		Note 1
NAS1149D0416H (AN960D416L)	[30]	[30]	[30]	[30]	Washer		Note 1
MS21043-3	[4]	[4]	[4]	[4]	Nut		Note 1
MS29512-12	[3]	[3]	[3]	[3]	Gasket		Note 1
MS29512-08 (MS29512-8)	[1]	[1]	[1]	[1]	Gasket		Note 1
M83413/8A006BB (M83413/8-A006BB)	[1]	[1]	[1]	[1]	Jumper		Note 1
NAS6203-1 (NAS1103-1)	[3]	[3]	[3]	[3]	Bolt		Note 1
NAS6203-2 (NAS1103-2)	[2]	[2]	[2]	[2]	Bolt		Note 1
NAS6203-6 (NAS1103-6)	[1]	[1]	[1]	[1]	Bolt		Note 1
NAS6204-1 (NAS1104-1)	[10]	[10]	[10]	[10]	Bolt		Note 1
NAS6204-3 (NAS1104-3)	[10]	[10]	[10]	[10]	Bolt		Note 1
NAS6204-5 (NAS1104-5)	[4]	[4]	[4]	[4]	Bolt		Note 1
NAS6204-9 (NAS1104-9)	[2]	[2]	[2]	[2]	Bolt		Note 1
TA04C68D32P (TA4C68D32P)	[1]	[1]	[1]	[1]	Clamp		Note 1
12C230 (MS28883-12)	[1]	[1]	[1]	[1]	Check Valve		Note 1
371333-7	[1]	[1]	[1]	[1]	Hose		Note 1
371343-3	[1]	[1]	[1]	[1]	Support Assembly		Note 1
3332977-1 (371346-1)	[1]	[1]	[1]	[1]	Gasket		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
371371-5	[1]	[1]	[1]	[1]	Tube Assembly		Note 1
371373-1	[1]	[1]	[1]	[1]	Fitting		Note 1
371376-1	[1]	[1]	[1]	[1]	Eductor Assembly		Note 1
371433-1	[1]	[1]	[1]	[1]	Bracket Assembly		Note 1
376124-3	[1]	[1]	[1]	[1]	Frame		Note 1
376125-3	[1]	[1]	[1]	[1]	Intercostal Assembly		Note 1
MS28885-8 1111-517703-1 8C111 (695620-1)	[1]	[1]	[1]	[1]	Check Valve		Note 1
3362661-2	1	1	1	1	Plumbing Installation - Bladder Cell, Kit, consisting of:		Note 1
3362661 Rev. A	(1)	(1)	(1)	(1)	Plumbing Installation - Bladder Cell, Kit Drawing		Note 1
382-28-22 Rev. 3 & R3 Errata Notice	(1)	(1)	(1)	(1)	Fuel - SFAR 88 - Lockheed Martin 382 B, E, F, and G Airworthiness Limitations Inspection and Critical Design Configuration Control Limitations Service Bulletin		Note 1
AN173H41A	(2)	(2)	(2)	(2)	Bolt		Note 1
AN4H5A	(4)	(4)	(4)	(4)	Bolt		Note 1
AN4H6A	(4)	(4)	(4)	(4)	Bolt		Note 1
AN735D10	(1)	(1)	(1)	(1)	Clamp		Note 1
AN735D24	(29)	(29)	(29)	(29)	Clamp (24 to be used for SFAR 88 compliance)		Note 1
AN735D32	(38)	(38)	(38)	(38)	Clamp (28 to be used for SFAR 88 compliance)		Note 1
AN735D40	(15)	(15)	(15)	(15)	Clamp (12 to be used for SFAR 88 compliance)		Note 1
AN735D8	(2)	(2)	(2)	(2)	Clamp		Note 1
AS5178W10	(1)	(1)	(1)	(1)	Nut		Note 1
AS5178W24	(1)	(1)	(1)	(1)	Nut		Note 1
AS5406W10	(1)	(1)	(1)	(1)	Union		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
DAA7-1057-1	(1)	(1)	(1)	(1)	Tee		Note 1
LS35407-2	(1)	(1)	(1)	(1)	Gasket		Note 1
MS20074-06-54	(1)	(1)	(1)	(1)	Bolt		Note 1
MS20756D24	(1)	(1)	(1)	(1)	Flange		Note 1
MS20762D24	(1)	(1)	(1)	(1)	Elbow		Note 1
MS21042-3	(162)	(162)	(162)	(162)	Nut (92 to be used for SFAR 88 compliance)		Note 1
MS21042-4	(12)	(12)	(12)	(12)	Nut		Note 1
MS28741-10-0341	(1)	(1)	(1)	(1)	Hose Assembly		Note 1
MS28741-24-0354	(1)	(1)	(1)	(1)	Hose Assembly		Note 1
MS29513-012	(1)	(1)	(1)	(1)	Packing		Note 1
MS29513-223	(1)	(1)	(1)	(1)	Packing		Note 1
MS29513-237	(1)	(1)	(1)	(1)	Packing		Note 1
MS29513-325	(12)	(12)	(12)	(12)	Packing		Note 1
MS29513-329	(18)	(18)	(18)	(18)	Packing		Note 1
MS29513-333	(6)	(6)	(6)	(6)	Packing		Note 1
MS35338-43	(56)	(56)	(56)	(56)	Washer (to be used for SFAR 88 compliance)		Note 1
MS35650-302	(28)	(28)	(28)	(28)	Nut (to be used for SFAR 88 compliance)		Note 1
M83413/8C004BB (M83413/8-C004BB)	(12)	(12)	(12)	(12)	Jumper (to be used for SFAR 88 compliance)		Note 1
M83413/8C004PP (M83413/8-C004PP)	(20)	(20)	(20)	(20)	Jumper		Note 1
(M83413/8C006BB) M83413/8C005BB (M83413/8-C005BB)	(16)	(16)	(16)	(16)	Jumper (to be used for SFAR 88 compliance)		Note 1
M83413/8C006PP (M83413/8-C006PP)	(1)	(1)	(1)	(1)	Jumper		Note 1
NAS1149D0363H	(308)	(308)	(308)	(308)	Washer (148 to be used for SFAR 88 compliance)		Note 1
NAS1149D0463H	(22)	(22)	(22)	(22)	Washer		Note 1
NAS1149D0663H	(1)	(1)	(1)	(1)	Washer		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS1149D1490H	(1)	(1)	(1)	(1)	Washer		Note 1
NAS1149D3016H	(1)	(1)	(1)	(1)	Washer		Note 1
NAS1224-3	(4)	(4)	(4)	(4)	Bolt		Note 1
NAS603-12P	(64)	(64)	(64)	(64)	Screw (to be used for SFAR 88 compliance)		Note 1
NAS603-20P	(28)	(28)	(28)	(28)	Screw (to be used for SFAR 88 compliance)		Note 1
NAS6203-1	(2)	(2)	(2)	(2)	Bolt		Note 1
NAS6203-2	(2)	(2)	(2)	(2)	Bolt		Note 1
NAS6203-3	(2)	(2)	(2)	(2)	Bolt		Note 1
NAS6204-10	(16)	(16)	(16)	(16)	Bolt		Note 1
NAS6204-2	(12)	(12)	(12)	(12)	Bolt		Note 1
NAS6204-3	(12)	(12)	(12)	(12)	Bolt		Note 1
NAS6204-4	(4)	(4)	(4)	(4)	Bolt		Note 1
NAS623-4-12	(6)	(6)	(6)	(6)	Screw		Note 1
TA04C68D24P	(8)	(8)	(8)	(8)	Clamp		Note 1
TA04C68D32P	(18)	(18)	(18)	(18)	Clamp		Note 1
TA04C68D40P	(3)	(3)	(3)	(3)	Clamp		Note 1
TA04C68SS40P	(1)	(1)	(1)	(1)	Clamp		Note 1
TA11C50D10	(1)	(1)	(1)	(1)	Clamp		Note 1
TA11C50D8	(3)	(3)	(3)	(3)	Clamp		Note 1
123510-010-01	(1)	(1)	(1)	(1)	Pump		Note 1
3605-24D	(6)	(6)	(6)	(6)	Coupling		Note 1
3605-32D	(9)	(9)	(9)	(9)	Coupling		Note 1
3605-40D	(3)	(3)	(3)	(3)	Coupling		Note 1
371353-1	(1)	(1)	(1)	(1)	Tube		Note 1
371353-127	(1)	(1)	(1)	(1)	Tube		Note 1
371353-128	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371353-16	(1)	(1)	(1)	(1)	Tube		Note 1
371353-2	(1)	(1)	(1)	(1)	Tube		Note 1
371353-3	(1)	(1)	(1)	(1)	Tube		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
371353-329	(1)	(1)	(1)	(1)	Tube		Note 1
371353-331	(1)	(1)	(1)	(1)	Tube		Note 1
371353-335	(1)	(1)	(1)	(1)	Tube		Note 1
371353-337	(1)	(1)	(1)	(1)	Tube		Note 1
371353-425	(1)	(1)	(1)	(1)	Tube		Note 1
371353-427	(1)	(1)	(1)	(1)	Tube		Note 1
371353-431	(1)	(1)	(1)	(1)	Tube		Note 1
371353-447	(1)	(1)	(1)	(1)	Tube		Note 1
371353-451	(1)	(1)	(1)	(1)	Tube		Note 1
371353-467	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371353-531	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371353-80	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371353-82	(1)	(1)	(1)	(1)	Tube Assembly		Note 1
371432-6	(1)	(1)	(1)	(1)	Support		Note 1
371434-1	(1)	(1)	(1)	(1)	Support		Note 1
371437-3	(3)	(3)	(3)	(3)	Bracket		Note 1
371438-1	(1)	(1)	(1)	(1)	Support		Note 1
371438-2	(1)	(1)	(1)	(1)	Support		Note 1
371444-1	(1)	(1)	(1)	(1)	Support		Note 1
371470-1	(1)	(1)	(1)	(1)	Support		Note 1
371485-1	(1)	(1)	(1)	(1)	Clampblock Assembly		Note 1
373326-17	(1)	(1)	(1)	(1)	Door Seal		Note 1
373647-1	(1)	(1)	(1)	(1)	Fitting		Note 1
376100-1	(2)	(2)	(2)	(2)	Ring Assembly		Note 1
376101-1	(2)	(2)	(2)	(2)	Adapter		Note 1
376122-1	(12)	(12)	(12)	(12)	Shim		Note 1
376122-11	(15)	(15)	(15)	(15)	Shim		Note 1
376122-2	(6)	(6)	(6)	(6)	Shim		Note 1
376122-3	(30)	(30)	(30)	(30)	Shim		Note 1
376122-4	(48)	(48)	(48)	(48)	Shim		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
376122-5	(24)	(24)	(24)	(24)	Shim		Note 1
376123-1	(2)	(2)	(2)	(2)	Shim Assembly		Note 1
389461-1	(1)	(1)	(1)	(1)	Bracket		Note 1
389462-1	(1)	(1)	(1)	(1)	Bracket Assembly		Note 1
695752-1	(1)	(1)	(1)	(1)	Valve		Note 1
697486-3	(1)	(1)	(1)	(1)	Sight Gage		Note 1
756432-1	(44)	(44)	(44)	(44)	Screw		Note 1
371333-6	(1)	(1)	(1)	(1)	Eductor Installation, consisting of:		Note 1
371333 Rev. L	[1]	[1]	[1]	[1]	Eductor Installation - Fuel Cell Drawing		Note 1
AN735D32	[1]	[1]	[1]	[1]	Clamp		Note 1
AN737TW82	[2]	[2]	[2]	[2]	Clamp		Note 1
AS5406W12 (AN832-12D)	[1]	[1]	[1]	[1]	Union		Note 1
AS5178W12 (AN924-12D)	[1]	[1]	[1]	[1]	Nut		Note 1
NAS1149D0363H (AN960D10)	[8]	[8]	[8]	[8]	Washer		Note 1
NAS1149D0416H (AN960D416L)	[30]	[30]	[30]	[30]	Washer		Note 1
MS21043-3	[4]	[4]	[4]	[4]	Nut		Note 1
MS29512-12	[3]	[3]	[3]	[3]	Gasket		Note 1
MS29512-08 (MS29512-8)	[1]	[1]	[1]	[1]	Gasket		Note 1
M83413/8A006BB (M83413/8-A006BB)	[1]	[1]	[1]	[1]	Jumper		Note 1
NAS6203-1 (NAS1103-1)	[3]	[3]	[3]	[3]	Bolt		Note 1
NAS6203-2 (NAS1103-2)	[2]	[2]	[2]	[2]	Bolt		Note 1
NAS6203-6 (NAS1103-6)	[1]	[1]	[1]	[1]	Bolt		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS6204-1 (NAS1104-1)	[10]	[10]	[10]	[10]	Bolt		Note 1
NAS6204-3 (NAS1104-3)	[10]	[10]	[10]	[10]	Bolt		Note 1
NAS6204-5 (NAS1104-5)	[4]	[4]	[4]	[4]	Bolt		Note 1
NAS6204-9 (NAS1104-9)	[2]	[2]	[2]	[2]	Bolt		Note 1
TA04C68D32P (TA4C68D32P)	[1]	[1]	[1]	[1]	Clamp		Note 1
12C230 (MS28883-12)	[1]	[1]	[1]	[1]	Check Valve		Note 1
371333-7	[1]	[1]	[1]	[1]	Hose		Note 1
371343-4	[1]	[1]	[1]	[1]	Support Assembly		Note 1
3332977-1 (371346-1)	[1]	[1]	[1]	[1]	Gasket		Note 1
371371-5	[1]	[1]	[1]	[1]	Tube Assembly		Note 1
371373-1	[1]	[1]	[1]	[1]	Fitting		Note 1
371376-1	[1]	[1]	[1]	[1]	Eductor Assembly		Note 1
371433-1	[1]	[1]	[1]	[1]	Bracket Assembly		Note 1
376124-4	[1]	[1]	[1]	[1]	Frame		Note 1
376125-4	[1]	[1]	[1]	[1]	Intercostal Assembly		Note 1
MS28885-8 1111-517703-1 8C111 (695620-1)	[1]	[1]	[1]	[1]	Check Valve		Note 1
3362662-1	1	1	1	1	Fuel Probe Installation - Bladder Cells, Kit, consisting of:		Note 1
3362662 Rev. NC	(1)	(1)	(1)	(1)	Fuel Probe Installation - Bladder Cells, Kit Drawing		Note 1
HL18PB5-4	(2)	(2)	(2)	(2)	Pin		Note 1
MS21042-06	(4)	(4)	(4)	(4)	Nut		Note 1
MS21042-08	(10)	(10)	(10)	(10)	Nut		Note 1
MS21042-3	(18)	(18)	(18)	(18)	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS1149FN832P	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1149F0363P	(8)	(8)	(8)	(8)	Washer		Note 1
NAS1149G0332P	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1203-48	(2)	(2)	(2)	(2)	Screw		Note 1
NAS43DD3-114N	(4)	(4)	(4)	(4)	Spacer		Note 1
NAS43DD3-64N	(6)	(6)	(6)	(6)	Spacer		Note 1
NAS43DD3-72N	(4)	(4)	(4)	(4)	Spacer		Note 1
NAS517-3-20	(4)	(4)	(4)	(4)	Screw		Note 1
NAS517-3-30	(4)	(4)	(4)	(4)	Screw		Note 1
NAS623-3-22	(4)	(4)	(4)	(4)	Screw		Note 1
3319648-1	(12)	(12)	(12)	(12)	Clamp		Note 1
3319649-1	(4)	(4)	(4)	(4)	Clamp		Note 1
375589-2	(1)	(1)	(1)	(1)	Spacer		Note 1
695799-237	(1)	(1)	(1)	(1)	Tank Unit		Note 1
695799-239	(1)	(1)	(1)	(1)	Tank Unit		Note 1
695799-241	(1)	(1)	(1)	(1)	Tank Unit		Note 1
695799-243	(1)	(1)	(1)	(1)	Tank Unit		Note 1
3362662-2	1	1	1	1	Fuel Probe Installation - Bladder Cells, Kit, consisting of:		Note 1
3362662 Rev. NC	(1)	(1)	(1)	(1)	Fuel Probe Installation - Bladder Cells, Kit Drawing		Note 1
HL18PB5-4	(2)	(2)	(2)	(2)	Pin		Note 1
MS21042-06	(4)	(4)	(4)	(4)	Nut		Note 1
MS21042-08	(10)	(10)	(10)	(10)	Nut		Note 1
MS21042-3	(18)	(18)	(18)	(18)	Nut		Note 1
NAS1149FN832P	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1149F0363P	(8)	(8)	(8)	(8)	Washer		Note 1
NAS1149G0332P	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1203-48	(2)	(2)	(2)	(2)	Screw		Note 1
NAS43DD3-114N	(4)	(4)	(4)	(4)	Spacer		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS43DD3-64N	(6)	(6)	(6)	(6)	Spacer		Note 1
NAS43DD3-72N	(4)	(4)	(4)	(4)	Spacer		Note 1
NAS517-3-20	(4)	(4)	(4)	(4)	Screw		Note 1
NAS517-3-30	(4)	(4)	(4)	(4)	Screw		Note 1
NAS623-3-22	(4)	(4)	(4)	(4)	Screw		Note 1
3319648-1	(12)	(12)	(12)	(12)	Clamp		Note 1
3319649-1	(4)	(4)	(4)	(4)	Clamp		Note 1
375589-2	(1)	(1)	(1)	(1)	Spacer		Note 1
695799-237	(1)	(1)	(1)	(1)	Tank Unit		Note 1
695799-239	(1)	(1)	(1)	(1)	Tank Unit		Note 1
695799-241	(1)	(1)	(1)	(1)	Tank Unit		Note 1
695799-243	(1)	(1)	(1)	(1)	Tank Unit		Note 1
3362663-1	1	1	1	1	Fuel Cell Installation, Kit, consisting of:		Note 1
3362663 Rev. NC	(1)	(1)	(1)	(1)	Fuel Cell Installation, Kit Drawing		Note 1
AN4-11A	(49)	(49)	(49)	(49)	Bolt		Note 1
AN4-12A	(45)	(45)	(45)	(45)	Bolt		Note 1
AN4-13A	(25)	(25)	(25)	(25)	Bolt		Note 1
AN4-14A	(3)	(3)	(3)	(3)	Bolt		Note 1
AN4-27A	(4)	(4)	(4)	(4)	Bolt		Note 1
AN4H10A	(4)	(4)	(4)	(4)	Bolt		Note 1
AN4H11A	(54)	(54)	(54)	(54)	Bolt		Note 1
AN4H5A	(22)	(22)	(22)	(22)	Bolt		Note 1
AN4H6A	(32)	(32)	(32)	(32)	Bolt		Note 1
KFN542-4	(12)	(12)	(12)	(12)	Nut		Note 1
MS21042-4	(126)	(126)	(126)	(126)	Nut		Note 1
MS29513-228	(4)	(4)	(4)	(4)	Packing		Note 1
MS29513-236	(3)	(3)	(3)	(3)	Packing		Note 1
MS29513-242	(24)	(24)	(24)	(24)	Packing		Note 1
MS29513-247	(10)	(10)	(10)	(10)	Packing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS1149D0463H	(398)	(398)	(398)	(398)	Washer		Note 1
NAS1523-4F	(14)	(14)	(14)	(14)	Washer		Note 1
NAS1523-4H	(10)	(10)	(10)	(10)	Washer		Note 1
352655	(5)	(5)	(5)	(5)	Bracket		Note 1
371330-1	(2)	(2)	(2)	(2)	Gasket		Note 1
371358-1	(1)	(1)	(1)	(1)	Fitting Assembly		Note 1
371358-3	(1)	(1)	(1)	(1)	Fitting Assembly		Note 1
371392-3	(1)	(1)	(1)	(1)	Fuel Flange Assembly		Note 1
371393-5	(3)	(3)	(3)	(3)	Fuel Flange Assembly		Note 1
371394-5	(2)	(2)	(2)	(2)	Fuel Flange Assembly		Note 1
371425-1	(6)	(6)	(6)	(6)	Support Angle		Note 1
371441-3	(1)	(1)	(1)	(1)	Fitting Assembly		Note 1
371465-1	(2)	(2)	(2)	(2)	Support Angle		Note 1
371466-1	(1)	(1)	(1)	(1)	Support Angle		Note 1
371484-1	(1)	(1)	(1)	(1)	Support Angle		Note 1
376111-1	(1)	(1)	(1)	(1)	Spacer		Note 1
376112-1	(1)	(1)	(1)	(1)	Spacer		Note 1
376113-1L	(1)	(1)	(1)	(1)	Bracket		Note 1
376114-3	(1)	(1)	(1)	(1)	Bracket		Note 1
376115-2L	(1)	(1)	(1)	(1)	Bracket		Note 1
376155-1L	(2)	(2)	(2)	(2)	Bracket		Note 1
390626-1	(1)	(1)	(1)	(1)	Bracket		Note 1
390626-3	(1)	(1)	(1)	(1)	Bracket		Note 1
390627-1	(1)	(1)	(1)	(1)	Bracket		Note 1
695733-1	(1)	(1)	(1)	(1)	Bladder Cell		Note 1
695734-3	(1)	(1)	(1)	(1)	Bladder Cell		Note 1
695735-1	(1)	(1)	(1)	(1)	Bladder Cell		Note 1
3362663-2	1	1	1	1	Fuel Cell Installation, Kit, consisting of:		Note 1
3362663 Rev. NC	(1)	(1)	(1)	(1)	Fuel Cell Installation, Kit Drawing		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
AN4-11A	(49)	(49)	(49)	(49)	Bolt		Note 1
AN4-12A	(45)	(45)	(45)	(45)	Bolt		Note 1
AN4-13A	(25)	(25)	(25)	(25)	Bolt		Note 1
AN4-14A	(3)	(3)	(3)	(3)	Bolt		Note 1
AN4-27A	(4)	(4)	(4)	(4)	Bolt		Note 1
AN4H10A	(4)	(4)	(4)	(4)	Bolt		Note 1
AN4H11A	(54)	(54)	(54)	(54)	Bolt		Note 1
AN4H5A	(22)	(22)	(22)	(22)	Bolt		Note 1
AN4H6A	(32)	(32)	(32)	(32)	Bolt		Note 1
KFN542-4	(12)	(12)	(12)	(12)	Nut		Note 1
MS21042-4	(126)	(126)	(126)	(126)	Nut		Note 1
MS29513-228	(4)	(4)	(4)	(4)	Packing		Note 1
MS29513-236	(3)	(3)	(3)	(3)	Packing		Note 1
MS29513-242	(24)	(24)	(24)	(24)	Packing		Note 1
MS29513-247	(10)	(10)	(10)	(10)	Packing		Note 1
NAS1149D0463H	(398)	(398)	(398)	(398)	Washer		Note 1
NAS1523-4F	(14)	(14)	(14)	(14)	Washer		Note 1
NAS1523-4H	(10)	(10)	(10)	(10)	Washer		Note 1
352655	(5)	(5)	(5)	(5)	Bracket		Note 1
371330-1	(2)	(2)	(2)	(2)	Gasket		Note 1
371358-1	(1)	(1)	(1)	(1)	Fitting Assembly		Note 1
371358-3	(1)	(1)	(1)	(1)	Fitting Assembly		Note 1
371392-3	(1)	(1)	(1)	(1)	Fuel Flange Assembly		Note 1
371393-5	(3)	(3)	(3)	(3)	Fuel Flange Assembly		Note 1
371394-5	(2)	(2)	(2)	(2)	Fuel Flange Assembly		Note 1
371425-1	(6)	(6)	(6)	(6)	Support Angle		Note 1
371441-3	(1)	(1)	(1)	(1)	Fitting Assembly		Note 1
371465-1	(2)	(2)	(2)	(2)	Support Angle		Note 1
371466-1	(1)	(1)	(1)	(1)	Support Angle		Note 1
371484-1	(1)	(1)	(1)	(1)	Support Angle		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
376111-1	(1)	(1)	(1)	(1)	Spacer		Note 1
376112-1	(1)	(1)	(1)	(1)	Spacer		Note 1
376113-1R	(1)	(1)	(1)	(1)	Bracket		Note 1
376114-4	(1)	(1)	(1)	(1)	Bracket		Note 1
376115-2R	(1)	(1)	(1)	(1)	Bracket		Note 1
376155-1R	(2)	(2)	(2)	(2)	Bracket		Note 1
390626-1	(1)	(1)	(1)	(1)	Bracket		Note 1
390626-3	(1)	(1)	(1)	(1)	Bracket		Note 1
390627-2	(1)	(1)	(1)	(1)	Bracket		Note 1
695733-2	(1)	(1)	(1)	(1)	Bladder Cell		Note 1
695734-4	(1)	(1)	(1)	(1)	Bladder Cell		Note 1
695735-2	(1)	(1)	(1)	(1)	Bladder Cell		Note 1
3362664-1	1	1	1	1	Board Installation - Fuel Cell Backing, Front Beam, Center Wing, Kit, consisting of:		Note 1
3362664 Rev. NC	(1)	(1)	(1)	(1)	Board Installation - Fuel Cell Backing, Front Beam, Center Wing, Kit Drawing		Note 1
MS21042-3	(23)	(23)	(23)	(23)	Nut		Note 1
NAS1169-10L	(40)	(40)	(40)	(40)	Washer		Note 1
NAS514P1032-6P	(40)	(40)	(40)	(40)	Screw		Note 1
NAS603-10P	(32)	(32)	(32)	(32)	Screw		Note 1
NAS603-6P	(23)	(23)	(23)	(23)	Screw		Note 1
3354664-1	(1)	(1)	(1)	(1)	Attach Angle		Note 1
3354665-1	(1)	(1)	(1)	(1)	Attach Angle		Note 1
3354666-1	(1)	(1)	(1)	(1)	Attach Angle		Note 1
371221-1	(1)	(1)	(1)	(1)	Board		Note 1
371225-3	(1)	(1)	(1)	(1)	Board		Note 1
371238-3	(16)	(16)	(16)	(16)	Anchor		Note 1
371283-1	(1)	(1)	(1)	(1)	Board		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3362664-2	1	1	1	1	Board Installation - Fuel Cell Backing, Front Beam, Center Wing, Kit, consisting of:		Note 1
3362664 Rev. NC	(1)	(1)	(1)	(1)	Board Installation - Fuel Cell Backing, Front Beam, Center Wing, Kit Drawing		Note 1
MS21042-3	(23)	(23)	(23)	(23)	Nut		Note 1
NAS1169-10L	(40)	(40)	(40)	(40)	Washer		Note 1
NAS514P1032-6P	(40)	(40)	(40)	(40)	Screw		Note 1
NAS603-10P	(32)	(32)	(32)	(32)	Screw		Note 1
NAS603-6P	(23)	(23)	(23)	(23)	Screw		Note 1
3354664-2	(1)	(1)	(1)	(1)	Attach Angle		Note 1
3354665-2	(1)	(1)	(1)	(1)	Attach Angle		Note 1
3354666-2	(1)	(1)	(1)	(1)	Attach Angle		Note 1
371221-1	(1)	(1)	(1)	(1)	Board		Note 1
371225-3	(1)	(1)	(1)	(1)	Board		Note 1
371238-3	(16)	(16)	(16)	(16)	Anchor		Note 1
371283-1	(1)	(1)	(1)	(1)	Board		Note 1
3362665-1	1	1	1	1	Board Installation - Fuel Cell Backing, Lower Surface, Center Wing, Kit, consisting of:		Note 1
3362665 Rev. NC	(1)	(1)	(1)	(1)	Board Installation - Fuel Cell Backing, Lower Surface, Center Wing, Kit Drawing		Note 1
398917-11	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398917-14	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398918-23	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398918-26	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398919-1	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398920-1	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398921-29	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398921-32	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398921-6	(1)	(1)	(1)	(1)	Board Assembly		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
398921-7	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398922-1	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398923-1	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398924-1	(2)	(2)	(2)	(2)	Support Assembly		Note 1
398925-11	(2)	(2)	(2)	(2)	Support Assembly		Note 1
3362665-2	1	1	1	1	Board Installation - Fuel Cell Backing, Lower Surface, Center Wing, Kit, consisting of:		Note 1
3362665 Rev. NC	(1)	(1)	(1)	(1)	Board Installation - Fuel Cell Backing, Lower Surface, Center Wing, Kit Drawing		Note 1
398917-12	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398917-13	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398918-24	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398918-25	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398919-2	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398920-2	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398921-30	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398921-31	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398921-5	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398921-8	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398922-2	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398923-2	(1)	(1)	(1)	(1)	Board Assembly		Note 1
398924-1	(2)	(2)	(2)	(2)	Support Assembly		Note 1
398925-11	(2)	(2)	(2)	(2)	Support Assembly		Note 1
3362666-1	1	-	-	-	Duct Installation - Air Distribution, Kit, consisting of:		Note 1
3362666-3	-	1	1	1	Duct Installation - Air Distribution, Kit, consisting of:		Note 1
3362666 Rev. NC	(1)	(1)	(1)	(1)	Duct Installation - Air Distribution, Kit Drawing		Note 1
CB280-5.35-9	(2)	(2)	(2)	(2)	Coupling		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
CB280-7.00-9	(2)	(2)	(2)	(2)	Coupling		Note 1
CB280-8.00-9	(1)	(1)	(1)	(1)	Coupling		Note 1
LS607-8	(2)	(1)	(1)	(1)	Spacer		Note 1
LS881-6	(7)	(1)	(1)	(1)	Washer		Note 1
MS21042-3	(17)	(12)	(12)	(12)	Nut		Note 1
MS21043-3	-	(1)	(1)	(1)	Nut		Note 1
MS83413/8A004BB (M83413/8-A004BB)	(5)	(5)	(5)	(5)	Jumper		Note 1
NAS1149D0316H	(22)	(22)	(22)	(22)	Washer		Note 1
NAS1149D0363H	(6)	(11)	(11)	(11)	Washer		Note 1
NAS43DD3-64N	(4)	(4)	(4)	(4)	Spacer		Note 1
NAS43HT3-4	(2)	-	-	-	Spacer		Note 1
NAS603-10P	(6)	(6)	(6)	(6)	Screw		Note 1
NAS623-3-12	(22)	(22)	(22)	(22)	Screw		Note 1
NAS623-3-2	(2)	(1)	(1)	(1)	Screw		Note 1
NAS623-3-26	(4)	(4)	(4)	(4)	Screw		Note 1
NAS623-3-3	(7)	(3)	(3)	(3)	Screw		Note 1
NAS623-3-4	(2)	(6)	(6)	(6)	Screw		Note 1
NK102738-0988	-	(1)	(1)	(1)	Sleeve		Note 1
STK9000-883	(2)	(2)	(2)	(2)	Wire Lace (0.032-inch x 6 feet per item)		Note 1
3314723-1	-	(2)	(2)	(2)	Gasket		Note 1
3362667-1	1	1	1	1	Duct Installation - Trans Fuselage Bleed Air, Kit, consisting of:		Note 1
3362667 Rev. NC	(1)	(1)	(1)	(1)	Duct Installation - Trans Fuselage Bleed Air, Kit Drawing		Note 1
LS35345-04	(2)	(2)	(2)	(2)	Ring		Note 1
MS21042-3	(20)	(20)	(20)	(20)	Nut		Note 1
NAS1149G0332P	(20)	(20)	(20)	(20)	Washer		Note 1
NAS623-3-4	(20)	(20)	(20)	(20)	Screw		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NM103477-0400	(2)	(2)	(2)	(2)	Coupling		Note 1
NM115001-0250	(1)	(1)	(1)	(1)	Coupling		Note 1
NM115001-0400	(1)	(1)	(1)	(1)	Coupling		Note 1
QS200M80S	(2)	(2)	(2)	(2)	Clamp		Note 1
24346-250C	(1)	(1)	(1)	(1)	Gasket		Note 1
24346-400C	(1)	(1)	(1)	(1)	Gasket		Note 1
357950-1	(2)	(2)	(2)	(2)	Boot		Note 1
3362668-1	1	-	-	-	Duct Installation - Inner Wing Bleed Air, Kit, consisting of:		Note 1
3362668 Rev. NC	(1)	-	-	-	Duct Installation - Inner Wing Bleed Air, Kit Drawing		Note 1
AN23-13	(2)	-	-	-	Clevis Bolt		Note 1
AN25-13	(1)	-	-	-	Clevis Bolt		Note 1
AN316-4R	(2)	-	-	-	Nut		Note 1
AN320-3	(2)	-	-	-	Nut		Note 1
AN320-5	(1)	-	-	-	Nut		Note 1
AN737TW56	(2)	-	-	-	Clamp		Note 1
AS1503-05B0060	(1)	-	-	-	Hose		Note 1
LS35345-03	(1)	-	-	-	Ring		Note 1
LS35345-04	(2)	-	-	-	Ring		Note 1
MS20470AD4-4	(3)	-	-	-	Rivet		Note 1
MS21042-3	(18)	-	-	-	Nut		Note 1
MS24665-134	(3)	-	-	-	Pin		Note 1
MS27975-3	(2)	-	-	-	Clevis		Note 1
MS35214-44	(2)	-	-	-	Screw		Note 1
NAS1149C0332R	(8)	-	-	-	Washer		Note 1
NAS1149D0363H	(19)	-	-	-	Washer		Note 1
NAS623-3-2	(23)	-	-	-	Screw		Note 1
NAS623-3-9	(3)	-	-	-	Screw		Note 1
NM115001-0300	(5)	-	-	-	Coupling		Note 1
NM115001-0400	(4)	-	-	-	Coupling		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
312270 (00312270)	(3)	-	-	-	Gasket		Note 1
24346-300C	(2)	-	-	-	Gasket		Note 1
24346-400C	(4)	-	-	-	Gasket		Note 1
374983-1	(1)	-	-	-	Decal		Note 1
362668-2	1	-	-	-	Duct Installation - Inner Wing Bleed Air, Kit, consisting of:		Note 1
3362668 Rev. NC	(1)	-	-	-	Duct Installation - Inner Wing Bleed Air, Kit Drawing		Note 1
AN23-13	(2)	-	-	-	Clevis Bolt		Note 1
AN25-13	(1)	-	-	-	Clevis Bolt		Note 1
AN316-4R	(2)	-	-	-	Nut		Note 1
AN320-3	(2)	-	-	-	Nut		Note 1
AN320-5	(1)	-	-	-	Nut		Note 1
AN737TW56	(2)	-	-	-	Clamp		Note 1
AS1503-05B0060	(1)	-	-	-	Hose		Note 1
LS35345-03	(1)	-	-	-	Ring		Note 1
LS35345-04	(2)	-	-	-	Ring		Note 1
MS20470AD4-4	(3)	-	-	-	Rivet		Note 1
MS21042-3	(18)	-	-	-	Nut		Note 1
MS24665-134	(3)	-	-	-	Pin		Note 1
MS27975-3	(2)	-	-	-	Clevis		Note 1
MS35214-44	(2)	-	-	-	Screw		Note 1
NAS1149C0332R	(8)	-	-	-	Washer		Note 1
NAS1149D0363H	(19)	-	-	-	Washer		Note 1
NAS623-3-2	(23)	-	-	-	Screw		Note 1
NAS623-3-9	(3)	-	-	-	Screw		Note 1
NM115001-0300	(4)	-	-	-	Coupling		Note 1
NM115001-0400	(5)	-	-	-	Coupling		Note 1
312270 (00312270)	(3)	-	-	-	Gasket		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
24346-300C	(1)	-	-	-	Gasket		Note 1
24346-400C	(5)	-	-	-	Gasket		Note 1
374983-1	(1)	-	-	-	Decal		Note 1
3362668-3	-	1	1	1	Duct Installation - Inner Wing Bleed Air, Kit, consisting of:		Note 1
3362668 Rev. NC	-	(1)	(1)	(1)	Duct Installation - Inner Wing Bleed Air, Kit Drawing		Note 1
AS21919WCH04	-	(1)	(1)	(1)	Clamp		Note 1
AS21919WCH08	-	(1)	(1)	(1)	Clamp		Note 1
AS21919WCH14	-	(1)	(1)	(1)	Clamp		Note 1
AS5174-0404	-	(1)	(1)	(1)	Union		Note 1
AS5174J0404	-	(1)	(1)	(1)	Union		Note 1
AS5174J0804	-	(1)	(1)	(1)	Reducer		Note 1
AS5178-04	-	(1)	(1)	(1)	Nut		Note 1
AS5406-04	-	(1)	(1)	(1)	Union		Note 1
CR3523P4-04	-	(2)	(2)	(2)	Rivet		Note 1
LS35345-03	-	(1)	(1)	(1)	Ring		Note 1
LS35345-04	-	(2)	(2)	(2)	Ring		Note 1
LS607-12	-	(1)	(1)	(1)	Spacer		Note 1
MS21042-3	-	(26)	(26)	(26)	Nut		Note 1
MS21043-3	-	(4)	(4)	(4)	Nut		Note 1
MS35214-44	-	(2)	(2)	(2)	Screw		Note 1
MS35769-15	-	(1)	(1)	(1)	Gasket		Note 1
NAS1149C0332R	-	(24)	(24)	(24)	Washer		Note 1
NAS1149D0363H	-	(40)	(40)	(40)	Washer		Note 1
NAS43HT3-112	-	(5)	(5)	(5)	Spacer		Note 1
NAS603-14P	-	(1)	(1)	(1)	Screw		Note 1
NAS603-34P	-	(7)	(7)	(7)	Screw		Note 1
NAS603-8P	-	(5)	(5)	(5)	Screw		Note 1
NAS623-3-2	-	(23)	(23)	(23)	Screw		Note 1
NAS623-3-4	-	(4)	(4)	(4)	Screw		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NM115001-0300	-	(5)	(5)	(5)	Coupling		Note 1
NM115001-0400	-	(3)	(3)	(3)	Coupling		Note 1
TA102D02-06-16	-	(1)	(1)	(1)	Clip		Note 1
TA102D02-06-24	-	(1)	(1)	(1)	Clip		Note 1
312270 (00312270)	-	(3)	(3)	(3)	Gasket		Note 1
24346-300C	-	(2)	(2)	(2)	Gasket		Note 1
24346-400C	-	(3)	(3)	(3)	Gasket		Note 1
3311244-1	-	(1)	(1)	(1)	Insulator		Note 1
3311245-1	-	(1)	(1)	(1)	Insulator		Note 1
3362668-4	-	1	1	1	Duct Installation - Inner Wing Bleed Air, Kit, consisting of:		Note 1
3362668 Rev. NC	-	(1)	(1)	(1)	Duct Installation - Inner Wing Bleed Air, Kit Drawing		Note 1
AN970-3	-	(3)	(3)	(3)	Washer		Note 1
AS21919WCH08	-	(1)	(1)	(1)	Clamp		Note 1
AS21919WCH22	-	(1)	(1)	(1)	Clamp		Note 1
AS5174-0404	-	(1)	(1)	(1)	Union		Note 1
AS5174J0404	-	(1)	(1)	(1)	Union		Note 1
AS5178-04	-	(1)	(1)	(1)	Nut		Note 1
AS5406-04	-	(1)	(1)	(1)	Union		Note 1
LN1612-7	-	(1)	(1)	(1)	Nut		Note 1
LS35345-03	-	(1)	(1)	(1)	Ring		Note 1
LS35345-04	-	(2)	(2)	(2)	Ring		Note 1
MS20470AD5-9	-	(4)	(4)	(4)	Rivet		Note 1
MS21042-3	-	(26)	(26)	(26)	Nut		Note 1
MS21043-3	-	(19)	(19)	(19)	Nut		Note 1
MS35214-44	-	(2)	(2)	(2)	Screw		Note 1
MS35769-8	-	(1)	(1)	(1)	Gasket		Note 1
NAS1149C0332R	-	(24)	(24)	(24)	Washer		Note 1
NAS1149D0363H	-	(50)	(50)	(50)	Washer		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS1149F0363P	-	(5)	(5)	(5)	Washer		Note 1
NAS43HT3-10	-	(4)	(4)	(4)	Spacer		Note 1
NAS43HT3-112	-	(5)	(5)	(5)	Spacer		Note 1
NAS603-14P	-	(1)	(1)	(1)	Screw		Note 1
NAS603-34P	-	(7)	(7)	(7)	Screw		Note 1
NAS603-8P	-	(5)	(5)	(5)	Screw		Note 1
NAS623-3-2	-	(23)	(23)	(23)	Screw		Note 1
NAS623-3-4	-	(2)	(2)	(2)	Screw		Note 1
NAS623-3-5	-	(4)	(4)	(4)	Screw		Note 1
NAS623-3-6	-	(14)	(14)	(14)	Screw		Note 1
NAS623-3-8	-	(2)	(2)	(2)	Screw		Note 1
NM115001-0300	-	(4)	(4)	(4)	Coupling		Note 1
NM115001-0400	-	(4)	(4)	(4)	Coupling		Note 1
TA102D02-06-24	-	(1)	(1)	(1)	Clip		Note 1
312270 (00312270)	-	(3)	(3)	(3)	Gasket		Note 1
24346-300C	-	(1)	(1)	(1)	Gasket		Note 1
24346-400C	-	(4)	(4)	(4)	Gasket		Note 1
3311243-1	-	(2)	(2)	(2)	Insulator		Note 1
3311244-1	-	(1)	(1)	(1)	Insulator		Note 1
3311245-1	-	(1)	(1)	(1)	Insulator		Note 1
3311689-1	-	(1)	(1)	(1)	Washer		Note 1
3362669-1	1	1	1	1	Duct Installation - Empennage Bleed Air Supply, Kit, consisting of:		Note 1
3362669 Rev. NC	(1)	(1)	(1)	(1)	Duct Installation - Empennage Bleed Air Supply, Kit Drawing		Note 1
MS27039-1-12	(2)	(2)	(2)	(2)	Screw		Note 1
NAS549L10	(2)	(2)	(2)	(2)	Washer		Note 1
NM115001-0300	(2)	(2)	(2)	(2)	Coupling		Note 1
24346-300C	(2)	(2)	(2)	(2)	Gasket		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3336467-1	(1)	(1)	(1)	(1)	Duct Assembly		Note 1
346867-3	(2)	(2)	(2)	(2)	Gasket		Note 1
3362670-1	1	1	1	1	Hardboard Trim Installation - Cargo Compartment, Kit, consisting of:		Note 1
3362670 Rev. NC	(1)	(1)	(1)	(1)	Hardboard Trim Installation - Cargo Compartment, Kit Drawing		Note 1
BA90982	(71)	(71)	(71)	(71)	Disc		Note 1
MS21042-3	(15)	(15)	(15)	(15)	Nut		Note 1
NAS603-6P	(15)	(15)	(15)	(15)	Screw		Note 1
3362670-2	1	1	1	1	Hardboard Trim Installation - Cargo Compartment, Kit, consisting of:		Note 1
3362670 Rev. NC	(1)	(1)	(1)	(1)	Hardboard Trim Installation - Cargo Compartment, Kit Drawing		Note 1
BA90982	(71)	(71)	(71)	(71)	Disc		Note 1
MS21042-3	(15)	(15)	(15)	(15)	Nut		Note 1
NAS603-6P	(15)	(15)	(15)	(15)	Screw		Note 1
3362671-1	1	1	1	1	Insulation Installation - Center Wing, Kit, consisting of:		Note 1
3362671 Rev. NC	(1)	(1)	(1)	(1)	Insulation Installation - Center Wing, Kit Drawing		Note 1
MS27977-34N	(30)	(30)	(30)	(30)	Stud		Note 1
3337687-11	(1)	(1)	(1)	(1)	Blanket Assembly		Note 1
3337687-15	(1)	(1)	(1)	(1)	Blanket Assembly		Note 1
3337687-19	(1)	(1)	(1)	(1)	Blanket Assembly		Note 1
3337687-21	(1)	(1)	(1)	(1)	Blanket Assembly		Note 1
3337687-23	(1)	(1)	(1)	(1)	Blanket Assembly		Note 1
3337687-45	(3)	(3)	(3)	(3)	Strap Assembly		Note 1
3337687-47	(1)	(1)	(1)	(1)	Strap Assembly		Note 1
3337687-49	(2)	(2)	(2)	(2)	Strap Assembly		Note 1
3337687-51	(4)	(4)	(4)	(4)	Strap Assembly		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3337687-5	(1)	(1)	(1)	(1)	Blanket Assembly		Note 1
3337687-7	(1)	(1)	(1)	(1)	Blanket Assembly		Note 1
3337687-9	(1)	(1)	(1)	(1)	Blanket Assembly		Note 1
3362672-1	1	1	1	1	Conduit Installation - Electrical Wiring, LE Wing Sta 174.30-219.65, Kit, consisting of:		Note 1
3362672 Rev. NC	(1)	(1)	(1)	(1)	Conduit Installation - Electrical Wiring, LE Wing Sta 174.30-219.65, Kit Drawing		Note 1
LS35345-08	(1)	(1)	(1)	(1)	Seal		Note 1
LS962-8	(2)	(2)	(2)	(2)	Ferrule		Note 1
LS964-8	(2)	(2)	(2)	(2)	Nut		Note 1
LS965-10	(1)	(1)	(1)	(1)	Box Connector		Note 1
LS966-8	(2)	(2)	(2)	(2)	Coupling		Note 1
LS967-10	(1)	(1)	(1)	(1)	Nut		Note 1
LS967-8	(2)	(2)	(2)	(2)	Nut		Note 1
MS20427M3-4	(32)	(32)	(32)	(32)	Rivet		Note 1
MS20615-4M4	(4)	(4)	(4)	(4)	Rivet		Note 1
MS20615-4MP6	(32)	(32)	(32)	(32)	Rivet		Note 1
MS21042-3	(1)	(1)	(1)	(1)	Nut		Note 1
MS21059L3	(16)	(16)	(16)	(16)	Nut		Note 1
MS21919WH16	(1)	(1)	(1)	(1)	Clamp		Note 1
MS3420-6	(2)	(2)	(2)	(2)	Bushing		Note 1
NAS1149C0332R	(16)	(16)	(16)	(16)	Washer		Note 1
NAS1149D0363H	(1)	(1)	(1)	(1)	Washer		Note 1
NAS603-10P	(1)	(1)	(1)	(1)	Screw		Note 1
NAS603-6P	(2)	(2)	(2)	(2)	Screw		Note 1
NAS623-3-1	(16)	(16)	(16)	(16)	Screw		Note 1
10-305200-163	(2)	(2)	(2)	(2)	Adapter		Note 1
10-305200-183	(1)	(1)	(1)	(1)	Adapter		Note 1
370092-1	(1)	(1)	(1)	(1)	Ring		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
370094-1	(1)	(1)	(1)	(1)	Seal Retainer		Note 1
370097-2	(2)	(2)	(2)	(2)	Insulation Wrap		Note 1
370104-1	(1)	(1)	(1)	(1)	Support		Note 1
376527-1L	(1)	(1)	(1)	(1)	Fireseal Assembly		Note 1
376529-1	(1)	(1)	(1)	(1)	Cover Plate		Note 1
376569-1	(1)	(1)	(1)	(1)	Conduit		Note 1
3362672-2	1	1	1	1	Conduit Installation - Electrical Wiring, LE Wing Sta 174.30-219.65, Kit, consisting of:		Note 1
3362672 Rev. NC	(1)	(1)	(1)	(1)	Conduit Installation - Electrical Wiring, LE Wing Sta 174.30-219.65, Kit Drawing		Note 1
LS35345-08	(1)	(1)	(1)	(1)	Seal		Note 1
LS962-8	(2)	(2)	(2)	(2)	Ferrule		Note 1
LS964-8	(2)	(2)	(2)	(2)	Nut		Note 1
LS965-10	(1)	(1)	(1)	(1)	Box Connector		Note 1
LS966-8	(2)	(2)	(2)	(2)	Coupling		Note 1
LS967-10	(1)	(1)	(1)	(1)	Nut		Note 1
LS967-8	(2)	(2)	(2)	(2)	Nut		Note 1
MS20427M3-4	(32)	(32)	(32)	(32)	Rivet		Note 1
MS20615-4M4	(4)	(4)	(4)	(4)	Rivet		Note 1
MS20615-4MP6	(32)	(32)	(32)	(32)	Rivet		Note 1
MS21042-3	(1)	(1)	(1)	(1)	Nut		Note 1
MS21059L3	(16)	(16)	(16)	(16)	Nut		Note 1
MS21919WH16	(1)	(1)	(1)	(1)	Clamp		Note 1
MS3420-6	(2)	(2)	(2)	(2)	Bushing		Note 1
NAS1149C0332R	(16)	(16)	(16)	(16)	Washer		Note 1
NAS1149D0363H	(1)	(1)	(1)	(1)	Washer		Note 1
NAS603-10P	(1)	(1)	(1)	(1)	Screw		Note 1
NAS603-6P	(2)	(2)	(2)	(2)	Screw		Note 1
NAS623-3-1	(16)	(16)	(16)	(16)	Screw		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
10-305200-163	(2)	(2)	(2)	(2)	Adapter		Note 1
10-305200-183	(1)	(1)	(1)	(1)	Adapter		Note 1
370092-1	(1)	(1)	(1)	(1)	Ring		Note 1
370094-1	(1)	(1)	(1)	(1)	Seal Retainer		Note 1
370097-2	(2)	(2)	(2)	(2)	Insulation Wrap		Note 1
370104-1	(1)	(1)	(1)	(1)	Support		Note 1
376527-1R	(1)	(1)	(1)	(1)	Fireseal Assembly		Note 1
376529-1	(1)	(1)	(1)	(1)	Cover Plate		Note 1
376569-1	(1)	(1)	(1)	(1)	Conduit		Note 1
3362673-1	1	1	1	1	Controls Installation - Center Wing Replacement, Kit, consisting of:		Note 1
3362673 Rev. NC	(1)	(1)	(1)	(1)	Controls Installation-Center Wing Replacement, Kit Drawing		Note 1
AN174-13	(8)	(8)	(8)	(8)	Bolt		Note 1
AN23-10	(2)	(2)	(2)	(2)	Bolt		Note 1
AN23-11	(1)	(1)	(1)	(1)	Bolt		Note 1
AN23-12	(2)	(2)	(2)	(2)	Bolt		Note 1
AN23-13	(1)	(1)	(1)	(1)	Bolt		Note 1
AN23-13A	(1)	(1)	(1)	(1)	Bolt		Note 1
AN23-14	(2)	(2)	(2)	(2)	Bolt		Note 1
AN23-15A	(1)	(1)	(1)	(1)	Bolt		Note 1
AN23-16	(2)	(2)	(2)	(2)	Bolt		Note 1
AN23-16A	(3)	(3)	(3)	(3)	Bolt		Note 1
AN23-19	(1)	(1)	(1)	(1)	Bolt		Note 1
AN23-20A	(1)	(1)	(1)	(1)	Bolt		Note 1
AN23-21	(2)	(2)	(2)	(2)	Bolt		Note 1
AN23-22	(6)	(6)	(6)	(6)	Bolt		Note 1
AN23-25	(3)	(3)	(3)	(3)	Bolt		Note 1
AN23-8	(7)	(7)	(7)	(7)	Bolt		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
AN23-9	(4)	(4)	(4)	(4)	Bolt		Note 1
AN24-22	(2)	(2)	(2)	(2)	Bolt		Note 1
AN310-8	(4)	(4)	(4)	(4)	Nut		Note 1
AN320-3	(1)	(1)	(1)	(1)	Nut		Note 1
FL3C6-3	(8)	(8)	(8)	(8)	Fairlead		Note 1
HLT114-6-7	(8)	(8)	(8)	(8)	Pin		Note 1
H52207P3	(8)	(8)	(8)	(8)	Nut		Note 1
KFN542-3	(1)	(1)	(1)	(1)	Nut		Note 1
K52207P06	(8)	(8)	(8)	(8)	Base		Note 1
LS15906E6F11	(1)	(1)	(1)	(1)	Rivet		Note 1
LS35046-02	(4)	(4)	(4)	(4)	Guard Pin		Note 1
LS35046-04	(8)	(8)	(8)	(8)	Pulley Guard		Note 1
LS35340-1	(16)	(16)	(16)	(16)	Fire Seal		Note 1
LS35345-06	(2)	(2)	(2)	(2)	Ring		Note 1
LS35345-07	(2)	(2)	(2)	(2)	Ring		Note 1
LS35345-09	(2)	(2)	(2)	(2)	Ring		Note 1
LS3859-4-14	(2)	(2)	(2)	(2)	Bushing		Note 1
LS6061-416L	(1)	(1)	(1)	(1)	Washer		Note 1
MS17825-3	(19)	(19)	(19)	(19)	Nut		Note 1
MS17825-4	(3)	(3)	(3)	(3)	Nut		Note 1
MS17826-10	(1)	(1)	(1)	(1)	Nut		Note 1
MS17826-3	(8)	(8)	(8)	(8)	Nut		Note 1
MS17826-4	(2)	(2)	(2)	(2)	Nut		Note 1
MS17826-6	(2)	(2)	(2)	(2)	Nut		Note 1
MS20002-10	(1)	(1)	(1)	(1)	Washer		Note 1
MS20002-9	(16)	(16)	(16)	(16)	Washer		Note 1
MS20219-2	(2)	(2)	(2)	(2)	Pulley		Note 1
MS20219-4	(10)	(10)	(10)	(10)	Pulley		Note 1
MS21042-04	(4)	(4)	(4)	(4)	Nut		Note 1
MS21042-3	(95)	(95)	(95)	(95)	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS21042-4	(11)	(11)	(11)	(11)	Nut		Note 1
MS21047L3	(21)	(21)	(21)	(21)	Nut		Note 1
MS21047L4	(5)	(5)	(5)	(5)	Nut		Note 1
MS21051L3	(1)	(1)	(1)	(1)	Nut		Note 1
MS21224-8	(4)	(4)	(4)	(4)	Nut		Note 1
MS21251B2S	(6)	(6)	(6)	(6)	Turnbuckle Body		Note 1
MS21251B3L	(2)	(2)	(2)	(2)	Turnbuckle Body		Note 1
MS21254-2RS	(6)	(6)	(6)	(6)	Turnbuckle		Note 1
MS21256-1	(12)	(12)	(12)	(12)	Clip		Note 1
MS21256-2	(4)	(4)	(4)	(4)	Clip		Note 1
MS21299C4	(2)	(2)	(2)	(2)	Washer		Note 1
MS24665-132	(18)	(18)	(18)	(18)	Cotter Pin		Note 1
MS24665-134	(13)	(13)	(13)	(13)	Cotter Pin		Note 1
MS24665-136	(20)	(20)	(20)	(20)	Cotter Pin		Note 1
MS24665-285	(2)	(2)	(2)	(2)	Cotter Pin		Note 1
MS24665-289	(4)	(4)	(4)	(4)	Cotter Pin		Note 1
MS24665-357	(1)	(1)	(1)	(1)	Cotter Pin		Note 1
MS27039-1-12	(32)	(32)	(32)	(32)	Screw		Note 1
MS27039-1-13	(12)	(12)	(12)	(12)	Screw		Note 1
MS27039-1-14	(22)	(22)	(22)	(22)	Screw		Note 1
MS27039-1-16	(2)	(2)	(2)	(2)	Screw		Note 1
MS27039-1-19	(4)	(4)	(4)	(4)	Screw		Note 1
MS27039-1-21	(4)	(4)	(4)	(4)	Screw		Note 1
MS27576-8-24	(2)	(2)	(2)	(2)	Bolt		Note 1
MS27576-8-33	(2)	(2)	(2)	(2)	Bolt		Note 1
MS35206-214	(4)	(4)	(4)	(4)	Screw		Note 1
NAS1149DN432H	(4)	(4)	(4)	(4)	Washer		Note 1
NAS1149D0363H	(83)	(83)	(83)	(83)	Washer		Note 1
NAS1149D0463H	(23)	(23)	(23)	(23)	Washer		Note 1
NAS1149F0363P	(18)	(18)	(18)	(18)	Washer		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS1149F0663P	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1149G0332P	(37)	(37)	(37)	(37)	Washer		Note 1
NAS1149G0432P	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1149G0832P	(2)	(2)	(2)	(2)	Washer		Note 1
NAS1154-17D	(1)	(1)	(1)	(1)	Screw		Note 1
NAS1154-18D	(1)	(1)	(1)	(1)	Screw		Note 1
NAS1197-10	(56)	(56)	(56)	(56)	Washer		Note 1
NAS1197-416	(12)	(12)	(12)	(12)	Washer		Note 1
NAS1669-3-6	(4)	(4)	(4)	(4)	Blind Bolt		Note 1
NAS42HT6-10	(1)	(1)	(1)	(1)	Spacer		Note 1
NAS42HT6-12	(4)	(4)	(4)	(4)	Spacer		Note 1
NAS42HT6-16	(1)	(1)	(1)	(1)	Spacer		Note 1
NAS42HT6-8	(6)	(6)	(6)	(6)	Spacer		Note 1
NAS427W16	(4)	(4)	(4)	(4)	Pin		Note 1
NAS43DD3-8N	(2)	(2)	(2)	(2)	Spacer		Note 1
NAS517-3-10	(2)	(2)	(2)	(2)	Bolt		Note 1
NAS517-3-11	(4)	(4)	(4)	(4)	Bolt		Note 1
NAS517-3-12	(2)	(2)	(2)	(2)	Bolt		Note 1
NAS603-8P	(2)	(2)	(2)	(2)	Screw		Note 1
NAS6204-10	(3)	(3)	(3)	(3)	Bolt		Note 1
NAS6204-12	(2)	(2)	(2)	(2)	Bolt		Note 1
NAS6204-13	(4)	(4)	(4)	(4)	Bolt		Note 1
NAS6204-20D	(2)	(2)	(2)	(2)	Bolt		Note 1
NAS6204-4	(5)	(5)	(5)	(5)	Bolt		Note 1
NAS6204-52	(1)	(1)	(1)	(1)	Bolt		Note 1
NAS6206-20D	(1)	(1)	(1)	(1)	Bolt		Note 1
NAS6206-52D	(1)	(1)	(1)	(1)	Bolt		Note 1
NAS6210-44D	(1)	(1)	(1)	(1)	Bolt		Note 1
NAS623-3-1	(4)	(4)	(4)	(4)	Screw		Note 1
NAS623-3-10	(4)	(4)	(4)	(4)	Screw		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS623-3-11	(5)	(5)	(5)	(5)	Screw		Note 1
NAS623-3-12	(2)	(2)	(2)	(2)	Screw		Note 1
NAS623-3-2	(20)	(20)	(20)	(20)	Screw		Note 1
NAS623-3-22	(4)	(4)	(4)	(4)	Screw		Note 1
NAS623-3-24	(4)	(4)	(4)	(4)	Screw		Note 1
NAS623-3-3	(18)	(18)	(18)	(18)	Screw		Note 1
NAS623-3-4	(4)	(4)	(4)	(4)	Screw		Note 1
NAS623-3-5	(16)	(16)	(16)	(16)	Screw		Note 1
NAS623-3-6	(4)	(4)	(4)	(4)	Screw		Note 1
NAS623-3-7	(2)	(2)	(2)	(2)	Screw		Note 1
NAS623-3-8	(4)	(4)	(4)	(4)	Screw		Note 1
NAS623-3-9	(2)	(2)	(2)	(2)	Screw		Note 1
339075L	(3)	(3)	(3)	(3)	Lock		Note 1
339075R	(3)	(3)	(3)	(3)	Lock		Note 1
344987	(8)	(8)	(8)	(8)	Seal		Note 1
351635L	(2)	(2)	(2)	(2)	Lock		Note 1
351635R	(2)	(2)	(2)	(2)	Lock		Note 1
353472	(2)	(2)	(2)	(2)	Shim		Note 1
358340-1	(8)	(8)	(8)	(8)	Seal		Note 1
3362674-1	1	1	1	1	Plumbing Installation - Center Wing Replacement, Kit, consisting of:		Note 1
3362674 Rev. NC	(1)	(1)	(1)	(1)	Plumbing Installation - Center Wing Replacement, Kit Drawing		Note 1
AN929-5W	(2)	(2)	(2)	(2)	Cap Assembly		Note 1
AS1008W0406	(1)	(1)	(1)	(1)	Elbow		Note 1
AS1009F080408	(1)	(1)	(1)	(1)	Tee		Note 1
AS1010F0804	(1)	(1)	(1)	(1)	Elbow		Note 1
AS115-04-0120	(1)	(1)	(1)	(1)	Hose Assembly		Note 1
AS115-04-0130	(1)	(1)	(1)	(1)	Hose Assembly		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
AS21919WDG04	(7)	(7)	(7)	(7)	Clamp		Note 1
AS21919WDG06	(11)	(11)	(11)	(11)	Clamp		Note 1
AS21919WDG08	(1)	(1)	(1)	(1)	Clamp		Note 1
AS21919WDG11	(1)	(1)	(1)	(1)	Clamp		Note 1
AS3581-904	(3)	(3)	(3)	(3)	Packing		Note 1
AS3581-908	(9)	(9)	(9)	(9)	Packing		Note 1
AS5174W0404	(1)	(1)	(1)	(1)	Union		Note 1
AS5174W0606	(2)	(2)	(2)	(2)	Union		Note 1
AS5179-04	(2)	(2)	(2)	(2)	Nut		Note 1
AS5179-08	(2)	(2)	(2)	(2)	Nut		Note 1
AS5179W04	(1)	(1)	(1)	(1)	Nut		Note 1
AS5179W08	(2)	(2)	(2)	(2)	Nut		Note 1
AS5190W08	(1)	(1)	(1)	(1)	Elbow		Note 1
AS5192W08	(1)	(1)	(1)	(1)	Tee		Note 1
LS6-6-16-12-6-12 (LN2003DHGDG)	(2)	(2)	(2)	(2)	Clampblock		Note 1
LP9-8-12-6-12-16 (LN28000-1)	(1)	(1)	(1)	(1)	Clampblock		Note 1
LS35104HS022	(2)	(2)	(2)	(2)	Decal		Note 1
LS35318D06	(12)	(12)	(12)	(12)	Washer		Note 1
LS35470BE	(1)	(1)	(1)	(1)	Clampblock		Note 1
LS6-16-6-4-8-8	(2)	(2)	(2)	(2)	Clampblock		Note 1
LS607-12	(1)	(1)	(1)	(1)	Spacer		Note 1
LS607-16	(6)	(6)	(6)	(6)	Spacer		Note 1
LS607-28	(1)	(1)	(1)	(1)	Spacer		Note 1
LS607-32	(1)	(1)	(1)	(1)	Spacer		Note 1
LS607-38	(2)	(2)	(2)	(2)	Spacer		Note 1
LS607-48	(1)	(1)	(1)	(1)	Spacer		Note 1
MS20426AD3-4	(2)	(2)	(2)	(2)	Rivet		Note 1
MS21042-3	(27)	(27)	(27)	(27)	Nut		Note 1
MS21042-5	(3)	(3)	(3)	(3)	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS21047L3	(1)	(1)	(1)	(1)	Nut		Note 1
MS21902W6	(1)	(1)	(1)	(1)	Union		Note 1
MS21902W8	(2)	(2)	(2)	(2)	Union		Note 1
MS21907-4	(1)	(1)	(1)	(1)	Elbow		Note 1
MS21908-4	(1)	(1)	(1)	(1)	Elbow		Note 1
MS21908W8	(1)	(1)	(1)	(1)	Elbow		Note 1
MS21924-8	(1)	(1)	(1)	(1)	Union		Note 1
MS28773-04	(3)	(3)	(3)	(3)	Retainer		Note 1
MS28773-08	(4)	(4)	(4)	(4)	Retainer		Note 1
NAS1149D0363H	(28)	(28)	(28)	(28)	Washer		Note 1
NAS1149D0563H	(3)	(3)	(3)	(3)	Washer		Note 1
NAS603-14P	(12)	(12)	(12)	(12)	Screw		Note 1
NAS603-16P	(1)	(1)	(1)	(1)	Screw		Note 1
NAS603-18P	(4)	(4)	(4)	(4)	Screw		Note 1
NAS603-20P	(1)	(1)	(1)	(1)	Screw		Note 1
NAS603-22P	(1)	(1)	(1)	(1)	Screw		Note 1
NAS603-24P	(1)	(1)	(1)	(1)	Screw		Note 1
NAS603-30P	(6)	(6)	(6)	(6)	Screw		Note 1
NAS603-32P	(3)	(3)	(3)	(3)	Screw		Note 1
NAS603-34P	(1)	(1)	(1)	(1)	Screw		Note 1
NAS603-36P	(1)	(1)	(1)	(1)	Screw		Note 1
NAS603-8P	(2)	(2)	(2)	(2)	Screw		Note 1
NAS6205-30D	(3)	(3)	(3)	(3)	Bolt		Note 1
NAS623-3-30	(1)	(1)	(1)	(1)	Screw		Note 1
NAS623-3-8	(2)	(2)	(2)	(2)	Screw		Note 1
3337662-3	(1)	(1)	(1)	(1)	Support Assembly		Note 1
374707-1	(1)	(1)	(1)	(1)	Decal		Note 1
374708-1	(1)	(1)	(1)	(1)	Decal		Note 1
389114-5	(2)	(2)	(2)	(2)	Spacer		Note 1
789-6	(1)	(1)	(1)	(1)	Clamp		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3362675-1	1	-	-	-	Hydraulics Installation - MLG Wheel Well, Kit, consisting of:		Note 1
3362675 Rev. NC	(1)	-	-	-	Hydraulics Installation - Main Wheel Well, Kit Drawing		Note 1
AN4H6A	(4)	-	-	-	Bolt		Note 1
AS1008W0608	(1)	-	-	-	Elbow		Note 1
AS21919WDG08	(6)	-	-	-	Clamp		Note 1
AS3581-906	(1)	-	-	-	O-Ring		Note 1
AS3581-910	(4)	-	-	-	O-Ring		Note 1
AS5178W08	(4)	-	-	-	Nut		Note 1
AS5178W10	(2)	-	-	-	Nut		Note 1
AS5179W06	(1)	-	-	-	Nut		Note 1
AS5179W10	(3)	-	-	-	Nut		Note 1
LS607-14	(1)	-	-	-	Spacer		Note 1
LS607-40	(1)	-	-	-	Spacer		Note 1
MS20392-2C7	(1)	-	-	-	Pin		Note 1
MS21042-3	(11)	-	-	-	Nut		Note 1
MS21042-4	(8)	-	-	-	Nut		Note 1
MS21042-5	(4)	-	-	-	Nut		Note 1
MS21299-4	(12)	-	-	-	Washer		Note 1
MS21299-5	(4)	-	-	-	Washer		Note 1
MS21902W10	(1)	-	-	-	Union		Note 1
MS21905W8	(2)	-	-	-	Tee		Note 1
MS21907W8	(2)	-	-	-	Elbow		Note 1
MS21908W10	(5)	-	-	-	Elbow		Note 1
MS21924W8	(2)	-	-	-	Union		Note 1
MS24665-132	(1)	-	-	-	Cotter Pin		Note 1
MS28773-06	(1)	-	-	-	Retainer		Note 1
MS28773-10	(3)	-	-	-	Retainer		Note 1
NAS1149D0363H	(5)	-	-	-	Washer		Note 1
NAS1149D1490H	(4)	-	-	-	Washer		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS1149G0332P	(7)	-	-	-	Washer		Note 1
NAS1204-10	(1)	-	-	-	Screw		Note 1
NAS603-10P	(2)	-	-	-	Screw		Note 1
NAS603-36P	(1)	-	-	-	Screw		Note 1
NAS6204-10	(3)	-	-	-	Screw		Note 1
NAS623-3-20	(1)	-	-	-	Screw		Note 1
NAS623-3-22	(3)	-	-	-	Screw		Note 1
NAS623-3-32	(4)	-	-	-	Screw		Note 1
3362675-3	1	1	1	1	Hydraulics Installation - MLG Wheel Well, Kit, consisting of:		Note 1
3362675 Rev. NC	(1)	(1)	(1)	(1)	Hydraulics Installation - Main Wheel Well, Kit Drawing		Note 1
AN4H6A	(4)	(4)	(4)	(4)	Bolt		Note 1
AS1003F100410	(2)	(2)	(2)	(2)	Tee		Note 1
AS21919WDG10	(1)	(1)	(1)	(1)	Clamp		Note 1
AS3581-904	(2)	(2)	(2)	(2)	O-Ring		Note 1
AS3581-906	(1)	(1)	(1)	(1)	O-Ring		Note 1
AS3581-910	(4)	(4)	(4)	(4)	O-Ring		Note 1
AS5169J04L	(1)	(1)	(1)	(1)	Plug		Note 1
AS5178W10	(2)	(2)	(2)	(2)	Nut		Note 1
AS5179-04	(1)	(1)	(1)	(1)	Nut		Note 1
AS5179W06	(1)	(1)	(1)	(1)	Nut		Note 1
AS5179W10	(4)	(4)	(4)	(4)	Nut		Note 1
LS35470FD	(2)	(2)	(2)	(2)	Clampblock		Note 1
LS35470FF	(1)	(1)	(1)	(1)	Clampblock		Note 1
LS35472BDFF	(1)	(1)	(1)	(1)	Clampblock		Note 1
MS20392-2C7	(1)	(1)	(1)	(1)	Pin		Note 1
MS20470AD5-7	(6)	(6)	(6)	(6)	Rivet		Note 1
MS21042-3	(10)	(10)	(10)	(10)	Nut		Note 1
MS21042-4	(8)	(8)	(8)	(8)	Nut		Note 1
MS21042-5	(4)	(4)	(4)	(4)	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
MS21299-4	(12)	(12)	(12)	(12)	Washer		Note 1
MS21299-5	(4)	(4)	(4)	(4)	Washer		Note 1
MS21902W10	(2)	(2)	(2)	(2)	Union		Note 1
MS21902W6	(1)	(1)	(1)	(1)	Union		Note 1
MS21908W10	(4)	(4)	(4)	(4)	Elbow		Note 1
MS21908W6	(1)	(1)	(1)	(1)	Elbow		Note 1
MS21911-4	(1)	(1)	(1)	(1)	Tee		Note 1
MS24665-132	(1)	(1)	(1)	(1)	Cotter Pin		Note 1
MS28773-04	(1)	(1)	(1)	(1)	Retainer		Note 1
MS28773-06	(1)	(1)	(1)	(1)	Retainer		Note 1
MS28773-10	(4)	(4)	(4)	(4)	Retainer		Note 1
NAS1149D0363H	(8)	(8)	(8)	(8)	Washer		Note 1
NAS1149D1490H	(4)	(4)	(4)	(4)	Washer		Note 1
NAS1149G0332P	(9)	(9)	(9)	(9)	Washer		Note 1
NAS1204-10	(1)	(1)	(1)	(1)	Screw		Note 1
NAS603-28P	(5)	(5)	(5)	(5)	Screw		Note 1
NAS603-8P	(1)	(1)	(1)	(1)	Screw		Note 1
NAS6204-10	(3)	(3)	(3)	(3)	Screw		Note 1
NAS623-3-20	(1)	(1)	(1)	(1)	Screw		Note 1
NAS623-3-22	(3)	(3)	(3)	(3)	Screw		Note 1
NAS623-3-32	(4)	(4)	(4)	(4)	Screw		Note 1
3362675-5	-	1	1	1	Hydraulics Installation - MLG Wheel Well, Kit, consisting of:		Note 1
3362675 Rev. NC	-	(1)	(1)	(1)	Hydraulics Installation - Main Wheel Well, Kit Drawing		Note 1
AN4H6A	-	(4)	(4)	(4)	Bolt		Note 1
AS1008W0608	-	(1)	(1)	(1)	Elbow		Note 1
AS21919WDG08	-	(9)	(9)	(9)	Clamp		Note 1
AS3581-906	-	(1)	(1)	(1)	O-Ring		Note 1
AS3581-910	-	(4)	(4)	(4)	O-Ring		Note 1
AS5174W0808	-	(1)	(1)	(1)	Union		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
AS5178W08	-	(6)	(6)	(6)	Nut		Note 1
AS5178W10	-	(2)	(2)	(2)	Nut		Note 1
AS5179W06	-	(1)	(1)	(1)	Nut		Note 1
AS5179W10	-	(3)	(3)	(3)	Nut		Note 1
AS5406W08	-	(2)	(2)	(2)	Union		Note 1
LS607-14	-	(1)	(1)	(1)	Spacer		Note 1
LS607-24	-	(2)	(2)	(2)	Spacer		Note 1
LS607-40	-	(1)	(1)	(1)	Spacer		Note 1
MS20392-2C7	-	(1)	(1)	(1)	Pin		Note 1
MS21042-3	-	(13)	(13)	(13)	Nut		Note 1
MS21042-4	-	(8)	(8)	(8)	Nut		Note 1
MS21042-5	-	(4)	(4)	(4)	Nut		Note 1
MS21299-4	-	(12)	(12)	(12)	Washer		Note 1
MS21299-5	-	(4)	(4)	(4)	Washer		Note 1
MS21902W10	-	(1)	(1)	(1)	Union		Note 1
MS21905W8	-	(2)	(2)	(2)	Tee		Note 1
MS21907W8	-	(2)	(2)	(2)	Elbow		Note 1
MS21908W10	-	(5)	(5)	(5)	Elbow		Note 1
MS21924W8	-	(2)	(2)	(2)	Union		Note 1
MS24665-132	-	(1)	(1)	(1)	Cotter Pin		Note 1
MS28773-06	-	(1)	(1)	(1)	Retainer		Note 1
MS28773-10	-	(3)	(3)	(3)	Retainer		Note 1
NAS1149D0363H	-	(9)	(9)	(9)	Washer		Note 1
NAS1149D1490H	-	(4)	(4)	(4)	Washer		Note 1
NAS1149G0332P	-	(7)	(7)	(7)	Washer		Note 1
NAS1204-10	-	(1)	(1)	(1)	Screw		Note 1
NAS603-20P	-	(2)	(2)	(2)	Screw		Note 1
NAS603-38P	-	(1)	(1)	(1)	Screw		Note 1
NAS603-8P	-	(2)	(2)	(2)	Screw		Note 1
NAS6204-10	-	(3)	(3)	(3)	Screw		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
NAS623-3-20	-	(1)	(1)	(1)	Screw		Note 1
NAS623-3-22	-	(3)	(3)	(3)	Screw		Note 1
NAS623-3-32	-	(4)	(4)	(4)	Screw		Note 1
3362676-1	1	1	1	1	Accelerometer Installation - Flight Recorder, Kit, consisting of:		Note 1
3362676 Rev. NC	(1)	(1)	(1)	(1)	Accelerometer Installation - Flight Recorder, Kit Drawing		Note 1
MS20470AD5-7	(6)	(6)	(6)	(6)	Rivet		Note 1
MS21042-08	(4)	(4)	(4)	(4)	Nut		Note 1
NAS623-2-4	(4)	(4)	(4)	(4)	Screw		Note 1
3362904-1	Ref	Ref	Ref	Ref	Center Wing Structure Installation, Kit, consisting of:		Note 1
3362904 Rev. NC	1	1	1	1	Center Wing Structure Installation, Kit Drawing		Note 1
3361576-1	1	1	1	1	Strap - Side, Wing to Fus Attach Angle		Note 1
3361576-2	1	1	1	1	Strap - Side, Wing to Fus Attach Angle		Note 1
3361026-3	1	1	1	1	Attach Angle Installation - Wing to Fuselage, Wing Sta 61.625 Kit, consisting of:		Note 1
3361026 Rev. D	(1)	(1)	(1)	(1)	Attach Angle Installation - Wing to Fuselage, Wing Station 61.625, Kit Drawing		Note 1
HLT114-6-11	(1)	(1)	(1)	(1)	Pin		Note 1
HLT114-6-12	(24)	(24)	(24)	(24)	Pin		Note 1
HLT114-6-13	(8)	(8)	(8)	(8)	Pin		Note 1
HLT114-6-14	(38)	(38)	(38)	(38)	Pin		Note 1
HLT114-6-15	(10)	(10)	(10)	(10)	Pin		Note 1
HLT114-6-16	(40)	(40)	(40)	(40)	Pin		Note 1
HLT114-6-17	(8)	(8)	(8)	(8)	Pin		Note 1
HLT114-6-18	(14)	(14)	(14)	(14)	Pin		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
HLT114-6-19	(8)	(8)	(8)	(8)	Pin		Note 1
HLT114-6-20	(4)	(4)	(4)	(4)	Pin		Note 1
HLT114-6-9	(1)	(1)	(1)	(1)	Pin		Note 1
HLT114-8-14	(1)	(1)	(1)	(1)	Pin		Note 1
HLT114-8-15	(1)	(1)	(1)	(1)	Pin		Note 1
HLT114-8-17	(1)	(1)	(1)	(1)	Pin		Note 1
HLT114-8-18	(1)	(1)	(1)	(1)	Pin		Note 1
HLT114-8-20	(2)	(2)	(2)	(2)	Pin		Note 1
HLT115-6-16	(8)	(8)	(8)	(8)	Pin		Note 1
HLT115-8-16	(2)	(2)	(2)	(2)	Pin		Note 1
HLT116-12-26	(1)	(1)	(1)	(1)	Pin		Note 1
HLT116-8-20	(2)	(2)	(2)	(2)	Pin		Note 1
HLT116-8-21	(2)	(2)	(2)	(2)	Pin		Note 1
KFN542-3	(164)	(164)	(164)	(164)	Nut		Note 1
KFN542-4	(14)	(14)	(14)	(14)	Nut		Note 1
KFN542-6	(1)	(1)	(1)	(1)	Nut		Note 1
3361026-4	1	1	1	1	Attach Angle Installation - Wing to Fuselage, Wing Sta 61.625 Kit, consisting of:		Note 1
3361026 Rev. D	(1)	(1)	(1)	(1)	Attach Angle Installation - Wing to Fuselage, Wing Station 61.625, Kit Drawing		Note 1
HLT114-6-11	(1)	(1)	(1)	(1)	Pin		Note 1
HLT114-6-12	(24)	(24)	(24)	(24)	Pin		Note 1
HLT114-6-13	(8)	(8)	(8)	(8)	Pin		Note 1
HLT114-6-14	(38)	(38)	(38)	(38)	Pin		Note 1
HLT114-6-15	(10)	(10)	(10)	(10)	Pin		Note 1
HLT114-6-16	(40)	(40)	(40)	(40)	Pin		Note 1
HLT114-6-17	(8)	(8)	(8)	(8)	Pin		Note 1
HLT114-6-18	(14)	(14)	(14)	(14)	Pin		Note 1
HLT114-6-19	(8)	(8)	(8)	(8)	Pin		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
HLT114-6-20	(4)	(4)	(4)	(4)	Pin		Note 1
HLT114-6-9	(1)	(1)	(1)	(1)	Pin		Note 1
HLT114-8-14	(1)	(1)	(1)	(1)	Pin		Note 1
HLT114-8-15	(1)	(1)	(1)	(1)	Pin		Note 1
HLT114-8-17	(1)	(1)	(1)	(1)	Pin		Note 1
HLT114-8-18	(1)	(1)	(1)	(1)	Pin		Note 1
HLT114-8-20	(2)	(2)	(2)	(2)	Pin		Note 1
HLT115-6-16	(8)	(8)	(8)	(8)	Pin		Note 1
HLT115-8-16	(2)	(2)	(2)	(2)	Pin		Note 1
HLT116-12-26	(1)	(1)	(1)	(1)	Pin		Note 1
HLT116-8-20	(2)	(2)	(2)	(2)	Pin		Note 1
HLT116-8-21	(2)	(2)	(2)	(2)	Pin		Note 1
KFN542-3	(164)	(164)	(164)	(164)	Nut		Note 1
KFN542-4	(14)	(14)	(14)	(14)	Nut		Note 1
KFN542-6	(1)	(1)	(1)	(1)	Nut		Note 1
3362202-1	1	1	1	1	Doubler Installation-Firewall, Upper, No. 2 & 3 Nacelle, Kit, consisting of:		Note 1
3362202 Rev. NC	(1)	(1)	(1)	(1)	Doubler Installation - Firewall, Upper, No. 2 & 3 Nacelle, Kit Drawing		Note 1
MS20615-4M4	(14)	(14)	(14)	(14)	Rivet		Note 1
MS20615-6M5	(4)	(4)	(4)	(4)	Rivet		Note 1
3362205-1	(2)	(2)	(2)	(2)	Doubler		Note 1
3362203-1	1	1	1	1	Support Installation-Plumbing, Nacelle No. 2 & 3 Dry Bay, Kit, consisting of:		Note 1
3362203 Rev. NC	(1)	(1)	(1)	(1)	Support Installation - Plumbing Nacelle No. 2 & 3 Dry Bay, Kit Drawing		Note 1
HLT114-6-3	(10)	(10)	(10)	(10)	Pin		Note 1
HLT124-6-4	(15)	(15)	(15)	(15)	Pin		Note 1
KFN542-3	(25)	(25)	(25)	(25)	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
LS35176CC06H	(15)	(15)	(15)	(15)	Washer		Note 1
371436-3	(1)	(1)	(1)	(1)	Bracket		Note 1
373655-3	(1)	(1)	(1)	(1)	Bracket		Note 1
373667-3	(1)	(1)	(1)	(1)	Bracket		Note 1
373668-3	(1)	(1)	(1)	(1)	Bracket		Note 1
3362203-3	1	1	1	1	Support Installation-Plumbing, Nacelle No. 2 & 3 Dry Bay, Kit, consisting of:		Note 1
3362203 Rev. NC	(1)	(1)	(1)	(1)	Support Installation - Plumbing Nacelle No. 2 & 3 Dry Bay, Kit Drawing		Note 1
351968-3	(1)	(1)	(1)	(1)	Support		Note 1
373655-3	(1)	(1)	(1)	(1)	Bracket		Note 1
373657-3	(1)	(1)	(1)	(1)	Bracket		Note 1
373658-3	(1)	(1)	(1)	(1)	Bracket		Note 1
373677-3	(1)	(1)	(1)	(1)	Bracket		Note 1
373692-3	(1)	(1)	(1)	(1)	Doubler		Note 1
HLT114-6-3	(6)	(6)	(6)	(6)	Pin		Note 1
HLT114-6-4	(8)	(8)	(8)	(8)	Pin		Note 1
HLT124-6-4	(16)	(16)	(16)	(16)	Pin		Note 1
HLT124-6-5	(1)	(1)	(1)	(1)	Pin		Note 1
HLT124-6-6	(3)	(3)	(3)	(3)	Pin		Note 1
KFN542-3	(34)	(34)	(34)	(34)	Nut		Note 1
LS35176CC06H	(20)	(20)	(20)	(20)	Washer		Note 1
3362683-1	1	1	1	1	Front Beam Doubler Installation, Kit, consisting of:		Note 1
3362683 Rev. NC	(1)	(1)	(1)	(1)	Front Beam Doubler Installation, Kit Drawing		Note 1
MS20470D6-3	(8)	(8)	(8)	(8)	Rivet		Note 1
3327867-7	(1)	(1)	(1)	(1)	Doubler		Note 1
3362684-1	1	1	1	1	Support Installation-Trailing Edge, Kit, consisting of:		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3362684 Rev. NC	(1)	(1)	(1)	(1)	Support Installation - Trailing Edge, Kit Drawing		Note 1
HLT124-6-5	(120)	(120)	(120)	(120)	Pin		Note 1
HLT124-6-6	(10)	(10)	(10)	(10)	Pin		Note 1
HLT124-6-7	(12)	(12)	(12)	(12)	Pin		Note 1
HLT124-6-8	(10)	(10)	(10)	(10)	Pin		Note 1
KFN542-3	(152)	(152)	(152)	(152)	Nut		Note 1
LS15906E6F10	(7)	(7)	(7)	(7)	Rivet		Note 1
LS15906E6F11	(17)	(17)	(17)	(17)	Rivet		Note 1
LS35176CC06H	(152)	(152)	(152)	(152)	Washer		Note 1
MS21042-4	(8)	(8)	(8)	(8)	Nut (Aircraft 4590 & 4606 Only)		Note 1
NAS1149D0463H	(8)	(8)	(8)	(8)	Washer (Aircraft 4590 & 4606 Only)		Note 1
NAS623-4-5	(8)	(8)	(8)	(8)	Screw (Aircraft 4590 & 4606 Only)		Note 1
3302408-7	(1)	(1)	(1)	(1)	Cover Plate (Aircraft 4590 & 4606 Only)		Note 1
3352440-1	(2)	(2)	(2)	(2)	Filler		Note 1
3361192-5	(1)	(1)	(1)	(1)	Cover		Note 1
3361878-1	(2)	(2)	(2)	(2)	Doubler		Note 1
389701-1	(1)	(1)	(1)	(1)	Doubler		Note 1
389702-1	(1)	(1)	(1)	(1)	Spacer		Note 1
371318-13	(1)	(1)	(1)	(1)	Support Installation (Not Required for Aircraft 4590 & 4606), consisting of:		Note 1
371318 Rev. M	[1]	[1]	[1]	[1]	Support Installation - Plumbing, CS Wing Trailing Edge Drawing		Note 1
LS5998R6-12 (LS5998A6-12)	[4]	[4]	[4]	[4]	Bracket		Note 1
LS5998R6-16 (LS5998A6-16)	[1]	[1]	[1]	[1]	Bracket		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
344312-1	Ref	Ref	Ref	Ref	Duct Installation - Air Conditioning, consisting of:		Note 1
344312 Rev. G	1	1	1	1	Duct Installation - Air Conditioning Drawing		Note 1
HLT114-6-8	23	23	23	23	Pin		Note 1
KFN542-3	23	23	23	23	Nut		Note 1
MS20615-4M3 (NAS508M4-3)	24	24	24	24	Rivet		Note 1
NAS603-16P (NAS603-16)	12	12	12	12	Screw		Note 1
344312-13	1	1	1	1	Ring		Note 1
344312-7	1	1	1	1	Duct		Note 1
344313	1	1	1	1	Retainer		Note 1
344314	1	1	1	1	Gasket		Note 1
344424-3	Ref	Ref	Ref	Ref	Duct Installation - Control Cables, consisting of:		Note 1
344424 Rev. F	1	1	1	1	Duct Installation - Control Cables Drawing		Note 1
HLT114-6-6	15	15	15	15	Pin		Note 1
KFN542-3	15	15	15	15	Nut		Note 1
NAS623-3-10	32	32	32	32	Screw		Note 1
344424-10	1	1	1	1	Duct Assembly		Note 1
344424-13	1	1	1	1	Ring		Note 1
344424-15	1	1	1	1	Retainer		Note 1
344425-1	1	1	1	1	Gasket		Note 1
344557-1	Ref	Ref	Ref	Ref	Duct Installation - Empennage Anti-Icing, consisting of:		Note 1
344557 Rev. E	1	1	1	1	Duct Installation - Empennage Anti-Icing Drawing		Note 1
NAS603-14P (AN520-10R14)	10	10	10	10	Screw		Note 1
HLT114-6-6	20	20	20	20	Pin		Note 1
KFN542-3	20	20	20	20	Nut		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
344557-6	1	1	1	1	Duct Assembly		Note 1
344558	1	1	1	1	Gasket		Note 1
344560	1	1	1	1	Retainer		Note 1
344566-3	Ref	Ref	Ref	Ref	Duct Installation - Control Cables, consisting of:		Note 1
344566 Rev. G	1	1	1	1	Duct Installation - Control Cables Drawing		Note 1
HLT114-6-8	21	21	21	21	Pin		Note 1
KFN542-3	21	21	21	21	Nut		Note 1
NAS623-3-12	18	18	18	18	Screw		Note 1
344566-6	1	1	1	1	Filler		Note 1
344566-7	1	1	1	1	Duct Assembly		Note 1
344567-1	1	1	1	1	Gasket		Note 1
344568-3	1	1	1	1	Ring		Note 1
388993-5	Ref	Ref	Ref	Ref	Duct Installation - Electrical Wiring Center Wing Station 45.0R, consisting of:		Note 1
388993 Rev. E	1	1	1	1	Duct Installation - Electrical Wiring Center Wing Station 42.0R Drawing		Note 1
HLT114-6-8	24	24	24	24	Pin		Note 1
KFN542-3	24	24	24	24	Nut		Note 1
NAS603-13P (NAS603-13)	12	12	12	12	Screw		Note 1
389026-1	1	1	1	1	Retainer		Note 1
389029-1	1	1	1	1	Gasket		Note 1
389032-3	1	1	1	1	Ring		Note 1
389033-1	1	1	1	1	Duct Assembly		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

B. The following parts are provided as Kits E, F, G, H, I, and J under ECP 07-00082. Refer to Paragraph 1.A for specific aircraft effectivity:

NOTE: A number in parenthesis following a part number in the parts list is either a superseded part number, or a specification number.

NOTE: Drawings and diagrams have been listed with the most recent revision. However, superseding revisions may be packed in the Kit.

NEW PART NUMBER	QUANTITY						KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
	Kit E	Kit F	Kit G	Kit H	Kit I	Kit J			
3362900-9	Ref	-	-	-	-	-	Top Kit - Bar Fittings (382G-31C), consisting of:		Note 1
3362900-11	-	Ref	-	-	-	-	Top Kit - Bar Fittings (382G-35C), consisting of:		Note 1
3362900-13	-	-	Ref	-	-	-	Top Kit - Bar Fittings (382G-38C), consisting of:		Note 1
3362900-15	-	-	-	Ref	-	-	Top Kit - Bar Fittings (382G-69C), consisting of:		Note 1
3362900-17	-	-	-	-	Ref	-	Top Kit - Fairing Replenishment, consisting of:		Note 1
3362900-19	-	-	-	-	-	Ref	Top Kit - Wing Box Structure, consisting of:		Note 1
3362900 Rev. B, PS B1	1	1	1	1	1	1	Top Kit - Center Wing Replacement, Lynden Air Cargo Drawing		Note 1
3305108-3	1	1	1	1	-	-	Bar - Longeron Splice, BL61.625, Fus Sta 477.0, Lower		Note 1
3305108-4	1	1	1	1	-	-	Bar - Longeron Splice, BL61.625, Fus Sta 477.0, Lower		Note 1
3305109-5	1	1	1	-	-	-	Bar - Longeron Splice, BL61.625, Fus Sta 477.0, Upper		Note 1
3305109-6	1	1	1	-	-	-	Bar - Longeron Splice, BL61.625, Fus Sta 477.0, Upper		Note 1
3305159-5	1	1	1	-	-	-	Bar - Longeron Splice, BL61.625, Fus Sta 617.0, Lower		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY						KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
	Kit E	Kit F	Kit G	Kit H	Kit I	Kit J			
3305159-6	1	1	1	-	-	-	Bar - Longeron Splice, BL61.625, Fus Sta 617.0, Lower		Note 1
3305160-5	1	1	1	-	-	-	Bar - Longeron Splice, BL61.625, Fus Sta 617.0, Upper		Note 1
3305160-6	1	1	1	-	-	-	Bar - Longeron Splice, BL61.625, Fus Sta 617.0, Upper		Note 1
3319710-1	-	-	-	1	-	-	Bar Fitting - Lower, BL61.625 Upper Longeron, FS617.00 Splice		Note 1
3319710-2	-	-	-	1	-	-	Bar Fitting - Lower, BL61.625 Upper Longeron, FS617.00 Splice		Note 1
3319711-1	-	-	-	1	-	-	Bar Fitting - Upper, BL61.625 Upper Longeron, FS617.00 Splice		Note 1
3319711-2	-	-	-	1	-	-	Bar Fitting - Upper, BL61.625 Upper Longeron, FS617.00 Splice		Note 1
3319720-1	-	-	-	1	-	-	Bar Fitting - Upper, BL61.625 Upper Longeron, FS477.00 Splice		Note 1
3319720-2	-	-	-	1	-	-	Bar Fitting - Upper, BL61.625 Upper Longeron, FS477.00 Splice		Note 1
3361022-1	-	-	-	-	-	1	Center Wing Assembly - Complete		Note 1
363145-1L	-	-	-	-	1	-	Fairing Assembly - FS477-517		Note 1
363145-1R	-	-	-	-	1	-	Fairing Assembly - FS477-517		Note 1
363146-1	-	-	-	-	1	-	Fairing Assembly - FS477-517		Note 1
363186-1	-	-	-	-	1	-	Fairing Assembly - FS597-617		Note 1
363187-1L	-	-	-	-	1	-	Fairing Assembly - FS597-617		Note 1
363187-1R	-	-	-	-	1	-	Fairing Assembly - FS597-617		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

C. The following components, required to modify each aircraft listed in Paragraph 1.A. were removed from 3362100-1 Center Wing Assembly - Conversion and prepared for shipment separately under ECP 07-00082. The removed components shall accompany their associated wing box when delivered.

To facilitate shipping identification, several “shipping subassemblies” shall be identified. These assemblies are listed below and contain the components listed:

NEW PART NUMBER	QUANTITY	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
Nacelles - Shippable Subassemblies				
LH Nacelle, qty 1 per wing				
3363689-3	1	Shipping Assembly		Note 1
RH Nacelle, qty 1 per wing				
3363689-4	1	Shipping Assembly		Note 1
Nacelles - Loose				
AS1033-101010	4	Tee		Note 1
AS1038-1010	2	Elbow		Note 1
AS1040-0808	2	Elbow		Note 1
AS5174-1008	2	Reducer		Note 1
AS5178-08	2	Nut		Note 1
AS5178-10	8	Nut		Note 1
MS29512-10	8	Gasket		Note 1
NAS1149G1290P	4	Washer		Note 1
180-601003J0210	2	Hose Assembly		Note 1
3316451-93	1	Bulkhead Plate		Note 1
3316451-94	1	Bulkhead Plate		Note 1
341044L	1	Guide Assembly		Note 1
341044R	1	Guide Assembly		Note 1
343901-34	2	Tube Assembly		Note 1
343901-36	2	Tube Assembly		Note 1
343901-39	4	Tube Assembly		Note 1
346131-21	1	Tube Assembly		Note 1
346131-93	1	Tube Assembly		Note 1
361122-31	2	Nacelle		Note 1
370401-1	166	Washer		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
370570-1L	1	Rib Assembly		Note 1
370570-22	1	Rib Assembly		Note 1
370698-3	1	Nacelle Plate		Note 1
370698-4	1	Nacelle Plate		Note 1
371591-2	2	Plate Assembly		Note 1
371591-7	2	Plate Assembly		Note 1
373341-1L	1	Angle		Note 1
373341-1R	1	Angle		Note 1
695706-1	2	Blanket		Note 1
695706-10	2	Blanket		Note 1
695706-11	2	Blanket		Note 1
695706-13	2	Blanket		Note 1
695706-15	2	Blanket		Note 1
695706-16	2	Blanket		Note 1
695706-17	2	Blanket		Note 1
695706-18	2	Blanket		Note 1
695706-19	2	Blanket		Note 1
695706-2	2	Blanket		Note 1
695706-21	2	Blanket		Note 1
695706-22	2	Blanket		Note 1
695706-3	2	Blanket		Note 1
695706-4	2	Blanket		Note 1
695706-5	2	Blanket		Note 1
695706-6	2	Blanket		Note 1
695706-7	2	Blanket		Note 1
695706-9	2	Blanket		Note 1
Drag Angle - Shippable Subassemblies				
LH Angle, qty 1 per wing				
3337825-3	1	Angle Assembly		Note 1
3337899-3	1	Spacer		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
370553-5	1	Shim		Note 1
RH Angle, qty 1 per wing				
3337825-4	1	Angle Assembly		Note 1
3337899-3	1	Spacer		Note 1
370553-5	1	Shim		Note 1
Drag Angle - Loose				
3337873-3	1	Strap		Note 1
3337873-4	1	Strap		Note 1
3339257-1	2	Filler		Note 1
WS 84 Rib - Shippable Subassemblies				
LH Rib, qty 1 per wing				
342557-6	1	Gusset		Note 1
342557-9	1	Gusset		Note 1
370569-13	1	Rib Assembly		Note 1
370663-25	1	Gusset		Note 1
370663-31	1	Gusset		Note 1
370663-33	1	Filler		Note 1
375337-1	1	Filler		Note 1
RH Rib, qty 1 per wing				
342557-6	1	Gusset		Note 1
342557-9	1	Gusset		Note 1
370569-14	1	Rib Assembly		Note 1
370663-25	1	Gusset		Note 1
370663-31	1	Gusset		Note 1
370663-33	1	Filler		Note 1
375337-1	1	Filler		Note 1
Liferaft Liner - Shippable Subassemblies				
LH Liner, qty 2 per wing				
3313897-13	2	Chafing Strip		Note 1
3313897-15	2	Chafing Strip		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3313897-17	2	Chafing Strip		Note 1
3313897-19	2	Chafing Strip		Note 1
3313897-21	2	Chafing Strip		Note 1
3313897-23	2	Chafing Strip		Note 1
3343213-1	2	Retainer		Note 1
3343213-3	2	Retainer		Note 1
3343214-1	2	Stiffener		Note 1
3343214-3	2	Stiffener		Note 1
3361769-3/-5	2	Liner		Note 1
341736-5	2	Fairlead Assembly		Note 1
367613-9	2	Stiffener		Note 1
RH Liner, qty 2 per wing				
3313897-13	2	Chafing Strip		Note 1
3313897-15	2	Chafing Strip		Note 1
3313897-17	2	Chafing Strip		Note 1
3313897-19	2	Chafing Strip		Note 1
3313897-21	2	Chafing Strip		Note 1
3313897-23	2	Chafing Strip		Note 1
3343213-2	2	Retainer		Note 1
3343213-4	2	Retainer		Note 1
3343214-2	2	Stiffener		Note 1
3343214-4	2	Stiffener		Note 1
3361769-4/-6	2	Liner		Note 1
341736-5	2	Fairlead Assembly		Note 1
367613-9	2	Stiffener		Note 1
Liferaft Liner - Loose				
LS5909C014-0648	4	Shim		Note 1
LS5909C028-0624	4	Shim		Note 1
3316507-1	4	Cable Assembly		Note 1
3316508-1	4	Pin		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
3316916-9	8	Sleeve		Note 1
3316919-1	4	Strap Assembly		Note 1
3316920-1	8	Strap Assembly		Note 1
3343215-1	4	Seal Assembly		Note 1
3343215-2	4	Seal Assembly		Note 1
3355959-7	4	Seal Assembly		Note 1
3361769-7	1	Seal		Note 1
3361769-8	1	Seal		Note 1
3361769-9	1	Seal		Note 1
3361769-10	1	Seal		Note 1
Front/Rear Beam - Loose				
3337690-1	4	Bracket Assembly		Note 1
389177-1	1	Wire Support		Note 1
390615-19	1	Fairing Assembly		Note 1
390615-20	1	Fairing Assembly		Note 1
Trailing Edge - Shippable Subassemblies				
LH Subassembly, 3361032-3, qty 1 per wing				
348276	2	Window		Note 1
RH Subassembly, 3361032-4, qty 1 per wing				
348276	2	Window		Note 1
Trailing Edge - Loose				
341412-35	2	Filler		Note 1
353512-1	2	Ring		Note 1
359823-1	2	Strap		Note 1
370020-3	4	Shim		Note 1
370020-4	4	Shim		Note 1
373328-3	2	Spring		Note 1
373328-4	2	Spring		Note 1
373329-5	1	Ring Fitting Assembly		Note 1
373329-6	1	Ring Fitting Assembly		Note 1

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

D. The following material, required to modify each aircraft listed in Paragraph 1.A., will be provided by the aircraft owner/operator:

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
AMS-S-8802	1	1	1	1	Sealing Compound, Class B (1/2 Pint)		Note 2
Ardrox 7050W	1	1	1	1	TPC Remover (55 Gallons)		Note 2
MIL-DTL-81706	1	1	1	1	Colored Chemical Film, Class I, Grade A (1 Pound)		Note 2
MIL-P-85582	1	1	1	1	Primer, Type I, Class 2 (1 Quart)		Note 2
MIL-PRF-81733	1	1	1	1	Sealing Compound, Type IV (1 Quart)		Note 2
MIL-PRF-85285	1	1	1	1	Polyurethane Enamel, Type I (1 Quart)		Note 2
(Proseal 700) MIL-S-38249	1	1	1	1	Firewall Sealing Compoutd (1 Quart)		Note 2
MIL-S-81733	1	1	1	1	Sealing Compound, Type IV (1 Quart)		Note 2
MIL-T-83483	1	1	1	1	Thread Lubricant, (1 Pound)		Note 2
Plastilease 334	1	1	1	1	Parting Agent (1 Quart)		Note 2
1099 (STK9000-134)	1	1	1	1	Cement - Vinyl Coated Trim (3 Quarts)		Note 2
MIL-A-5092 (STK9000-373)	1	1	1	1	Cement - Reclaim Rubber Base, Type I (1/2 Pint)		Note 2
MIL-C-81706 (STK9000-871)	1	1	1	1	Chemical Film Material (Colored) for Aluminum, Class 1A, Method A (1 Pound)		Note 2
STM40-106	1	1	1	1	Compound, Two-Part Hole Filling (1 Quart)		Note 2
STM40-112	1	1	1	1	Sealant, Class B-12 (1 Quart)		Note 2
TT-P-1757	1	1	1	1	Primer, Zinc Chromate, Color No. 34151 (4 Quarts) (MIL-PRF-23377, Type II, Class C2 Alternate)		Note 2
VV-P-236	1	1	1	1	Petrolatum (8 Ounces)		Note 2

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

E. The following parts will be removed in compliance with this Service Bulletin:

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
	2	2	2	2	Tee	DAA7-1057-1	Note 3
	2	-	-	-	Hose	LS4487-5A6	Note 3
	2	2	2	2	Hose Assembly	MS28741-10-0341	Note 3
	2	2	2	2	Hose Assembly	MS28741-24-0354	Note 3
	1	1	1	1	Hose Assembly	MS28762-4-0120	Note 3
	1	1	1	1	Hose Assembly	MS28762-4-0130	Note 3
	2	2	2	2	Hose Assembly	SR9800-16Z-0280	Note 3
	2	2	2	2	Hose Assembly	SR9800-6-0292	Note 3
	2	2	2	2	Hose Assembly	TR395800CC-10-0282	Note 3
	2	2	2	2	Pump (Aircraft 5025)	123510-010-01	Note 4
	2	2	2	2	Hose Assembly	180-601003J0210	Note 3
	2	2	2	2	Filler	3305107-3	Note 3
	-	-	-	2	Filler	3305107-9	Note 3
	1	1	1	1	Wing Installation - OW to Ctr Wing	3308250-1	Note 3
	1	1	1	1	Wing Installation - OW to Ctr Wing	3308250-2	Note 3
	-	2	2	2	Insulator	3311243-1	Note 3
	-	1	1	1	Insulator	3311244-1	Note 3
	-	2	2	2	Insulator	3311245-1	Note 3
	1	1	1	1	Angle	3311259-1	Note 3
	1	1	1	1	Bracket (Aircraft 4676, 4698, 4763, & 5025)	3313335-5	Note 3
	1	1	1	1	Bracket (Aircraft 4676, 4698, 4763, & 5025)	3313336-1	Note 3
	1	1	1	1	Bracket (Aircraft 4676, 4698, 4763, & 5025)	3313798-3	Note 3
	-	-	1	1	Angle (Aircraft 4763 & 5025)	3314702-3	Note 3
	-	-	1	1	Angle (Aircraft 4763 & 5025)	3314702-4	Note 3
	-	-	1	1	Angle (Aircraft 4763 & 5025)	3314702-5	Note 3

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
	-	-	1	1	Angle (Aircraft 4763 & 5025)	3314702-6	Note 3
	-	-	1	1	Clip (Aircraft 4763 & 5025)	3314702-7	Note 3
	-	-	1	1	Clip (Aircraft 4763 & 5025)	3314702-8	Note 3
	-	-	1	1	Beam Assembly (Aircraft 4763)	3314703-1	Note 3
	-	-	1	1	Beam Assembly (Aircraft 4763)	3314703-2	Note 3
	-	-	1	1	Beam Assembly (Aircraft 5025)	3314703-21	Note 3
	-	-	1	1	Beam Assembly (Aircraft 5025)	3314703-22	Note 3
	-	-	1	1	Clip (Aircraft 4763 & 5025)	3314704-3	Note 3
	-	-	1	1	Clip (Aircraft 4763 & 5025)	3314704-4	Note 3
	-	-	1	1	Brace Assembly (Aircraft 4763 & 5025)	3314705-1	Note 3
	-	-	1	1	Brace Assembly (Aircraft 4763 & 5025)	3314705-2	Note 3
	-	-	1	1	Reinforcing Plate (Aircraft 47633 & 5025)	3314713-1	Note 3
	-	-	1	1	Reinforcing Plate (Aircraft 47633 & 5025)	3314713-2	Note 3
	-	-	1	1	Cap (Aircraft 4763 & 5025)	3314718-1	Note 3
	-	-	1	1	Cap (Aircraft 4763 & 5025)	3314718-2	Note 3
	-	-	-	4	Radius Block	3319635-3	Note 3
	-	-	-	2	Splice Angle	3319636-1	Note 3
	-	-	-	2	Splice Angle	3319636-2	Note 3
	1	1	1	1	Doubler	3327867-3	Note 3
	2	2	2	2	Doubler	3351108-1	Note 3
	1	1	1	1	Support	3352087-1	Note 3
	2	2	2	2	Filler	3352440-1	Note 3
	3	3	3	3	Lock	339075L	Note 3
	3	3	3	3	Lock	339075R	Note 3
	1	1	-	-	Clip	340042-29L	Note 3
	1	1	-	-	Clip	340042-29R	Note 3
	1	1	1	1	Fitting	341973L	Note 3

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
	1	1	1	1	Fitting	341973R	Note 3
	1	1	1	1	Fitting	341974-3	Note 3
	1	1	1	1	Fitting	341974-4	Note 3
	1	1	1	1	Fitting	341975L	Note 3
	1	1	1	1	Fitting	341975R	Note 3
	2	2	2	2	Tube Assembly	343901-34	Note 3
	2	2	2	2	Tube Assembly	343901-36	Note 3
	2	2	2	2	Tube Assembly	343901-39	Note 3
	8	8	8	8	Seal	344987	Note 3
	2	2	2	2	Bracket	351451	Note 3
	2	2	2	2	Lock	351635L	Note 3
	2	2	2	2	Lock	351635RL	Note 3
	10	10	10	10	Bracket	352655	Note 3
	1	1	1	1	Duct Assembly (Aircraft 4590, 4606, & 4676)	353481-21	Note 3
	1	1	1	1	Duct Assembly (Aircraft 4698, 4763, & 5025)	353481-39	Note 3
	1	1	1	1	Support Bracket	354416	Note 3
	2	2	2	2	Boot	357950-1	Note 3
	8	8	8	8	Seal	358340-1	Note 3
	2	2	2	2	Nacelle Assembly	361122-31	Note 3
	-	-	2	2	Tee	362019-13	Note 3
	1	1	1	1	Bracket (Aircraft 4590 & 4606)	370162-1	Note 3
	1	1	1	1	Bracket (Aircraft 4590 & 4606)	370163-1	Note 3
	2	2	2	2	Flap Drive Installation	370639-9	Note 3
	2	2	2	2	Board	371221-1	Note 3
	1	1	1	1	Attach Angle	371222-7	Note 3
	1	1	1	1	Attach Angle	371222-8	Note 3
	1	1	1	1	Attach Angle	371223-7	Note 3
	1	1	1	1	Attach Angle	371223-8	Note 3
	1	1	1	1	Attach Angle	371224-7	Note 3

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
	1	1	1	1	Attach Angle	371224-8	Note 3
	2	2	2	2	Board (Aircraft 4590, 4606, 4676, 4698, & 4763)	371225-1	Note 3
	2	2	2	2	Board (Aircraft 5025)	371225-3	Note 3
	2	2	2	2	Board	371283-1	Note 3
	1	-	-	-	Plumbing Installation - Ctr Section Wing Trailing Edge	371306-3	Note 3
	1	1	1	1	Plumbing Installation - Ctr Section Wing Trailing Edge	371306-4	Note 3
	-	1	1	1	Plumbing Installation - Ctr Section Wing Trailing Edge	371306-5	Note 3
	1	1	1	1	Eductor Installation	371333-5	Note 3
	1	1	1	1	Eductor Installation	371333-6	Note 3
	1	1	1	1	Tube Assembly	371350-42	Note 3
	1	1	1	1	Tube Assembly	371350-43	Note 3
	1	1	1	1	Tube Assembly	371350-44	Note 3
	1	1	1	1	Tube Assembly	371350-45	Note 3
	2	2	2	2	Tube	371353-1	Note 3
	1	1	1	1	Tube	371353-127	Note 3
	1	1	1	1	Tube Assembly	371353-128	Note 3
	1	1	1	1	Tube	371353-14	Note 3
	2	2	2	2	Tube	371353-16	Note 3
	2	2	2	2	Tube	371353-2	Note 3
	2	2	2	2	Tube	371353-3	Note 3
	2	2	2	2	Tube	371353-329	Note 3
	2	2	2	2	Tube	371353-331	Note 3
	1	1	1	1	Tube	371353-333	Note 3
	2	2	2	2	Tube	371353-335	Note 3
	2	2	2	2	Tube	371353-337	Note 3
	1	1	1	1	Tube	371353-339	Note 3
	1	1	1	1	Tube Assembly	371353-4	Note 3

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
	1	1	1	1	Tube	371353-425	Note 3
	1	1	1	1	Tube	371353-427	Note 3
	1	1	1	1	Tube	371353-429	Note 3
	1	1	1	1	Tube	371353-431	Note 3
	1	1	1	1	Tube	371353-445	Note 3
	1	1	1	1	Tube	371353-447	Note 3
	1	1	1	1	Tube	371353-449	Note 3
	1	1	1	1	Tube	371353-451	Note 3
	1	1	1	1	Tube Assembly	371353-465	Note 3
	1	1	1	1	Tube Assembly	371353-467	Note 3
	1	1	1	1	Tube Assembly	371353-5	Note 3
	1	1	1	1	Tube Assembly	371353-531	Note 3
	1	1	1	1	Tube Assembly	371353-79	Note 3
	1	1	1	1	Tube Assembly	371353-81	Note 3
	1	1	1	1	Tube Assembly	371353-82	Note 3
	2	2	2	2	Fitting Assembly	371358-1	Note 3
	2	2	2	2	Fitting Assembly	371358-3	Note 3
	2	2	2	2	Fuel Fitting Assembly	371392-3	Note 3
	6	6	6	6	Fuel Fitting Assembly	371393-5	Note 3
	4	4	4	4	Fuel Fitting Assembly	371394-5	Note 3
	12	12	12	12	Support Angle	371425-1	Note 3
	1	1	1	1	Support	371432-5	Note 3
	1	1	1	1	Support	371432-6	Note 3
	2	2	2	2	Support	371434-1	Note 3
	6	6	6	6	Bracket	371437-3	Note 3
	2	2	2	2	Support	371438-1	Note 3
	2	2	2	2	Support	371438-2	Note 3
	2	2	2	2	Fitting Assembly	371441-3	Note 3
	2	2	2	2	Support	371444-1	Note 3
	4	4	4	4	Support Angle	371465-1	Note 3

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
	2	2	2	2	Support Angle	371466-1	Note 3
	2	2	2	2	Support	371470-1	Note 3
	2	2	2	2	Support Angle	371484-1	Note 3
	2	2	2	2	Mounting Plate	371591-2	Note 3
	2	2	2	2	Mounting Plate	371591-7	Note 3
	2	2	2	-	Splice Angle	373062-1L	Note 3
	2	2	2	-	Splice Angle	373062-1R	Note 3
	2	2	2	2	Door Seal	373326-17	Note 3
	2	2	2	2	Fitting	373647-1	Note 3
	2	2	2	-	Splice Angle	375207-1L	Note 3
	2	2	2	-	Splice Angle	375207-1R	Note 3
	-	-	-	2	Splice Angle	375207-5	Note 3
	-	-	-	2	Splice Angle	375207-6	Note 3
	-	-	-	2	Radius Block	375208-7	Note 3
	1	1	1	1	Clip	375238-1L	Note 3
	1	1	1	1	Clip	375238-1R	Note 3
	2	2	2	2	Guard Assembly (Aircraft 4590, 4606, 4676, & 4698)	375590-1	Note 3
	2	2	2	2	Guard Assembly (Aircraft 4590, 4606, 4676, & 4698)	375590-2	Note 3
	4	4	4	4	Ring Assembly	376100-1	Note 3
	4	4	4	4	Adapter	376101-1	Note 3
	1	1	1	1	Bracket	376113-1L	Note 3
	1	1	1	1	Bracket	376113-1R	Note 3
	1	1	1	1	Bracket	376114-3	Note 3
	1	1	1	1	Bracket	376114-4	Note 3
	1	1	1	1	Bracket	376115-2L	Note 3
	1	1	1	1	Bracket	376115-2R	Note 3
	2	2	2	2	Bracket	376155-1L	Note 3
	2	2	2	2	Bracket	376155-1R	Note 3
	1	1	1	1	Fireseal Assembly	376527-3	Note 3

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
	1	1	1	1	Fireseal Assembly	376527-4	Note 3
	1	-	-	-	Plumbing Installation - No. 2 Nacelle Dry Bay	388234-5	Note 3
	-	1	1	1	Plumbing Installation - No. 2 Nacelle Dry Bay	388234-7	Note 3
	1	1	1	1	Plumbing Installation - No. 3 Nacelle Dry Bay	388235-5	Note 3
	1	1	1	1	Cap	388494-3	Note 3
	1	1	1	1	Cap	388494-4	Note 3
	1	-	-	-	Plumbing Installation - Ctr Section Box Beam, BL 61L to 61R	389118-1	Note 3
	-	1	1	1	Plumbing Installation - Ctr Section Box Beam, BL 61L to 61R	389118-5	Note 3
	1	1	1	1	Support Assembly	389120-1	Note 3
	2	2	2	2	Bracket	389461-1	Note 3
	2	2	2	2	Bracket Assembly	389462-1	Note 3
	1	1	1	1	Doubler	389628-7	Note 3
	1	1	1	1	Doubler	389628-9	Note 3
	1	1	1	1	Doubler	389701-3	Note 3
	1	1	1	1	Doubler	389701-5	Note 3
	1	1	1	1	Fairing Assembly	390615-11	Note 3
	1	1	1	1	Fairing Assembly	390615-12	Note 3
	2	2	2	2	Bracket	390626-1	Note 3
	2	2	2	2	Bracket	390626-3	Note 3
	1	1	1	1	Bracket	390627-1	Note 3
	1	1	1	1	Bracket	390627-2	Note 3
	8	8	8	8	Insulation Blanket	393357-5	Note 3
	1	1	1	1	Fitting	394001-1	Note 3
	1	1	1	1	Fitting	394001-2	Note 3
	-	1	1	-	Center Wing Assembly	398800-13	Note 4

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
	-	-	-	1	Center Wing Assembly	398800-21	Note 4
	1	-	-	-	Center Wing Assembly	398800-5	Note 4
	1	1	1	1	Board Assembly	398917-1	Note 3
	1	1	1	1	Board Assembly	398917-2	Note 3
	1	1	1	1	Board Assembly	398917-3	Note 3
	1	1	1	1	Board Assembly	398917-4	Note 3
	1	1	1	1	Board Assembly	398918-1	Note 3
	1	1	1	1	Board Assembly	398918-2	Note 3
	1	1	1	1	Board Assembly	398918-3	Note 3
	1	1	1	1	Board Assembly	398918-4	Note 3
	1	1	1	1	Board Assembly	398919-1	Note 3
	1	1	1	1	Board Assembly	398919-2	Note 3
	1	1	1	1	Board Assembly	398920-1	Note 3
	1	1	1	1	Board Assembly	398920-2	Note 3
	1	1	1	1	Board Assembly	398921-1	Note 3
	1	1	1	1	Board Assembly	398921-2	Note 3
	1	1	1	1	Board Assembly	398921-3	Note 3
	1	1	1	1	Board Assembly	398921-4	Note 3
	1	1	1	1	Board Assembly	398921-5	Note 3
	1	1	1	1	Board Assembly	398921-6	Note 3
	1	1	1	1	Board Assembly	398921-7	Note 3
	1	1	1	1	Board Assembly	398921-8	Note 3
	1	1	1	1	Board Assembly	398922-1	Note 3
	1	1	1	1	Board Assembly	398922-2	Note 3
	1	1	1	1	Board Assembly	398923-1	Note 3
	1	1	1	1	Board Assembly	398923-2	Note 3
	4	4	4	4	Support Assembly	398924-1	Note 3
	4	4	4	4	Support Assembly	398925-11	Note 3
	2	2	2	2	Pump (Aircraft 4590, 4606, 4676, 4698, & 4763)	60-371B	Note 4

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
	2	2	2	2	Hose Assembly	624000-16D-0310	Note 3
	2	2	2	2	Blanket	695706-1	Note 3
	2	2	2	2	Blanket	695706-10	Note 3
	2	2	2	2	Blanket	695706-11	Note 3
	2	2	2	2	Blanket	695706-13	Note 3
	2	2	2	2	Blanket	695706-15	Note 3
	2	2	2	2	Blanket	695706-16	Note 3
	2	2	2	2	Blanket	695706-17	Note 3
	2	2	2	2	Blanket	695706-18	Note 3
	2	2	2	2	Blanket	695706-19	Note 3
	2	2	2	2	Blanket	695706-2	Note 3
	2	2	2	2	Blanket	695706-21	Note 3
	2	2	2	2	Blanket	695706-22	Note 3
	2	2	2	2	Blanket	695706-3	Note 3
	2	2	2	2	Blanket	695706-4	Note 3
	2	2	2	2	Blanket	695706-5	Note 3
	2	2	2	2	Blanket	695706-6	Note 3
	2	2	2	2	Blanket	695706-7	Note 3
	2	2	2	2	Blanket	695706-9	Note 3
	1	1	1	1	Bladder Cell	695733-1	Note 3
	1	1	1	1	Bladder Cell	695733-2	Note 3
	1	1	1	1	Bladder Cell	695734-3	Note 3
	1	1	1	1	Bladder Cell	695734-4	Note 3
	1	1	1	1	Bladder Cell	695735-1	Note 3
	1	1	1	1	Bladder Cell	695735-2	Note 3
	2	2	2	2	Valve (Aircraft 5025)	695752-1	Note 4
	2	2	2	2	Fuel Quantity Probe (Aircraft 4590, 4606, 4676, & 4698)	695799-121	Note 4
	2	2	2	2	Fuel Quantity Probe (Aircraft 4590, 4606, 4676, & 4698)	695799-123	Note 4

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.

SERVICE BULLETIN

NEW PART NUMBER	QUANTITY Kit A	Kit B	Kit C	Kit D	KEY WORD	OLD PART NUMBER	INSTRUCTIONS/ DISPOSITION
	2	2	2	2	Fuel Quantity Probe (Aircraft 4590, 4606, 4676, & 4698)	695799-125	Note 4
	2	2	2	2	Fuel Quantity Probe (Aircraft 4590, 4606, 4676, & 4698)	695799-127	Note 4
	2	2	2	2	Tank Unit (Aircraft 4763 & 5025)	695799-179	Note 4
	2	2	2	2	Tank Unit (Aircraft 4763 & 5025)	695799-181	Note 4
	2	2	2	2	Tank Unit (Aircraft 4763 & 5025)	695799-183	Note 4
	2	2	2	2	Tank Unit (Aircraft 4763 & 5025)	695799-185	Note 4
	2	2	2	2	Sight Gage	697486-3	Note 4
	2	2	2	2	Valve (Aircraft 4763)	7-716835	Note 4
	2	2	2	2	Valve (Aircraft 4590, 4606, 4676, & 4698)	731300-3	Note 4

NOTE:

1. Part may be obtained from Lockheed Martin Aeronautics Company in accordance with Paragraph 1.F.
2. Local purchase/local supply item.
3. Scrap old part.
4. Return to your local supply organization.

_____#_____

File: I-3086

USE, COPYING, AND/OR DISCLOSURE IS GOVERNED BY THE RESTRICTIVE LEGEND ON THE TITLE PAGE OF THIS DOCUMENT.